



welfaremedical
WORLDWIDE HEALTHCARE PRODUCTS

Surgical Solutions



Products designed to meet the needs of surgeons,
nurses and operating room personnel.



Welfare Medical is an organisation committed to working in partnership with healthcare professionals around the world to deliver high quality solutions across many fields of surgery. Welfare Medical offer an extensive range of disposable surgical and laparoscopic instruments which offer ease of use as well as improved safety and efficiency. We are dedicated to providing innovative products to enable the advancement of minimally invasive surgery as well as open surgery that will improve patient outcomes.

All our products are CE-ISO marked and fully comply with all current International Quality Standards. Our quality management system is certified according to the ISO13485 International Standard. This ensures consistent and high quality processes for development and manufacturing.



Products designed to meet the needs of surgeons, nurses and operating room personnel.

Laparoscopic Devices


Our complete range of versatile hand instruments, designed to meet the needs of endoscopic surgery.



	page
Laparoscopic Hand Instruments	4
3mm Laparoscopic Instruments	5
Bipolar Laparoscopic Instruments	6
Disposable Cholangiography Forceps	7
Disposable Bipolar Forcep	8
Disposable Laparoscopic Electrodes	9
Wel-Stitch 10mm Suturing device	10
Suction Irrigation Set	11
Wel-Endo Bags	12
Disposable Camera Sleeve	13

Stapling


Welfare Medical surgical staplers and stapling products offer surgeons a variety of applications with quality clinical performance.



Disposable Haemorrhoid Stapler	14
Disposable Circular Stapler	15
Disposable Linear Stapler	16
Disposable Linear Cutter Stapler	17
Endoscopic Linear Cutter Stapler	18
Disposable Skin Stapler	19
Wel-Tack Hernia Stapler	20

Ligation

A full range and variety of ligating clips, together with a range of compatible applicators for both open and endoscopic surgery.



Wel-Auto Endo Applier	21
Polymer Ligating Clips and Applicators	22
Titanium Ligating Clips	24
Wel-Lok Ligating Clips	26
Wel-Lok Disposable Kit	28
Wel-Clip Automatic Applier	29

Access

A versatile line of trocar cannula devices and accessories.



Wel-Port Optical Trocars	30
Wel-Port Trocars	31
Veress Needles	33

Electrosurgical devices

A range of electrosurgical handpieces offering quality and full compatibility.



Electrosurgical Pencils	34
Electrosurgical Pads	35

Laparoscopic Hand Instruments

WM02-010



WM02-002



WM03-017



WM03-018



WM03-019



WM03-020



Our laparoscopic hand instruments facilitate grasping, mobilization, dissection, and transection of tissue.

Ergonomically designed handle for comfortable grip and full functionality.

A 360 degree colour coded rotation wheel ensures instant instrument identification in the sterile field.

On/off ratchet mechanism.

Easy and precise jaw motion with maximum opening.

Curved scissors available with full insulation to the working tip of the scissor blade for increased safety.



Laparoscopic Hand Instruments

reference code	product type	colour coding
WM02-010	Wel-Cut Scissors	Grey
WM02-002	Wel-Dissector Maryland	Green
WM03-017	Wel-Clinch Grasper	Olive
WM03-018	Wel-Grasp Atr Grasper	Blue
WM03-019	Wel-Catch Grasper	Brown
WM03-020	Wel-Babcock Grasper	Brown

3mm Laparoscopic Instruments


The 3mm lightweight reusable laparoscopic instruments allow surgeons to perform less invasive surgery without compromise on strength and rigidity.

3mm diameter offers reduced incision size and improves cosmetic results.

Ergonomic and lightweight handle.

Instrument has consistent and precise performance.

3mm shafts with a range of popular jaw configurations.



WMR3-010



WMR3-018



3mm Reusable Laparoscopic Instruments

reference code	description	size
WMR3-010	Wel-Cut Scissors	3mm x 330mm
WMR3-002	Wel-Dissector Maryland	3mm x 330mm
WMR3-017	Wel-Clinch Grasper	3mm x 330mm
WMR3-018	Wel-Grasp Atr Grasper	3mm x 330mm
WMR3-019	Wel-Catch Grasper	3mm x 330mm

Bipolar Laparoscopic Instruments

WMB-108



WMB-002



Bipolar instruments for controlled bipolar coagulation, safe cutting and dissection of tissue during laparoscopic surgery. The reduced thermal spread reduces the risk of damage to surrounding tissue and greatly lessens possible patient burn.

Double action jaws with wide 50° opening angle.

Supplied with bipolar cable for connection to all electrosurgical units.

360° finger-tip rotation for accurate tip control and manoeuvre.

Fully insulated shaft for increased safety.



Bipolar Laparoscopic Instruments


reference code	product type	size
WMB-108	Bipolar Fenestrated Grasper	5mm x 330mm
WMB-002	Bipolar Maryland Dissecting Forceps	5mm x 330mm

Disposable Cholangiography Forceps

Cholangiography forceps are used for intra-operative cholangiography to introduce, correctly position and secure a catheter for intra-operative imaging of the gall bladder or bile duct. A contrast medium is injected by use of a cholangiography catheter with a luerlock connector through the internal channel of the forceps.

Single use to eliminate cross infection risks.


5mm instrument with ratchet handle.



Disposable Cholangiography Forceps

reference code	product type	size
WMC-200	Cholangiography Forceps	5mm x 330mm

Disposable Bipolar Forcep with Cutting Electrode



Bipolar forceps with an active bipolar cutting electrode. This disposable all-in-one instrument offers four functions of dissecting, grasping, bipolar coagulation and bipolar cut.


This multifunction instrument is ideal for many complex and time consuming procedures within minimal invasive gynaecology.

The instrument can be used with most standard bipolar electrosurgical units. Used for any surgery requiring repeated division of tissue and vessels.

Ergonomic handle for ease of control and stability with a secure ratchet system.

Angled tooth design for secure grasping
8.5mm jaw opening for vessels up to 7mm.

3m cable with a 2x 4mm male connector.



Disposable Bipolar Forcep with Cutting Electrode

reference code	size
WM-BF-101	5mm x 330mm

Disposable Laparoscopic Electrodes

Laparoscopic single-use electrodes provide excellent dissection and coagulation for a variety of surgical procedures.

Three different monopolar designs.

The 330mm shaft is fully insulated to the tip to prevent stray current and unwanted burns.

Ergonomic and lightweight handle.



WME-0660



WME-0440




WME-0110



Disposable Laparoscopic Electrodes

reference code	description	size
WME-0660	L-Hook	5mm x 330mm
WME-0440	Spatula	5mm x 330mm
WME-0110	J-Hook	5mm x 330mm

Wel-Stitch 10mm Suturing Device



Automatic endoscopic suturing device.


Has application in endoscopic surgery for the placement of interrupted or running stitches in soft tissues.

Ergonomic handle with needle position indicator.

One handed instrument and easy needle transfer within the jaws.

Wide mouth jaws allow access to variety of tissue thickness.

Offers considerable surgical time savings.




Suturing Device

reference code	description
WM-ES-006	10mm Suturing Device

Ergonomic design for ease of use.
3m of flexible tubing.

Atraumatic round ended shaft with
side-to-side distal aspiration holes.

Colour coded smooth button pistons and
tubing for ease of identification.



Suction Irrigation Set

reference code	outer diameter	working length
WM-SIS200	5mm	330mm

Wel-Endo Bags



10 mm single-use specimen pouch has application for safe, convenient removal of tissue specimens.

Unique ergonomic design offers ease of use.

Self-opening design provides easy and safe specimen retrieval.

High strength thermoplastic polyurethane pouch material prevents leakage.

Single-use specimen pouch consists of a long cylindrical tube and a polyurethane pouch that minimises spillage and intraoperative contamination by isolating and containing specimen.



Wel-Endo Bags

reference code	specification	maximum capacity of bag
WM-EBS-100	Small	100ml
WM-EBM-200	Medium	200ml
WM-EBL-500	Large	500ml

Disposable Camera Sleeve

The single use Surgical Camera Sleeve creates a sterile effective barrier around the camera head and cable.

The ring frame design allows simple and quick application to create a sterile field for use with the video/camera systems during laparoscopic procedures.

The cover is made of reinforced plastic for added security.


By eliminating the need for between-case sterilisation, the sleeve can save money on costly repairs and prolong the life of the camera head and cable.



Disposable Camera Sleeve

reference code	length
WM-0449	3000mm

Disposable Haemorrhoid Stapler



Sterile Disposable Stapler has been designed for the surgical procedure for prolapse and haemorrhoids (PPH) throughout the anal canal.

Allows controlled tissue compression and adjustable-height staples for uniform staple formation at the specific height. The anvil is detachable for better visual control.

Clear Anoscope offer reference markings for enhanced visualisation of the anatomy and precise placement of the purse string sutures.

Controlled tissue compression and adjustable-height staples for uniform staple formation.

Closed staple height of 0.75mm-1.5mm – designed to increase staple line compression on tissue and key blood vessels.



Disposable Haemorrhoid Stapler


reference code	number of staples	diameter	height
WM-CSH-32	30	32mm	4.2mm
WM-CSH-34	32	34mm	4.2mm

Disposable Circular Stapler

The Welfare Circular stapler is used in general surgery, thoracic surgery, surgical treatment of obesity and in colo-rectal surgery, to perform end-to-end, side-to-end, and side-to-side anastomoses.

Controlled tissue compression provides the flexibility to adapt to tissue depending on the clinical situation.


Adjustable height staples accommodate compressed tissue thickness from 1.0mm to 2.5mm.



Disposable Circular Stapler

reference code	number of staples	open staple height	outer diameter
WM-CS-23	20	4.8mm	23mm
WM-CS-26	24	5.3mm	26mm
WM-CS-29	26	5.3mm	29mm
WM-CS-32	30	5.3mm	32mm
WM-CS-34	32	5.3mm	34mm

Disposable Linear Stapler



One-handed design gives improved ergonomics and ease of use.

Disposable Reloadable Linear Stapler has application throughout the alimentary tract and in thoracic surgery for transection and resection of internal tissues.

Available with two staple heights, which facilitate anastomosing of thick and standard tissues.



Disposable Linear Stapler

reference code	cartridge code	closed staple height	cartridge colour
WM-LS-30-38	WM-LSAC-30-38	1.5mm	Blue
WM-LS-30-48	WM-LSAC-30-48	2.0mm	Green
WM-LS-45-38	WM-LSAC-45-38	1.5mm	Blue
WM-LS-45-48	WM-LSAC-45-48	2.0mm	Green
WM-LS-60-38	WM-LSAC-60-38	1.5mm	Blue
WM-LS-60-48	WM-LSAC-60-48	2.0mm	Green
WM-LS-90-42	WM-LSAC-90-42	1.5mm	Blue
WM-LS-90-48	WM-LSAC-90-48	2.0mm	Green

Disposable Linear Cutter Stapler

Single use reloadable Linear Cutter Stapler for resection, transection and anastomosis with titanium staples.

A new knife blade with each reload to ensure a reliable and precise cutting performance.

Covered knife blade which is safe for the surgeon and prevents accidental injury to tissue.


Selectable staple height in a single cartridge for a variety of tissue thickness is available and safety lockout prevents firing of unloaded device.



Disposable Linear Cutter Stapler

instrument code	cartridge code	size	closed staple height	cartridge colour
WM-LC-60-38	WM-LCC-60-38	60mm	1.5mm	Blue
WM-LC-60-48	WM-LCC-60-48	60mm	2.0mm	Green
WM-LC-80-38	WM-LCC-80-38	80mm	1.5mm	Blue
WM-LC-80-48	WM-LCC-80-48	80mm	2.0mm	Green

Endoscopic Linear Cutter Stapler




The Endoscopic stapler combines an ergonomic design, articulation, and one-handed grasping, for increased versatility enhancing the user experience. The Stapler places two, triple staggered rows of titanium staples and simultaneously cuts and divides the tissue between the two rows.

Universal handle available in two size options and compatible with all reloading units.

Brand new knife blade for each single use loading unit to provide the sharpness and ensure complete tissue cutting which reduce tissue damage.

Articulating cartridge provides more flexibility in narrow surgery space.

Staple gap control allows for consistent staple formation as the cutting knife proceeds through the transected tissue.



Disposable Linear Cutter Stapler

reference code	shaft length
WM-ELC-M	150mm
WM-ELC-L	250mm

Straight Cartridge

reference code	size	staple height	cartridge colour
WM-ELCC-45-25	45mm	2.5mm	White
WM-ELCC-45-35	45mm	3.5mm	Blue
WM-ELCC-45-48	45mm	4.8mm	Green
WM-ELCC-60-25	60mm	2.5mm	White
WM-ELCC-60-35	60mm	3.5mm	Blue
WM-ELCC-60-48	60mm	4.8mm	Green

Articulating Cartridge

reference code	size	staple height	cartridge colour
WM-ELCRC-45-25	45mm	2.5mm	White
WM-ELCRC-45-35	45mm	3.5mm	Blue
WM-ELCRC-45-48	45mm	4.8mm	Green
WM-ELCRC-60-25	60mm	2.5mm	White
WM-ELCRC-60-35	60mm	3.5mm	Blue
WM-ELCRC-60-48	60mm	4.8mm	Green


Disposable Skin Stapler

Each disposable Skin Stapler is loaded with 35 medical grade stainless steel staples.

Skin Stapler dispenses one staple each time the instrument trigger is activated.

Clear plastic cartridge offers enhanced staple count visibility.

Ergonomic design for ease of operation.



Disposable Skin Stapler

reference code	staples	width mm	height mm
WMSS-35N	35	5.4	3.6
WMSS-35R	35	7.0	4.0

WM-SSR	Skin staple remover
--------	---------------------

Wel-Tack Hernia Stapler

5mm Fixation device designed for fixation of prosthetic material such as hernia mesh to soft tissue.

The tack is helical and made from titanium.

Fasteners provide secure fixation.

Can be used with any 5mm port.



Wel-Tack Hernia Stapler

reference code	shaft diameter	tacks
WM-HMS	5mm	30

Wel-Auto Endo Applier



Automatic Clip Applier with 15 preloaded large polymer clips.

Delivers enhanced clip retention on the chosen vessel or structure.

10mm shaft with 350mm shaft length. Longer length for enhanced reach and procedural flexibility.

Applicable specialities.


- General
- Gynecologic
- Thoracic
- Bariatric
- Paediatric
- Cardiac
- Colorectal
- Urologic
- ENT



Wel-Auto Endo Applier Polymer Clips

reference code	description	size
WM-PC500A	15 Med-Large clips	5mm

Polymer Ligating Clips and Applicators



Clips are made of non-absorbable polymer, inert, non-toxic and well tolerated by the body, highly resistant in time.

Flexible design of the arms to allow optimal fit on vessels.

Flexible hinge that allows easy opening and closing.

Integrated teeth to ensure greater stability and prevent slippage on the tissue.

Distinct tactile feedback confirms jaw seating and secure vessel placement.

Bosses are designed to securely retain clip in applicator jaws.

Applicators for open and endoscopic surgery equipped with precision anchoring system that allows clips to remain stable without risk of accidental loss.

Loaders and applicators with code colour for easy identification.

Non-Absorbable polymer is inert, nonconductive, radiolucent and does not interfere with CT, MRI, or X-ray diagnostics.

Clips contained in colour coded cartridges for ease of identification.




Our broad range of applier lengths including 45 cm endoscopic appliers for extended reach allows the surgeon to deliver clips with control and confidence

Medium-Large appliers available in 5 mm diameter.

20° angled appliers for effective control and better access.

45° angled tip appliers for better access in VATS surgery



Polymer Ligating Clips

reference code	size	vessel range	colour	pcs /cartridge	cartridges /box
WM-PC230	Med-Large	3-10mm	Green	6	14
WM-PC240	Large	5-13mm	Purple	6	14
WM-PC250	Extra Large	7-16mm	Yellow	6	14

Endoscopic Appliers

reference code	size	colour code	diameter	length
WM-PC205ML	Medium-Large	Green	5mm	33cm
WM-PC205L	Large	Purple	10mm	33cm
WM-PC205EL	Extra Large	Yellow	10mm	33cm
45cms Extra Length Endoscopic Appliers				
WM-PC205ML45	Medium-Large	Green	5mm	45cm
WM-PC205L45	Large	Purple	10mm	45cm
WM-PC205EL45	Extra Large	Yellow	10mm	45cm
20° Angled Tip Appliers				
WM-PC205MLArt	Medium-Large	Green	5mm	33cm
WM-PC205LArt	Large	Purple	10mm	33cm
WM-PC205ELArt	Extra Large	Yellow	10mm	33cm
45° Angled Tip Appliers				
WM-PC205MLArt45	Medium-Large	Green	5mm	33cm
WM-PC205LArt45	Large	Purple	10mm	33cm
WM-PC205ELArt45	Extra Large	Yellow	10mm	33cm
Endoscopic Remover				
WM-PCR	Med-Large/Large	Black	5mm	33cm

Endoscopic Appliers 2-Piece

reference code	size	colour code	diameter	length
WM-PC205ML2P	Medium-Large	Green	5mm	33cm
WM-PC205L2P	Large	Purple	10mm	33cm
WM-PC205EL2P	Extra Large	Yellow	10mm	33cm

Open Appliers

reference code	size	colour code	length
Open Appliers			
WM-PCML25	Medium-Large	Green	25cm
WM-PCL25	Large	Purple	25cm
WM-PEL25	Extra Large	Yellow	25cm
Open Appliers 70° Angle			
WM-PCML25A	Medium-Large	Green	25cm
WM-PCL25A	Large	Purple	25cm
WM-PEL25A	Extra Large	Yellow	25cm




Take-Apart
2-piece
Endoscopic
Appliers




20° angled appliers for
effective control and
better access.



45° angled tip appliers
for better access in
VATS surgery



Titanium Ligating Clips



Appliers are available in a wide variety of jaw types and applier lengths.

Pure Titanium providing maximum vessel occlusion and zero memory preventing tip opening after application. Biologically inert radiolucent and non-magnetic for use with MRI scanning equipment.

Open appliers colour coded for ease of identification


45cm Endoscopic Appliers for Bariatric surgery offering extended reach



Welfare Ligating Clips are sterile, single-patient-use clips manufactured from high quality titanium.

The V-shaped clip designed for ligation of tubular structures.

Supplied sterile and are used for ligation of organs and vessels in laparoscopic as well as open surgery



Titanium Ligating Clips



reference code	size	colour	pcs /cartridge	cartridge /box
WM-100	Small	Blue	6	36
WM-200	Medium	White	6	36
WM-300	Med-Large	Green	6	20
WM-400	Large	Yellow	6	20

Endoscopic Appliers

reference code	size	jaw action
WM-205S	Small	Single
WM-205M	Medium	Single
WM-205ML	Med-Large	Double
WM-105ML	Med-Large	Single
WM-205L	Large	Single
WM-105L	Large	Double
WM-305ML	Med-Large	90° angle
Extended length appliers 45cm		
WM-205ML45	Med-Large	
WM-205L45	Large	

Open Appliers

reference code	size	applier length
WM-S18	Small	18cm
WM-S28	Small	28cm
WM-M23	Medium	23cm
WM-M28	Medium	28cm
WM-ML28	Med-Large	28cm
WM-L28	Large	28cm



Wel-Lok Ligating Clips



Chevron shape titanium clips holds tissue with precise tip-to-tip closure.

Cartridges are colour coded to match applicators. Easy to load and with strong adhesive backing on the cartridge, provides the user to conveniently place the cartridge to any sterile area.

Transverse grooves on the clip ensure no slippage from the vessel or tissue.

MRI compatible and radio-opaque.

Cartridges available with both 6- and 24- clips.




Wel-Lok Ligating Clips

reference code	size	colour	pcs /cartridge	cartridge /box
WML-520	Micro	White	6	40
WML-201	Small	Red	6	40
WML-202	Small-Med	Purple	6	40
WML-200	Medium	Blue	6	20
WML-320	Med-Large	Green	6	20
WML-420	Large	Yellow	6	20
WML-20124	Small	Red	24	14
WML-20024	Medium	Blue	24	14

Endoscopic appliers available for medium-large and large clips with flush port for thorough cleaning.

Open appliers colour-coded and available in range of sizes and lengths.



Open Surgical Appliers

reference code	size	colour	working length
WML520-Mi15	Micro	White	15cm
WML201-S15	Small	Red	15cm
WML201-S20	Small	Red	20cm
WML202-SM15	Small-Med	Purple	15cm
WML202-SM20	Small-Med	Purple	20cm
WML200-M15	Medium	Blue	15cm
WML200-M20	Medium	Blue	20cm
WML320-ML20	Med-Large	Green	20cm
WML320-ML28	Med-Large	Green	28cm
WML420-L20	Large	Yellow	20cm
WML420-L28	Large	Yellow	28cm

Endoscopic Surgical Appliers

reference code	size	colour	diameter	working length
WML-320E	Med-Large	Green	10cm	33cm
WML-420E	Large	Yellow	10cm	33cm

Wel-Lok Disposable Ligating Clip Kit




24 clips and Disposable Applier
sterile packed ready for use.

Wel-Lok Disposable Ligating Clip Kit

reference code	size	colour	applier length	pcs /cartridge
WML-20124-S20	Small	Red	20cm	24
WML-20024-M20	Medium	Blue	20cm	24
WML-20124-S28	Small	Red	28cm	24
WML-20024-M28	Medium	Blue	28cm	24

Wel-Clip Automatic Clip Applier 10mm

Shaft rotates through 360° for maximum visibility
Ergonomic and lightweight handle.
Instrument has consistent and precise
performance.



Wel-Clip Automatic Clip Applier

reference code	description
WM-CA500	20 Med/Large Titanium clips

Wel-Port Optical Trocars




Visible Trocar allows direct visualisation of the abdominal wall layers as the Trocar is inserted, reducing the risk of Trocar related injuries, especially during primary port placement.

The Optical Trocar provides safe entry into the peritoneal cavity.

15mm Bladeless Optical Trocar
Suitable for minimally invasive surgery requiring the use of an Endoscopic Stapler.


Different diameter instruments (5, 10, 12 and 15mm) can easily be used without requiring an additional reducer.



Optical Bladeless Crown Trocar

reference code	working length	diameter	pcs/box
WM-OBT5 5mm	100mm	5.5mm	6
WM-OBT10 10mm	110mm	10.5mm	6
WM-OBT12 12mm	110mm	12.5mm	6
WM-OBT15 15mm	100mm	15mm	6

Wel-Port Trocars



Ergonomic design offers increased comfort with better control.

The universal seal allows to shift instruments between 12mm and 5mm maintaining a reliable closure.

Detachable seal can be removed for the convenience to retrieve large tissue.





Bladeless Crown Trocar

The bladeless Trocar minimises abdominal wall and vessel trauma. The bladeless tip separates rather than cuts along tissue fibres.



Bladed Crown Trocar

The bladed Trocar is a sharp blade for cutting through tissue housed within a bladeless tip. The outer sheath acts as a shield to protect the blade when not in use. Upon entry into a free space in the abdominal cavity, the shield advances to cover the blade reducing potential for injury to internal structures.



Bladeless Trocar range with extended length.

Provides longer length instrument channel than standard Trocar.

Suitable for obese patients and Thyroid surgery.

Bladeless Crown Trocar

reference code	working length	diameter	pcs/box
WM-BT3 3mm	65mm	3mm	6
WM-BT5 5mm	100mm	5.5mm	6
WM-BT10 10mm	110mm	10.5mm	6
WM-BT12 12mm	110mm	12.5mm	6

Bladed Crown Trocar

reference code	working length	diameter	pcs/box
WM-T5 5mm	100mm	5.5mm	6
WM-T10 10mm	110mm	10.5mm	6
WM-T12 12mm	110mm	12.5mm	6


Extended Length Trocar

reference code	working length	diameter	pcs/box
WM-BTL5	150mm	5mm	6
WM-BTL10	150mm	10mm	6
WM-BTL12	150mm	12mm	6

A spring loaded, blunt style mechanism, the Veress Needle is used to establish safe and effective Pneumoperitoneum in laparoscopic surgery.

Different length options to accommodate different patient populations.


Sharp bevelled tip ensures quick, easy and safe insertion.




Veress Needles

reference code	outer diameter	working length
WM-VS120	2mm	120mm
WM-VS150	2mm	150mm

Electrosurgical Pencils



Disposable electrosurgical handswitching pencils.
 Compatibility with electrosurgical generators.
 Lightweight material and ergonomic design.
 3 metre cable.



Electrosurgical Pencils

reference code	description
WME-2516	Disposable button control
WME-2515	Disposable rocker switch



Use with Valleylab generator.
Foam backing.
Single use, nonsterile.
25 pouches/box, 4 boxes/carton.

Electrosurgical Pads

reference code	description
WME-7507	Adult patient return electrode with 2.7m attached cord

Electrosurgical Pads Non Corded

reference code	description	units/box
WME-7508	Adult Electrosurgical Pad	50
WME-7510	Infant Electrosurgical Pad	50
WME-7512	Neonate Electrosurgical Pad	50
WME-0560	Reusable Electrode Cable	1





Welfare Medical Limited,
Pure Offices, Tachbrook Park,
Warwick CV34 6WE United Kingdom
t. +44 20 8720 6486
e. sales@welfaremedical.com
www.welfaremedical.com