



PRODUCT CATALOGUE **ELECTROTHERAPY**



TENS FULLY GELLED ELECTRODES
EEG/EMG FULLY GELLED ELECTRODES
REUSABLE ELECTRODES
HOLDING BAGS
FASTENING BELTS
ADAPTERS
OUTPUT DOUBLING CABLES
PROBES
SPECIAL PRODUCTS
CONNECTING CABLES
GEL




TENS FULLY GELLED ELECTRODES

FIAB manufactures a wide range of TENS electrodes in assorted shapes, materials and connections with a comfortable and effective design to suit every need.

ELECTRODES WITH WIRE AND 2 MM SOCKET

NON WOVEN				
ref.	size	picture	ref.	size
PG470W	35x45mm		PG474W	45x98mm
PG471W	46x47mm		PG475W	65x45mm
PG471/40W	40x40mm		PG476W	45x150mm
PG471/50W	50x50mm		PG477W	75x140mm
PG471/63W	63x63mm		PG479/32W	Ø32mm
PG472W	53x96mm		PG479/50W	Ø50mm
PG472W2	53x96mm - two wires		PG479/75W	Ø75mm
PG472/90W	50x96mm		PG479OVW	50x100 mm - oval
PG473W	45x80mm		PG480/95W2	150X95 mm
PG473W2	45x80mm - two wires		PG200W	20x145mm
NON WOVEN - CHLORINATED				
ref.	size	picture	ref.	size
PG771/50W	50x50mm		PG772/90W2	50x90mm - two wires
PG772/90W	50x90mm		PG774W	45x98mm
FOAM				
ref.	size	picture	ref.	size
PG871/40W	40x40mm		PG890W	40x90mm
PG871/50W	50x50mm		PG879/32W	Ø32mm
PG873W	45X80mm		PG879/50W	Ø50mm
PG873W2	45x80mm - two wires		PG879/75W	Ø75mm
PG874W	45x98mm			

SNAP ELECTRODES

NON WOVEN				
ref.	size	picture	ref.	size
PG470	35x45mm		PG474	45x98mm
PG471	46x47mm		PG475	65x45mm
PG471/40	40x40mm		PG476	45x150mm
PG471/50	50x50mm		PG477	75x140mm
PG471/63	63x63mm		PG490	40x90mm
PG472	53x96mm		PG479/32	Ø32mm
PG472/90	50x90mm		PG479/50	Ø50mm
PG473	45x80mm		PG479/75	Ø75mm
PG473/2	45x80mm - two snap			
NON WOVEN - CHLORINATED				
ref.	size	picture	ref.	size
PG771/50	50x50mm		PG772/902	50x90mm - two snap
PG772/90	50x90mm		PG774	45x98mm
FOAM				
ref.	size	picture	ref.	size
PG871/50	50x50mm		PG10C	Ø26mm
PG873	45X80mm		PG20	28X68mm - two snaps
PG879/75	Ø75mm		F3010	21X41mm - two snaps

TAB ELECTRODES

NON WOVEN				
ref.	size	picture		ref. size
PG470L	35x45mm			PG476L 45x150mm
PG471L	46x47mm			PG200 10X155mm
PG473L	45X80mm			PG200/20 20x155mm

EEG/EMG FULLY GELLED ELECTRODES

Besides TENS electrodes, FIAB also offers some models specifically intended for EEG and EMG, both with foam and non-woven support and with several connections.

NON WOVEN								
ref.	size	connection	wire	picture	ref.	size	connection	wire
F9055/07	15x20 mm (oval)	0,7 mm plug	8 cm		F9055/150	15x20 mm (oval)	1,5 mm DIN socket	150 cm
F9055/1	15x20 mm (oval)	1 mm	8 cm		F9055N/120	18x24 mm (oval)	1,5 mm DIN socket	120 cm
F9055/D	15x20 mm (oval)	1,5 mm DIN socket	8 cm		F9055N/150	18x24 mm (oval)	1,5 mm DIN socket	150 cm
F9055/120	15x20 mm (oval)	1,5 mm DIN socket	120 cm					
FOAM								
ref.	size	connection	wire	picture	ref.	size	connection	wire
F9059/07	15x20 mm (oval)	1 mm	8 cm		F9059N	23x30 mm (oval)	1,5 mm DIN socket	50 cm
F9059/1	15x20 mm (oval)	0,7 mm plug	8 cm		F9059N/60	23x30 mm (oval)	1,5 mm DIN socket	60 cm
F9059/D	15x20 mm (oval)	1,5 mm DIN socket	8 cm		F9059N/120	23x30 mm (oval)	1,5 mm DIN socket	120 cm

REUSABLE ELECTRODES

FIAB reusable electrodes include many different silicone models along with sythetic buckskin coupled with a special carbon conductive material. A wide range of conductive band electrodes (elastic, cloth, silicone and buckskin coupled) is also available.

SILICONE

CONDUCTIVE SILICONE ELECTRODES							
size	2mm SOCKET	4mm SOCKET	2mm PLUG	4mm PLUG	WIRE AND 4mm PLUG	WIRE AND 4mm SOCKET	SNAP
50x50mm	PG970/2	PG970/4	PG970/22	PG970/44	PG970/41	PG970/51	
60x85mm	PG980/2	PG980/4	PG980/22	PG980/44	PG980/41	PG980/51	
50x100mm	PG916/2	PG916/4	PG916/22	PG916/44	PG916/41	PG916/51	
80x120mm	PG912/2	PG912/4	PG912/22	PG912/44	PG912/41	PG912/51	
120x160mm		PG917/4		PG917/44	PG917/41	PG917/51	
Ø25mm	PG925/2	PG925/4	PG925/22	PG925/44			PG925C
Ø50mm	PG950/2	PG950/4	PG950/22	PG950/44			
Ø55mm	PG960/55						
Ø75mm	PG960/75						
Ø95mm	PG960/95						



PG970/44



PG980/44



PG925/2



PG950/4

PG970/2
(with holding bag)

PG916/2



PG960/95

PG960/75




PG970/51R

ADHESIVE SILICONE ELECTRODES

without gel				 PG971/40G	 PG971/35G	with gel			
ref.	dimensions	cable	connection			ref.	dimensions	cable	connection
PG971/35W	35x45mm	YES	protected 2mm socket			PG971/35G	35x45mm	NO	2mm socket
PG971/40W	40x40mm	YES	protected 2mm socket			PG971/40G	40x40mm	NO	2mm socket
PG971/45W	40x45mm	YES	protected 2mm socket			PG971/50G	50x50mm	NO	2mm socket
PG971/2W	46x50mm	YES	protected 2mm socket			PG971/35GW	35x45mm	YES	protected 2mm socket
PG971/2	46x50mm	NO	2mm socket			PG971/40GW	40x40mm	YES	protected 2mm socket
						PG971/50GW	50x50mm	YES	protected 2mm socket

GEL PADS AND ROLLS


ref.	dimensions	picture	
PG271/35	35X45mm		
PG271/40	40x40mm		
PG271/50	50x50mm		
PG271C/45	Ø45mm		
PG271C/65	Ø65mm		
		PG271/50	PG271/35

ref.	dimensions	picture	
PG907	width 228mm - thickness 0,35mm		
PG9074/55	width 55mm - thickness 0,35mm		
		PG907	PG907/55

CARBON CONDUCTIVE CLOTH COUPLED WITH SYNTHETIC BUCKSKIN

"EASY STIM"		
ref.	dimensions	picture
PG701	35x45mm	
PG702	45x60mm	
PG703	60x80mm	
PG704	80x120mm	
PG704/2C	80x120mm - double snaps	
PG705	120x220mm	
PG706	120x160mm	
PG706/2C	120x160mm - double snaps	
PG707	35x90mm	
"EASY STIM" INSULATED		
ref.	dimensions	picture
PG721	35x45mm	
PG722	45x60mm	
PG723	60x80mm	
PG724	80x20mm	
PG725	120x120mm	
PG726	120x160mm	

REUSABLE BAND ELECTRODES

ELASTIC BAND - VELCRO			
ref.	width	length	picture
PG954/35	5cm	35cm	 PG954/50
PG954/45	5cm	45cm	
PG954/50	5cm	50cm	
PG954/65	5cm	65cm	
PG954/80	5cm	80cm	
PG954/120	5cm	120cm	
CLOTH BAND - VELCRO			
ref.	width	length	picture
PG903/4	5cm	40cm	 PG903/4
PG903/6	5cm	60cm	
PG903/8	5cm	80cm	
PG903/10	5cm	100cm	
PG903/914	5cm	140cm	
SILICONE BAND - BY THE METER			
ref.	width	picture	
PG901	50mm	 PG901 PG902	 PG901/2
PG902	25mm		
PG901/2	50mm with continuos central 2mm socket		
PG906/2	100mm with continuos central 2mm socket		
ELASTIC BAND - BY THE METER			
ref.	width	picture	
PG904	20mm	 PG954	
PG954	50mm		
CLOTH BAND - BY THE METER			
ref.	width	picture	
PG931	50mm	 PG931	
PG931/60	60mm		
PG931/80	80mm		
PG931/99	140mm		

BUCKSKIN COUPLED "TOP PACE"				
ref.	dimensions	picture	ref.	dimensions
PG933/4	5x40cm		PG933/14	5x140cm
PG933/6	5x60cm		PG933/30	5x300cm
PG933/8	5x80cm		PG933/50	5x500cm
PG933/10	5x100cm		PG933/70	5x700cm
PG93312	5x12cm			
BUCKSKIN COUPLED "TOP PACE" INSULATED				
ref.	dimensions	picture	ref.	dimensions
PG923/4	5x40cm		PG923/14	5x140cm
PG923/6	5x60cm		PG923/30	5x300cm
PG923/8	5x80cm		PG923/50	5x500cm
PG923/10	5x100cm		PG923/70	5x700cm
PG923/12	5x12cm			

HOLDING BAGS

Reusable holding bags can be used with many different electrodes; they are manufactured in spontex, synthetic buckskin or hydrocompressed; a wide range of sizes allow to match every need.

SPONTEX						
ref.	dimensions	picture		ref.		
PG970S	60x75 (electrode 50x50mm)	 PG970S	 PG916S	 PG912S	PG912S 110x140 (electrode 80x120mm)	
PG980S	85x100 (electrode 60x85mm)				PG917S 140x180 (electrode 120x160mm)	
PG916S	75x105 (electrode 50x100mm)				PG913S/99 roll, width 62cm	
SYNTHETIC BUCKSKIN						
ref.	dimensions	picture				
PG970	60x60 (electrode 50x50mm)	 PG970	 PG980	 PG912		
PG980	70x90 (electrode 60x85mm)					
PG916	60x105 (electrode 50x100mm)					
PG912	105x135 (electrode 80x120mm)					
PG917	140x160 (electrode 120x160mm)					
PG913/50	roll, width 50cm					
PG913/60	roll, width 60cm					
PG913/80	roll, width 80cm					
PG913S/99	roll, width 140cm	 PG970SF	 PG916SF	 PG912SF		
HYDROCOMPRESSED						
ref.	dimensions	picture		ref.	dimensions	
PG926/S1	46x71mm	 PG926/60/4	 PG926/46/4	PG926/56	Ø56mm	
PG926/S2	58x88mm			PG926/95	Ø95mm	
PG926/S3	90x140mm			PG926/46/4	Ø46mm - 4 holes	
PG926/S4	140x190mm			PG926/55/4	Ø55mm - 4 holes	
PG926/99	370x710mm			PG926/60/4	Ø60mm - 4 holes	
PG926/40	Ø40mm			PG926/95/4	Ø95mm - 4 holes	


FASTENING BELTS

A very huge range of fastening belts includes elastic models with velcro and rubber models, with so many different widths and lengths.

ELASTIC BELTS

WIDTH	SERIES	LENGTH							BY THE METER	VELCRO (*)	COLOUR (**)
		20 cm	30 cm	40 cm	60 cm	80 cm	100 cm	150 cm			
30 mm	PG965	\	PG965/3	PG965/4	PG965/6	PG965/8	PG965/10	PG965/15	\	M/F	B
		\	PG965/3M	PG965/4M	PG965/6M	PG965/8M	PG965/10M	PG965/15M	\	M/M	
		\	\	\	\	\	PG937/10	\	PG965/99	\	
		\	\	\	\	\	PG937/10	\		M/F	W
50 mm	PG946	\	\	PG946/4	PG946/6	PG946/8	PG946/10	PG946/15	\	M/F	D
		PG946/2M2	\	\	PG946/6M2	PG946/8M2	PG946/10M2	\	\	M/M	
		\	\	\	\	\	\	\	PG946/99	\	
80 mm	PG943	\	\	PG943/4	PG943/6	PG943/8	PG943/10	PG943/15	\	M/F	D
		\	\	PG943/4M	PG943/6M	PG943/8M	PG943/10M	PG943/15M	\	M/M	
	PG945	\	PG945/3	PG945/4	PG945/6	PG945/8	PG945/10	PG945/15	\	M/F	B
		\	PG945/3M	PG945/4M	PG945/6M	PG945/8M	PG945/10M	PG945/15M	\	M/M	
		\	\	\	\	\	\	\	PG945/99	\	
	PG948	\	\	PG948/4M	PG948/6M	PG948/8M	PG948/10M	PG948/15M	\	M/M	R
	PG977	\	PG977/3	PG977/4	PG977/6	PG977/8	PG977/10	PG977/15	\	M/F	G
		\	PG977/3M	PG977/4M	PG977/6M	PG977/8M	PG977/10M	PG977/15M	\	M/M	
		\	\	\	\	\	\	\	PG977/99	\	
	PG978	\	\	PG978/4M	PG978/6M	PG978/8M	PG978/10M	\	\	M/M	Y
100 mm	PG935	\	PG935/3	PG935/4	PG935/6	PG935/8	PG935/10	PG935/15	\	M/F	W
		\	PG935/3M	PG935/4M	PG935/6M	PG935/8M	PG935/10M	PG935/15M	\	M/M	
		\	\	\	\	\	\	\	PG935/99	\	
	PG955	\	PG955/3	PG955/4	PG955/6	PG955/8	PG955/10	PG955/15	\	M/F	B
		\	PG955/3M	PG955/4M	PG955/6M	PG955/8M	PG955/10M	PG955/15M	\	M/M	
		\	\	\	\	\	\	\	PG955/99	\	

(*) M/F = male/female; M/M = male/male (**) colours key: B=blue; D=dark blue; G=green; W=white; R=grey; Y=yellow/blue



RUBBER BELTS

WIDTH	SERIES	LENGTH				BY THE METER
		150 cm	75 cm	50 cm	35 cm	30 m
24 mm	1	PG905/15	PG905/8	PG905/5	PG905/3	PG905/55
32 mm	1	PG910/15	PG910/8	PG910/5	PG910/3	PG910/55
45 mm	2	PG909/15	PG909/8	PG909/5	PG909/3	PG909/55
75 mm	3	PG911/15	PG911/8	PG911/5	PG911/3	PG911/55
100 mm	6	PG913/15	\	\	\	PG913/55



ADAPTERS



A wide range of adapters allows to modify the configuration of cables and electrodes, connecting them with snap, alligator or plug.

FOR CABLES					
ref.	description	picture		ref.	description
F9019	from 4mm socket to alligator		PG922/4M	from snap to 4mm plug	
F9019/2	from 2mm socket to alligator		PG922/MC	with cable, from male snap to alligator	
PG922/2T	from 2mm socket to snap		PG922/2C	PG922/2C	
PG922/4T	from 4mm socket to snap		PG922/24	from 2mm socket to 4mm plug	
PG922/2M	from snap to 2mm plug		PG922/42	from 4mm socket to 2mm plug	
FOR REUSABLE ELECTRODES					
ref.	description	picture		ref.	description
PG997	from 2mm cilindric smooth plug to 2mm elastic plug		PG998/4M	from 4mm elastic plug to 4mm elastic plug	
PG998	from 4mm cilindric smooth plug to 4mm elastic plug				

Every model is available in red (R) or black (N), except for model PG922/4T which is available also in green (V), yellow (G) and white (B)

OUTPUT DOUBLING CABLES



Output doubling cables are available in 7 different configurations and each of them can be supplied with black or red connectors.

ref.	description	picture	ref.	description
PG365	from male snap to double female snaps		PG373	from 4mm socket to double female snaps
PG370	from 2mm socket to double 2mm plug		PG374	from 4mm socket to double 4mm plug
PG371	from 2mm plug to double 2mm socket		PG375	from 4mm plug to double 4mm socket
PG372	from 2mm plug to double female snaps			

Every model is available in red (R) or black (N)

PROBES

Electrotherapy probes are intended for stimulation, massage and face lifting; they are available with internal or separate reference and can be customized according every need.

PROBES					
ref.	description	picture		ref.	description
PG330	internal reference, RCA, 4 nichel-Brass electrodes included			PG342S	internal reference, 3,5mm jack mono, fixed double 6mm sphere electrodes
PG330	separate reference, RCA, 4 nichel-brass electrodes included			PG342RCA	internal reference, RCA, fixed 9mm electrode
PG335	plastic probe, without connector			PG342SRCA	internal reference, RCA, fixed double 6mm sphere electrode
PG335/F2	plastic probe, 2mm socket, stainless steel ball electrode included			PG336/32	bipolar probe for RF - Ø32mm
PG335/M4	plastic probe, 4mm plug, 4 nichel-brass electrodes included			PG336/50	bipolar probe for RF - Ø50mm
PG335/26	plastic probe, DC connector, (2,6mm electrode connection)			PG330M4P4	pencil with 4 electrodes
PG340	internal reference, double 2mm plug, fixed double sphere electrode			PG340/30	with internal reference, fixed double sphere electrode Ø30mm
PG342	internal reference, 3,5mm jack mono, fixed 9mm electrode				

ELECTRODES					
ref.	description	picture		ref.	description
PG321	nichel-brass - mushroom			PG321/AC	stainless-steel - mushroom
PG322	nichel-brass - needle			PG322/AC	stainless-steel - needle
PG323	nichel-brass - long needle			PG323/AC	stainless-steel - long needle
PG324	nichel-brass - ball			PG324/AC	stainless-steel - ball
PG325	nichel-brass - roller			PG325/AC	stainless-steel - roller

SPONGES					
ref.	description	picture		ref.	description
PG321/S	for electrodes PG321- and PG321/AC			PG324/S	for electrodes PG324 and PG324/AC

SPECIAL PRODUCTS



Among special products, several items intended for iontophoresis and electrostimulation have been included: conductive masks, slippers, gloves, socks, grounding bracelets, clamps and pads.

CONDUCTIVE ACCESSORIES


ref.	description	picture
PG1010	ionophoresis mask, synthetic buckskin, with pouches for 50x50mm electrodes	 PG1011 PG1050/UNI
PG1011	electrostimulation mask, synthetic buckskin and conductive cloth, double snap connection	
PG1020	bipolar slippers (double snap connection)	
PG1030	unipolar slippers (single snap connection)	
PG1021	synthetic buckskin insoles for bipolar slippers	
PG1031	synthetic buckskin insoles for unipolar slippers	
PG1040/M	pair of conductive gloves , single snap, medium size	
PG1040/L	pair of conductive gloves. Single snap, large size	
PG1040C2/UNI	pair of conductive gloves, double snaps, one size	
PG1050/UNI	electrostimulation socks	

GROUNDING ELECTRODES

ref.	description	picture	
PG940/28	anti-static bracelet, snap, length 28cm	PG940/28	PG942/28
PG941/28	anti-static bracelet, carbon cloth coupled with synthetic buckskin, snap, length 28 cm	PG941/28	
PG942/28	elastic bracelet, snap, length 28cm		
F9024SSC	reusable grounding clamp electrode silver silver/chloride sensor, for adult		F9024SSC
F7805P	disposable grounding pads, for adult, solid gel, FOAM support, 202x101mm, tab connection		F7805P

CONNECTING CABLES

The range of connecting cables is very wide and includes both unipolar and bipolar models. Connecting cables are available with different connectors (snap, socket, plug ...), in multiple lengths and in different colours. The Sales office is available to identify the cable model that meets the customer's needs.



GEL AND CREAMS

GEL range includes models specifically intended for ultrasound, IPL, radiofrequency and EEG/EMG; dispensers are available separately as spare parts.

ULTRASOUND

ref.	description	picture
G006	liquid gel, 260ml bottle	
G007	liquid gel, 1000ml bottle	
G0064	liquid gel, 5000ml flexible bag, 260ml refilling bottle	
G0066	liquid gel, 5000ml jerry can, 260ml refilling bottle	

ULTRASOUND AND IPL

ref.	description	picture
G002	transparent liquid gel, 20ml pouch	
G008	transparent liquid gel, 260ml bottle	
G009	transparent liquid gel, 1000ml bottle	
G010	transparent liquid gel, high density, 1000ml jar	
G080	transparent liquid gel, high density, 500 ml bottle	
G0084	transparent liquid gel, 5000ml flexible bag, 260ml refilling bottle	

RADIOFREQUENCY

ref.	description	picture
G016	RF cream, 1000ml bottle	
G017	RF cream, 5000ml flexible bag	

EEG/EMG

ref.	description	picture
G011	EEG gel, 260ml bottle	
G012	Abrasive paste for EEG, EP, EMG, 260ml bottle	
G014	Adhesive and conductive paste for EEG, EMG, 500ml jar	

DISPENSERS

ref.	description	picture
G0067	reusable dispenser for 5000ml jerry can	
G0068	reusable dispenser for 5000ml flexible bag	
G0069	reusable dispenser for 1000ml bottle	



FIAB SpA
Via Costoli, 4 - I-50039 Vicchio (Florence) - Italy
Tel. +39 0558497999 - Fax +39 055844381
export@fiab.it - www.fiab.it

