



Accessory catalogue 2015/2016

Dear Customer,

You have chosen Dräger's high-quality acute care workstations.

Our accessories offer you a tailor-made solution for your application, original accessories from Dräger, to ensure that they support your therapy as ideally as possible. We take just as much care in their specification, development and manufacture as we do in the manufacture of our ventilators, anesthesia workstations and monitoring products.

In addition, Dräger Accessories are underpinned by our own strict quality guidelines. Dräger's high standards of quality and innovation are ensured by testing processes in an accredited test center. For Dräger doesn't just design and manufacture technology, but technology for life. For over 100 years our medical devices and solutions have been used for one purpose – to support you in treatment and care every day in your task of protecting and preserving life.

Something you can count on. Dräger – technology for life.

The original accessories

SOMETHING YOU CAN COUNT ON: ORIGINAL ACCESSORIES BY DRÄGER

Day in, day out in the hospital you are faced with enormous time and cost pressures at the same time you are taking care of the welfare of your patients. You need technical medical accessories which you can use to unlock the full potential of your equipment, which work smoothly, guarantee the best possible care of your patients and help you to improve your processes. In short: accessories you can rely on, Dräger can supply it for you.

ORIGINAL QUALITY PAYS OFF

Whether for patient monitoring, care and treatment of neonates, anesthesia, intensive care, the emergency department or on the ward: each original accessory from Dräger doesn't just fulfil all the official quality standards. We also measure our accessories against our own strict Dräger quality standards.

INDIVIDUAL THE IDEAL SOLUTION FOR EVERY APPLICATION

Dräger supplies over 2,000 accessory items which offer a solution for almost every need – from breathing bags to flowsensors to headbands in either disposable or re-usable. Because we design and develop all of our products according to the specific requirements of hospitals the world over – you get all accessories from one company and you have just one contact person.

COMPATIBLE TESTED WITH SAFETY

Our original accessories have been tested and approved for use in conjunction with the respective Dräger device or connector, this ensures perfect interaction between device and accessory.

This means for you:

- The operating time of your Dräger devices is optimized.
- Your Dräger devices develop their full potential and thus ensure optimal patient care.

STANDARDIZED ONE ORDER FOR ALL WARDS

There are comprehensively developed accessories based on proven technologies for the entire portfolio of Dräger devices. These accessories are not intended just for one specific Dräger device but can be used for nearly every Dräger device – and even across wards.

This means for you:

- Your logistics are simplified.
- This saves you labor, cost and time.

from Dräger – at a glance

VENTILATION ACCESSORIES




MT-2673-2008

> on page 8 onward

1

SODA LIME



D-14216-2009

> on page 100 onward

2

SENSORS



D-12634-2009

> on page 106 onward

3

MONITORING ACCESSORIES



D-26161-2009

> on page 112 onward

4

WARD EQUIPMENT



D-12726-2009

> on page 222 onward

5

RAIL ACCESSORIES AND EXAMINATION LIGHT




D-50601-2012

> on page 288 onward

6

NEONATAL CARE AND THERMOREGULATION



D-7573-2008

> on page 302 onward

7

On this way you'll find your accessories:

1. FIND ACCESSORIES IN THE CATALOG

Looking for a new expiratory valve? In the back of the catalog, from page 402 onwards, you will find an index with key words listed alphabetically. They lead directly to the product page.

INDEX			
Expiratory valve for Babylog® 8000	8408950	81	Face mask All-round size 1, small
Expiratory valve for Babylog® VN 500, reusable	8415270	81	Face mask All-round size 2, medium
Expiratory valve for Carina®, disp.	MP00220	81	Face mask All-round size 3, large
Expiratory valve for Evita Infinity® V500, reusable	8418750	80	Fast O ₂ sensor, for sidestream meas
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	80	Filter cap for Aeronne silicone, 5 pcs.
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600	80	Filling kit for Aquasp
Expiratory valve for Evita® V500, disposable, Infinity ID, 10 pcs.	MP01060	80	Filter and HME for air compressor, c
Expiratory valve for Evita®, reusable	8410580	80	Filter and tube for B, disposable, 25 pcs.
Expiratory valve for Savina® 300, reusable	8417050	81	Filter for Dew-ette®, disposable, 10 pcs.
Expiratory valve for Savina®, disposable, 10 pcs.	MP01061	81	Filter for suction bot
Expiratory valve for Savina®, reusable	8413660	81	Filter for suction bot, disposable, 10 pcs.
Expiratory valve for TI 500			Filter paper for F&P MR 340, 100 g
Globe-Trotter, disposable, 50 pcs.	MU04772	306	Filter paper for F&P MR 340, 100 g
Expiratory valve housing	8409898	326	Filter paper for F&P MR 340, 100 g
Extension arm set for cables			Filter paper for F&P MR 340, 100 g

2. NOTE DOWN ORDER NUMBER

Have you chosen a particular accessory? Simply note down the order number.

DEVICE RELATED ACCESSORIES	
6. DEVICE RELATED ACCESSORIES	
A	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs. 8414776
	Expiratory valve for Evita®, reusable 8410580
B	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs. MP02600
	Membrane for Evita 2 dura®, Evita® 4, Evita® XL, for expiratory valve 8412015
C	Water trap for Evita 2 dura®, Evita® 4, Evita® XL, reusable 8413125
D	Expiratory valve for Evita® V500, disposable, Infinity ID, 10 pcs. MP01060
	Expiratory valve for Evita Infinity® V500, reusable 8418750

3. ORDER ACCESSORIES

There are three options for ordering Dräger accessories:

a) online using the Dräger Shop*

- simply register at: www.draegershop.de
- enter the order number using the search form
- add the quantity required
- click on the shopping list/shopping cart

The Dräger Shop allows you to directly inquire about your price and availability of the product.

*Germany only

b) by telephone, mail or fax

Please refer to the back of this catalog for your region's contact details.

c) do you have a direct line to Dräger field sales?

Use it and mail or fax your order to your contact.

OVERVIEW

VENTILATION ACCESSORIES 08

1. Breathing circuits
2. Breathing system filters and HMEs
3. CO₂ cuvettes
4. Catheter mounts and airway connectors
5. Breathing masks
6. Device related accessories
7. Pack2Go®
8. Humidifier and nebulizer
9. Intubation kits
10. Resuscitators

SODA LIME 100

SENSORS 106

MONITORING ACCESSORIES 112

1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series
2. Infinity® Acute Care System
3. Infinity® M300
4. Infinity® TruST™ Telemetry
5. Infinity® MicrO₂+®
6. Vista 120

WARD EQUIPMENT 222

1. Oxygen therapy
2. Aerosol therapy
3. Medical aspiration
4. Central supply hoses

RAIL ACCESSORIES AND EXAMINATION LIGHTS 288

1. Rail accessories
2. Examination light
3. Hinged arms

NEONATAL CARE AND THERMOREGULATIONS 302

1. Warming therapy
2. Ventilation accessories
3. Sensors
4. Monitoring accessories
5. Ward equipment
6. Rail accessories and examination light



MT-267 03/08

Ventilation accessories

SOMETHING YOU CAN COUNT ON:

- All system components from a single source: uniform accessories for all departments – from the emergency department, to the surgical area, and to intensive care and neonate wards
- A system of closely matched ventilation accessories – from the Dräger device to the patient
- The right product for each patient and the various forms of therapy – high quality materials that ensure that your patients are perfectly cared for

1

CONTENT

VENTILATION ACCESSORIES

1. Breathing circuits	11	5. Breathing masks	65
1.1 Disposable breathing circuits/sets and related accessories	11	5.1 Non-invasive ventilation masks and accessories	65
1.2 Reusable breathing circuits/sets and related accessories	29	5.2 Anesthesia and ventilation face masks and accessories	69
2. Breathing system filters and HMEs	55	5.3 Oxygen (O ₂) and aerosol therapy masks, venturi mask kits, nasal cannulas and accessories	75
3. CO₂ cuvettes	63	6. Device related accessories	80
3.1 Disposable	63	7. Pack2Go®	83
3.2 Reusable	63	8. Humidifier and nebulizer	86
4. Catheter mounts and airway connectors	64	9. Intubation kits	95
		10. Resuscitators	97


DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1. BREATHING CIRCUITS

1.1 DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


With VentStar® Family Dräger offers a wide range of disposable breathing circuits for different applications as well as for different patient groups (neo, ped, adult). Customers can choose between various kinds of materials. All disposable breathing circuits are made of high quality material and all gas leading components are PVC-free (no harm through softeners like e.g. DEHP). Special focus at Dräger is – additionally to CE – the interaction between Dräger device and related breathing circuit what is documented in our declarations of system compatibility. Declarations of system compatibility underlie intensive testing in various scenarios which are based on our long-time experience concerning interaction of device with accessory. With respect to the newest device generation we enlarged our portfolio with ID breathing circuits which support the Infinity® ID functionality of the relevant Dräger devices.

A Breathing circuit Vent Set, latex-free, disposable, basic, 1.5 m, 25 pcs.	MP00300
B Breathing circuit VentStar®, latex-free, disp., basic, 1.8 m, 25 pcs.	MP00349
C Breathing circuit VentStar®, latex-free, disp., basic, 2.5 m, 10 pcs.	MP00350





DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing circuit VentStar®, latex-free, disp., P, basic, w/o LL, 1.5 m, 25 pcs.	MP00338
B Breathing circuit VentStar®, latex-free, disp., P, basic, 1.8 m, 25 pcs.	MP00351
C Breathing circuit VentStar®, latex-free, disposable, P, basic, 2.5 m, 25 pcs.	MP00352
D Breathing circuit VentStar®, latex-free, disposable, N, basic, 1.8 m, 25 pcs.	MP00353



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<p>A Breathing circuit VentStar®, latex-free, disp., water trap, w/o LL, 1.8 m, 25 pcs.</p>	<p>MP00334</p>
<p>B Breathing circuit VentStar®, latex-free, disp., water trap, 1.8 m, 25 pcs.</p>	<p>MP00337</p>
<p>C Breathing circuit VentStar®, latex-free, disp., P, water trap, 1.8 m, 25 pcs.</p>	<p>MP00361</p>
<p>D Breathing circuit VentStar®, latex-free, disp., P, water trap, w/o LL, 1.8 m, 25 pcs.</p>	<p>MP00362</p>
<p>E Breathing circuit VentStar®, latex-free, disp., N, water trap, 1.8 m, 25 pcs.</p>	<p>MP00363</p>




DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing circuit Vent Set, latex-free, disposable, coaxial, 1.5 m, 20 pcs.	MP00315
B Breathing circuit Vent Set, latex-free, disp., coax, with holder, 1.5 m, 20 pcs.	MP00316
C Breathing circuit VentStar®, latex-free, disposable, coaxial, 1.8 m, 20 pcs.	MP00356
D Breathing circuit VentStar®, latex-free, disp., coax., water trap, 2.1 m, 10 pcs.	MP00378
E Breathing circuit VentStar®, latex-free, disposable, P, coaxial, 1.5 m, 20 pcs.	MP00379



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit Vent Set, latex-free, disp., extendable, 1.8 m, 25 pcs.	MP00305
B	Breathing circuit VentStar®, latex-free, disp., extendable, 2.2 m, 25 pcs.	MP00355
C	Breathing circuit VentStar®, latex-free, disp., smoothbore, f. MRI, 3 m, 10 pcs.	MP00327
D	Breathing circuit VentStar®, latex-free, disposable, N, MRI, 3 m, 10 pcs.	MP00329



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing bag set VentStar®, latex-free, disp., 2 L, 0.8 m, 25 pcs.	MP00222
B Breathing bag set VentStar®, latex-free, disp., 2 L, 1.2 m, 25 pcs.	MP00380
B Breathing bag set VentStar®, latex-free, disp., 2 L, 1.5 m, 25 pcs.	MP00381
C Breathing bag set VentStar®, latex-free, disp., P, 1 L, 1.1 m, 25 pcs.	MP00384
D Breathing bag set VentStar®, latex-free, disp., N, 0.5 L, 1.1 m, 25 pcs.	MP00383




DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Anesthesia set, latex-free, disposable, basic, 1.5 m/0.8 m, 25 pcs.	MP00301
B Anesthesia set, latex, disposable, basic, 1.5 m/0.8 m, 25 pcs.	MP00302
C Anesthesia set, latex-free, disposable, extendable, 1.8 m/0.8 m, 25 pcs.	MP00303
D Anesthesia set, latex, disposable, extendable, 1.8 m/0.8 m, 25 pcs.	MP00304



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Anesthesia set VentStar®, latex-free, disp., w/o Luer Lock, 1.8 m/0.8 m, 25 pcs.	MP00330
B Anesthesia set VentStar®, latex-free, disp., P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs.	MP00331
C Anesthesia set VentStar®, latex-free, disposable, N, 1.8 m/1.1 m, 25 pcs.	MP00333



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Anesthesia set VentStar®, latex-free, disp., basic, 2 L, 1.8 m/1.5 m, 25 pcs.	MP00365
B	Anesthesia set VentStar®, latex-free, disp., basic, 2 L, 2.5 m/1.5 m, 10 pcs.	MP00366
C	Anesthesia set VentStar®, latex-free, disp., WT, w/o LL, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00371
D	Anesthesia set VentStar®, latex-free, disposable, WT, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00372
E	Anesthesia set VentStar®, latex-free, disposable, WT, w/o LL, 2 L, 2.8 m/1.5 m, 10 pcs.	MP02720
F	Anesthesia set VentStar®, latex-free, disposable, WT, 2 L, 2.8 m/1.5 m, 10 pcs.	MP02721



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

- | | |
|---|-----------------------|
| <p>A Anesthesia set VentStar®, latex-free, disposable, P, WT, w/o LL, 1L, 1.8 m/1.1 m, 10 pcs.</p> | <p>MP00375</p> |
| <p>B Anesthesia set VentStar®, latex-free, disposable, P, WT, 1 L, 1.8 m/1.1 m, 10 pcs.</p> | <p>MP00374</p> |



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit VentStar[®], latex-free, disp., N, heated, 1.2 m, 10 pcs.	MP00308
B	Breathing circuit VentStar[®], ltx-fr., disp., N, heated, w/o chamber, 1.2 m, 10 pcs.	MP00309
C	Humidifier chamber VentStar[®], disposable, 10 pcs.	MP00234




DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A <u>VentStar® Helix, dual heated, 10 pcs.</u>	<u>MP02606</u>
B <u>VentStar® Helix, heated, 10 pcs.</u>	<u>MP02607</u>
C <u>Humidifier chamber, 10 pcs.</u>	<u>MP02605</u>





DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing circuit for Oxylog 1000 VentStar®, latex-free, disp., 1.8 m, 25 pcs. set	2M86837
B Breathing circuit for Oxylog 2000 VentStar®, latex-free, disp., 1.8 m, 5 pcs. set	2M86841
C Breathing circuit Oxylog 3000,3000+,2000+VentStar®, ltx-fr., disp., 1.5 m, 5 pcs. set	5703041
D Breathing circuit for Oxylog 3000F 2000+ VentStar®, latex-fr., disp., 3 m, 5 pcs.	MP00335
E Breathing circuit Oxylog 3000,3000+ VentStar®, ltx-fr., disp., P, 1.9 m, 5 pcs. Oxylog 3000: ≥ SW 1.20.	5704964



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<p>A Breathing circuit VentStar® Carina® LeakV, latex-free, disposable, 1.5 m, 25 pcs.</p>	<p>MP00312</p>
<p>B Breathing circuit VentStar® Carina® ExpV, latex-free, disposable, 1.5 m, 25 pcs.</p>	<p>MP00313</p>
<p>Breathing circuit VentStar® Carina® ExpV, latex-free, disposable, 2 m, 25 pcs.</p>	<p>5704962</p>
<p>C Breathing circuit for Resuscitaire VentStar®, latex-free, disp., N, 1 m, 25 pcs.</p>	<p>MP00310</p>
<p>D Breath. circ. f. Resuscitaire VentStar®, ltx-fr, disp, N, press. meas. line, 1 m, 25 pcs.</p>	<p>MP00311</p>



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing circuit Infinity® ID, latex-free, disposable, basic, 1.8 m, 25 pcs.	MP01350
B Breathing circuit Infinity® ID, latex-free, disposable, basic, 2.5 m, 10 pcs.	MP01348
C Breathing circuit Infinity® ID, latex-free, disposable, P, basic, 1.8 m, 25 pcs.	MP01340
D Breathing circuit Infinity® ID, latex-free, disp., water trap, 1.8 m, 25 pcs.	MP01326
Breathing circuit Infinity® ID, latex-free, disp.,P, water trap, 1.8 m, 25 pcs.	MP01341
E Breathing circuit Infinity® ID, latex-free, disposable, coaxial, 1.6 m, 20 pcs.	MP00342
F Breathing circuit Infinity® ID, latex-free, disp., smoothbore, 1.6 m, 25 pcs.	MP00340



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

- | | |
|---|----------------|
| A Breathing circuit Infinity® ID, latex-free, disposable, smoothbore, 3 m, 10 pcs. | MP01325 |
| B Breathing circuit Infinity® ID, latex-free, disp., extendable, 2.2 m, 25 pcs. | MP01347 |



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing bag set Infinity® ID, latex-free, disp., 2 L, 1.2m, 25 pcs.	<u>MP00341</u>
B Breathing bag set Infinity® ID, latex-free, disp., 2 L, 1.5 m, 25 pcs.	<u>MP01330</u>
C Breathing bag set Infinity® ID, latex-free, disp., P, 1 L, 1.1 m, 25 pcs.	<u>MP01343</u>
D Breathing bag set Infinity® ID, latex-free, disp., N, 0.5 L, 1.1 m, 25 pcs.	<u>MP01329</u>




DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing circuit Infinity® ID, latex-free, disp., dual heated, 1.5 m, 10 pcs.	MP00344
B Breathing circuit Infinity® ID, latex-free, disposable, heated, 1.5 m, 10 pcs.	MP00345
C Breathing circuit Infinity® ID, latex-free, disp., N, heated, 1.2 m, 10 pcs.	MP00343

TRADEWARE

Breathing circuit Fisher & Paykel RT212, disp., inspiratory heated, 10 pcs.	8414991
Breathing circuit Fisher & Paykel RT225, disp., N, insp. heated, 10 pcs.	8414994



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1.2 REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


BLUESSET VENTILATION

A	BlueSet Ventilation (N/P)	8412344
	Consists of:	
1	Y-piece, reusable, P, angled, with suction opening	8403075
2	Corrugated hose, P, 14 cm, catheter mount	8403333
3	Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056
4	Water trap, reusable, P	8404760
5	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm	2165848
6	Water trap, reusable, N	8409627
7	Cap, reusable, 7 mm	8401645
8	Connector, aluminum, reusable, 22 mm/11 mm	8405752
9	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	2165856
10	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Ventilation (A)	8413146
	Consists of:	
①	Connector for endotracheal tube, reusable, size 12.5 mm	M23840
②	ISO double connector, reusable, 22 mm/22 mm	M25647
③	Angle Socket ISO	8290274
④	Corrugated hose, reusable, catheter mount	8402041
⑤	Connector for breathing hose, reusable, A	8403076
⑥	Hose clip, 10 pcs.	8403566
⑦	Y-piece, reusable, for Dräger temperature probe	8405435
⑦	Dummy Plug	8410049
⑧	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619
⑨	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627
⑩	Cap set, reusable, 11 mm, 5 pcs.	8402918
⑪	Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	8403685
⑫	Water trap, reusable, A	8404985



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


A	BlueSet Ventilation HME (A)	8412860
	Consists of:	
①	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
②	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


BLUESET HEATED

A	BlueSet heated (A)	8414986
	Consists of:	
①	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
②	Hose clip, 10 pcs.	8403566
③	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627
④	Connector for breathing hose, reusable, A	8403076
⑤	Water trap, reusable, A	8404985
⑥	ISO double connector, reusable, 22 mm/22 mm	M25647
⑦	Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	8403685
⑧	Connector for endotracheal tube, reusable, size 12.5 mm	M23840
⑨	Cap, reusable, 11 mm	8401644
⑩	Corrugated hose, reusable, catheter mount	8402041
⑪	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888
⑫	Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007
⑬	Elbow, reusable	M25649
⑭	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993
⑮	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet heated (N/P)	8414987
	Consists of:	
1	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	2165651
2	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm	2165848
3	Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634
4	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	2165856
5	Water trap, reusable, N	8409627
6	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993
7	Cap, reusable, 7 mm	8401645
8	Y-piece, reusable, P, angled, with suction opening	8403075
9	Connector for endotracheal tube, reusable, size 11 mm	M19351
10	T-piece connector, reusable	8411044
11	Double connector, outer diameter 11 mm	8409897
12	Test lung NeoTestLung, N, latex-free, bellows	8409742
13	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet heated HFV (N)	8411153
	Consists of:	
1	Breathing hose, Hytrel, 70 cm	8418404
2	Breathing hose, Hytrel, 65 cm	8410814
3	Test lung NeoTestLung, N, latex-free, bellows	8409742
4	Hose heater for F&P MR 700/730, 70 cm	8411154
4	Connector 900 MR 830, for HFV breathing circuit by F&P	8418455
5	Connector 900 MR 533, for HFV breathing circuit by F&P	8418407
6	Connector for endotracheal tube, reusable, size 11 mm	M19351
7	Water trap, reusable, N	8409627
8	Elbow, reusable	8418289
9	Breathing hose, Hytrel, 40 cm	8410816
10	T-piece connector, reusable, for F&P temperature probe	8418405




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet heated LowFlow (N/P)	8412081
	Consists of:	
1	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	2165651
2	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm	2165848
3	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821
4	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	2165856
5	Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634
6	Hose heater, A, 1.1 m	8411045
7	Test lung NeoTestLung, N, latex-free, bellows	8409742
8	Y-piece, reusable, P, angled, with suction opening	8403075
9	Connector for endotracheal tube, reusable, size 11 mm	M19351
10	Double connector, outer diameter 11 mm	8409897
11	T-piece connector, reusable	8411044
12	Water trap, reusable, N	8409627
13	Cap, reusable, 7 mm	8401645



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


A	BlueSet heated Incubator (N)	8411041
	Consists of:	
1	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	2165651
2	Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm	8403080
3	Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm	8403070
4	Test lung NeoTestLung, N, latex-free, bellows	8409742
5	Water trap, reusable, N	8409627
6	Elbow, reusable	8418289
7	Double connector, outer diameter 11 mm	8409897
8	Connector for endotracheal tube, reusable, size 11 mm	M19351
9	T-piece connector, reusable	8411044
10	Hose heater, A, 1.1 m	8411045
11	Corrugated hose, silicone, N, 20 cm, catheter mount	8410709
12	Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm	8418458



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


BLUESET ANAESTHESIA

A	BlueSet Anesthesia (A)	M30146
	Consists of:	
①	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
②	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
③	Breathing bag, silicone, reusable, 2.3 L	2166062
④	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278
⑤	ISO double connector, reusable, 22 mm/22 mm	M25647



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Anesthesia (N/P)	M33681
	Consists of:	
1	Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
2	Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	Breathing bag, silicone, reusable, 0.5 L	2166054
4	ISO double connector, reusable, 22 mm/22 mm	M25647
5	Y-piece, reusable, P, angled, with suction opening	8403075
5	Luer Lock elbow, N	M34568
6	Y-connector, 5 mm	2M12754
7	Test lung, silicone, N, with hose	8410079
8	Cap set, reusable, 7 mm, 5 pcs.	8402953
9	Connector for endotracheal tube, plastic, reusable, 3 mm	M19335
9	Connector for endotracheal tube, plastic, reusable, 3.5 mm	M19336
9	Connector for endotracheal tube, plastic, reusable, 4.5 mm	M19338
10	Sample line, silicone, 4 × 1.5	1190520




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Anesthesia Primus/Pallas (A)	8601139
	Consists of:	
1	Flow sensor Infinity® ID, ABS, disinfectable, 5 pcs.	6871980
2	Sample line, disposable, 10 pcs.	8290286
3	Microbial filter for breathing system, ISOCLIC, reusable, 5 pcs.	6733895
4	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
5	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
6	Breathing bag, silicone, reusable, 2.3 L	2166062
7	ISO double connector, reusable, 22 mm/22 mm	M25647
8	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Anesthesia Zeus (N)	MK02935
	Consists of:	
1	Breathing hose for breathing hose set Zeus®, reus., N, 1.5m, connector 15mm/22mm	AM00354
2	Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	ISO double connector, reusable, 22 mm/22 mm	M25647
4	Y-piece, disposable, P, 15 mm, 10 pcs.	AM00209
5	Connector with Luer Lock port, reusable, part of breathing hose set Zeus®	AM00202
6	Elbow with Luer Lock	AM00201
7	Breathing bag, chloroprene, reusable, 0.5 L	MX50045




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Anaesthesia Watertrap Zeus (P/A)	MK04248
	Consists of:	
1	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627
2	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
3	ISO double connector, reusable, 22 mm/22 mm	M25647
4	Water trap, reusable, A	8404985
5	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888
6	Elbow, reusable	M25649
7	Breathing bag, silicone, reusable, 2.3 L	2166062




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Anesthesia Zeus (P)	MK04249
	Consists of:	
1	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm	2165848
2	Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821
4	ISO double connector, reusable, 22 mm/22 mm	M25647
5	Water trap, reusable, N	8409627
6	Breathing bag, chloroprene, reusable, 0.5 L	MX50045
7	Y-piece, reusable, P, straight	M27077
8	Connector with Luer Lock port, reusable, 15 mm/22 mm	8290285





REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Anaesthesia Circlesystem (N/P)	M27542
Consists of:		
1	Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
2	Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	Breathing bag, silicone, reusable, 0.5 L	2166054
4	ISO double connector, reusable, 22 mm/22 mm	M25647
5	Y-piece, reusable, P, angled, with suction opening	8403075
5	Luer Lock elbow, N	M34568
5	Cap Luer Lock	M34461
6	Y-piece, reusable, P, straight	M27077
7	Cap set, reusable, 7 mm, 5 pcs.	8402953




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing hose for Oxylog® 1000, reusable, silicone, 1.5 m	2M86511
	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
B	Ventilation valve for Oxylog® 1000, reusable	2M86800
C	PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475
D	PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832
E	Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	8403685



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing hose set for Oxylog® 2000/3000 family, reus.,w/ flow meas. line, 1.5 m	8412068
	Consists of:	
	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
	Flow measuring line for Oxylog® 2000/3000 family, 1.5 m, 2 pcs.	8410929
A	Breathing hose set for Oxylog® 2000/3000 family, reus., w/ flow meas. line, 3 m	8412913
	Consists of:	
	Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	2112760
	Flow measuring line for Oxylog® 2000/3000 family, 3 m, 2 pcs.	8413293
B	Ventilation valve for Oxylog® 2000/3000, reusable	8412001
C	Pressure difference flow sensor, PPSU, disinfectable and sterilizable	8412034
D	Elbow, reusable	8412235



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in)

A	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619
B	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627
C	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
D	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter



A Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm **2165848**

B Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/10 mm **2165600**

Silicone breathing hose (pediatric) with standard sleeves 22 mm (0.9 in) on both sides and 10 mm (0.4 in) inner diameter

C Breathing hose, silicone, reusable, P, 60 cm, connector 22 mm/22 mm, Ø 10 mm **2165902**



D Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm **2165678**



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

A	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	2165856
B	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821
C	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	2165651
D	Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Y-piece, polyamide, reusable, A, straight	M25650
B	Y-piece, reusable, P, straight	M27077
C	Y-piece, polyamide, reusable, A, angled, without Luer Lock	M25682
D	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278
E	Y-piece, polyamide, reusable, A, temperature tap	M30543




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888
B	Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007
C	Y-piece, reusable, for Dräger temperature probe	8405435
	Y-piece, reusable, P, angled	8403077
	Y-piece, disposable, A, 22 mm, 10 pcs.	AM00203
D	Y-piece, reusable, P, angled, with suction opening	8403075
	Cap, reusable, 7 mm	8401645




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Luer Lock elbow, N	M34568
	Elbow, reusable	8412235
B	Elbow, reusable	M25649
	Elbow, reusable	8418289







REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	ISO double connector, reusable, 22 mm/22 mm	M25647
B	Connector with Luer Lock port, reusable, 15 mm/22 mm	8290285
	Connector for breathing hose, reusable, A	8403076
	Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056
	T-piece connector, reusable	8411044
	Double connector, outer diameter 11 mm	8409897
	Connector, aluminum, reusable, 22 mm/11 mm	8405752
	Connector set for endotracheal tube, reusable, size 1.5 mm – 5.5 mm, 9 pcs.	8403684
C	Water trap, reusable, A	8404985
D	Water trap, reusable, N	8409627




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Transparent breathing bags of silicone elastomer, latex free	
① Breathing bag, silicone, reusable, 0.5 L	2166054
② Breathing bag, silicone, reusable, 1.5 L	2166127
③ Breathing bag, silicone, reusable, 2.3 L	2166062
④ Breathing bag, silicone, reusable, 3 L	2166070
B Latex breathing bags	
① Breathing bag, latex, reusable, 0.5 L	2165686
Breathing bag, latex, reusable, 1.5 L	2165953
Breathing bag, latex, reusable, 2 L	2165694
② Breathing bag, latex, reusable, 2.3 L	2165708
Breathing bag, latex, reusable, 3 L	2165716
Breathing bag, latex, reusable, 5 L	2165724
C Latex breathing bags with a hole. For anesthetic set Kuhn type.	
① Breathing bag with hole, latex, reusable, 0.5 L, for Kuhn set	2165763
Breathing bag with hole, latex, reusable, 1.5 L, for Kuhn set	2165775
② Breathing bag with hole, latex, reusable, 2.3 L, for Kuhn set	2165783
D Chloroprene breathing bags for use as reservoir e.g. on anesthesia devices	
① Breathing bag, chloroprene, reusable, 0.5 L	MX50045
② Breathing bag, chloroprene, reusable, 1 L	MX50046
③ Breathing bag, chloroprene, reusable, 2 L	MX50047
④ Breathing bag, chloroprene, reusable, 3 L	MX50048



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Test lung SelfTestLung, latex-free, reusable, max. 1 L	MP02400
	Spare parts set SelfTestLung, with locking brace and attachment bolt	MP02401
B	Demo lung SmartLung, latex-free, reusable, max.1 L	MP02405
C	Test lung 2.3-liter bag lung, silicone	8403201
D	Test lung NeoTestLung, N, latex-free, bellows	8409742
	Test lung, silicone, N, with hose	8410079
	Test lung, silicone, N	8403208



BREATHING SYSTEM FILTERS AND HMEs

2. BREATHING SYSTEM FILTERS AND HMEs

The TwinStar® filter/HME from Dräger Medical is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and blue color coding for quick identification

A	Electrostatic filter and HME TwinStar® 90, disp., 90 mL deadspace, 50 pcs.	MP01800
B	Electrostatic filter and HME TwinStar® 65A, disp., 65 mL deadspace, angled, 50 pcs.	MP01810
C	Electrostatic filter and HME TwinStar® 55, disp., 55 mL deadspace, 50 pcs.	MP01805
D	Electrostatic filter and HME TwinStar® 25, disp., 25 mL deadspace, 50 pcs.	MP01815
E	Electrostatic filter and HME TwinStar® 10A, disp., 10 mL deadspace, angled, 50 pcs.	MP01825
F	Electrostatic filter and HME TwinStar® 8, disp., 8 mL deadspace, 50 pcs.	MP01820
G	Mechanical filter and HME TwinStar® HEPA, disp., 55 mL deadspace, 50 pcs.	MP01801



BREATHING SYSTEM FILTERS

The CareStar® breathing system filter significantly contributes to infection prophylaxis in anesthesia and ventilation treatment through high retention rates.

- High-performance electrostatic filter
- Patient-side or device-side use
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

A	Electrostatic filter CareStar® 45, disp., 45 mL deadspace, 50 pcs.	MP01755
B	Electrostatic filter CareStar® 40A, disp., 40 mL deadspace, angled, 50 pcs.	MP01765
C	Electrostatic filter CareStar® 30, disp., 30 mL deadspace, 50 pcs.	MP01770



BREATHING SYSTEM FILTERS

The SafeStar® mechanical high performance breathing system filter shows excellent retention rates, thereby significantly contributing to infection prophylaxis in anesthesia and ventilation treatment.

- High-performance mechanical HEPA filter
- High hydrophobicity
- Patient-side or device-side use
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

A Mechanical filter SafeStar® 80, disp., 80 mL deadspace, 50 pcs.	MP01785
B Mechanical filter SafeStar® 60A, disp., 60 mL deadspace, angled, 50 pcs.	MP01795
C Mechanical filter SafeStar® 55, disp., 55 mL deadspace, 50 pcs.	MP01790



HMEs

HumidStar® heat and moisture exchangers from Dräger Medical partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and green color coding for quick identification

A	HME HumidStar® 55, disp., 55 mL deadspace, 50 pcs.	MP01730
B	HME HumidStar® 25, disp., 25 mL deadspace, 50 pcs.	MP01735
C	HME HumidStar® 10A, disp., 10 mL deadspace, angled, 50 pcs.	MP01740
D	HME HumidStar® 2, disp., 2 mL deadspace, 50 pcs.	MP01745
E	HME HumidStar® Trach, disp., 8 mL deadspace, for tracheostomy tube, 50 pcs.	MP01750



BREATHING SYSTEM FILTERS AND HMEs

SPECIFICATIONS

	Filter/HME TwinStar® 90	Filter/HME TwinStar® 65A	Filter/HME TwinStar® 55	Filter/HME TwinStar® 25
Deadspace (ml)	90	65	55	25
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	300 to 1,500	75 to 500
Bacterial retention (%)	99.999	99.999	99.999	99.999
Viral retention (%)	99.999	99.99	99.99	99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H ₂ O/l air)	4.7 @ Vt 500 ml	6.9 @ Vt 500 ml	7.2 @ Vt 500 ml	5.8 @ Vt 250 ml
Moisture output (mg H ₂ O/l air)	39.3	37.1	36.8	38.2
Resistance (mbar)	1.0 at 30 l/min	1.1 at 30 l/min	0.9 at 30 l/min	1.3 at 15 l/min
Weight (g)	37	30	28	18
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years	3 years
Product	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free

SPECIFICATIONS

	Filter/HME TwinStar® 10A	Filter/HME TwinStar® 8	Filter/HME TwinStar® HEPA
Deadspace (ml)	10	8	55
Recommended tidal volume (ml)	30 to 200	30 to 200	300 to 1,500
Bacterial retention (%)	99.9	99.9	99.9999
Viral retention (%)	99.9	99.9	99.9999
Filtration method	Electrostatic	Electrostatic	Mechanical (HEPA**)
Moisture loss* (mg H ₂ O/l air)	6.4 @ Vt 50 ml	6.1 @ Vt 50 ml	9.8 @ Vt 500 ml
Moisture output (mg H ₂ O/l air)	37.6	37.9	34.2
Resistance (mbar)	0.4 at 5 l/min	0.6 at 5 l/min	1.3 at 30 l/min
Weight (g)	9	9	40
ISO connectors	22M/15F – 15M	22M/15F – 15F/8.5M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	5 years
Product	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free

Cleanroom manufactured according to EN ISO 14644-1:1999.

*According to ISO EN 9360-1:2000.

**According to EN 1822-1:1998.

BREATHING SYSTEM FILTERS

SPECIFICATIONS

	Filter SafeStar® 80	Filter SafeStar® 60A	Filter SafeStar® 55
Deadspace (ml)	80	60	55
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	300 to 1,500
Bacterial retention (%)	99.9999	99.9999	99.9999
Viral retention (%)	99.9999	99.9999	99.9999
Filtration method	Mechanical (HEPA**)	Mechanical (HEPA**)	Mechanical (HEPA**)
Moisture loss* (mg H ₂ O/l air)	-	-	-
Moisture output (mg H ₂ O/l air)	-	-	-
Resistance (mbar)	1.4 at 30 l/min	1.5 at 30 l/min	1.3 at 30 l/min
Weight (g)	47	42	39
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years	5 years
Product	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free

SPECIFICATIONS

	Filter CareStar® 45	Filter CareStar® 40A	Filter CareStar® 30
Deadspace (ml)	45	40	30
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	100 to 1,500
Bacterial retention (%)	99.999	99.999	99.999
Viral retention (%)	99.999	99.99	99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H ₂ O/l air)	-	-	-
Moisture output (mg H ₂ O/l air)	-	-	-
Resistance (mbar)	0.7 at 30 l/min	1.0 at 30 l/min	0.6 at 30 l/min
Weight (g)	29	25	23
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years
Product	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free

Cleanroom manufactured according to EN ISO 14644-1:1999.

*According to ISO EN 9360-1:2000.

**According to EN 1822-1:1998.

HMEs

SPECIFICATIONS

	HME HumidStar® 55	HME HumidStar® 25	HME HumidStar® 10A
Deadspace (ml)	55	25	10
Recommended tidal volume (ml)	300 to 1,500	75 to 500	30 to 200
Moisture loss* (mg H ₂ O/l air)	6.3 @ Vt 500 ml	6.2 @ Vt 250 ml	6.4 @ Vt 50 ml
Moisture output (mg H ₂ O/l air)	37.7	37.8	37.6
Resistance (mbar)	0.4 @ 30 l/min	0.4 @ 30 l/min	0.1 @ 5 l/min
Weight (g)	28	18	9
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years	5 years
Product	PVC-free/Latex free	PVC-free/Latex free	PVC-free/Latex free

SPECIFICATIONS

	HME HumidStar® 2	HME HumidStar® Trach
Deadspace (ml)	2	8
Recommended tidal volume (ml)	10 to 30	100 to 1,500
Moisture loss* (mg H ₂ O/l air)	6.4 @ Vt 50 ml	10.8 @ Vt 500 ml
Moisture output (mg H ₂ O/l air)	37.6	33.2
Resistance (mbar)	1.9 @ 15 l/min	0.2 @ 30 l/min
Weight (g)	3.5	4.5
ISO connectors	15M – 15F	15F
Sampling port	–	O ₂ port
Housing	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years
Product	PVC-free/Latex free	PVC-free/Latex free

Cleanroom manufactured according to EN ISO 14644-1:1999.

*According to ISO EN 9360-1:2000.

**According to EN 1822-1:1998.

BREATHING SYSTEM FILTERS AND HMEs

- | | | |
|----------|---|----------------|
| A | Microbial filter for breathing system, ISOCLIC, reusable, 5 pcs. | 6733895 |
| B | Bacterial filter connection set, for inspiratory port of Babylog, without filter | 8410230 |



CO₂ CUVETTES

3. CO₂ CUVETTES




CO₂ cuvettes are designed for the monitoring of CO₂ concentration during patient ventilation.

3.1 DISPOSABLE

A	CO₂ cuvette disposable, adult, 10 pcs.	MP01062
B	CO₂ cuvette disposable, pediatric, 10 pcs.	MP01063

3.2 REUSABLE

C	CO₂ cuvette reusable, adult, for CO₂ sensors 6871500, 6870300, 6871950	6870279
D	CO₂ cuvette reusable, pediatric, for CO₂ sensors 6871500, 6870300, 6871950	6870280
E	CO₂ mainstream sensor, for Evita 2 dura®, Evita® 4 Edition and Evita® XL	6871500
F	CO₂ mainstream sensor, for Evita® Infinity® V500, Babylog VN500, Infinity® M540 and Oxylog® 3000 plus	6871950



CATHETER MOUNTS AND AIRWAY CONNECTORS

4. CATHETER MOUNTS AND AIRWAY CONNECTORS

- Smoothbore products provide low resistance to flow while external coil reduces kinks and blockages
- Extendable product provides a lightweight and flexible solution
- Double swivel connector increases ease of use
- Double cap to maintain PEEP during suctioning or bronchoscopy
- Each catheter mount and airway connector is equipped with a red safety cap so that the system is completely closed and protected until directly prior to use on the patient
- 22F/15M connector on device side as a two-in-one solution
- Standardized connectors for safe connection to other components
- Luer Lock port for gas sampling
- Disposable convenience enhances workflow
- PVC-free design of gas leading components eliminates risk of softeners such as DEHP

A	Catheter mount ErgoStar® CM 40, disp., 10 cm, double swivel elbow, 50 pcs.	MP01840
B	Catheter mount ErgoStar® CM 45, disp., 15 cm, double swivel elbow, 50 pcs.	MP01845
C	Catheter mount ErgoStar® CM 50, disp., 10 – 16 cm, extendable, 50 pcs.	MP01850
D	Catheter mount ErgoStar® CM 55, disp., 15 cm, straight, 50 pcs.	MP01855
E	Catheter mount ErgoStar® CM 60, disp., 10 cm, small, double swivel elbow, 50 pcs.	MP01860
F	Airway connector ErgoStar® AC 90, disp., double-swivel elbow w/ double cap, 100 pcs.	MP01890
G	Airway connector ErgoStar® AC 95, disp., w/ Luer Lock sampling port, 100 pcs.	MP01895



NON-INVASIVE VENTILATION MASKS AND ACCESSORIES

5. BREATHING MASKS



5.1 NON-INVASIVE VENTILATION MASKS AND ACCESSORIES

ClassicStar® NIV full-face masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing.

The mask design ensures high patient comfort combined with anatomical fit and effective seal due to individually adjustable mask cushion. The 6-point headgear provides a stable and secure fixation. Adjustable forehead support and forehead pad allow for distributing the pressure from the bridge of nose towards the forehead for more patient comfort.

All ClassicStar® NIV masks are for single patient use. Sizing gauges for easy mask size identification as well as a pumpball are available individually (cf. accessories for non-invasive ventilation masks).



A NIV full-face mask ClassicStar® SE, single-patient use, size S	MP01573
NIV full-face mask ClassicStar® SE, single-patient use, size M	MP01574
NIV full-face mask ClassicStar® SE, single-patient use, size L	MP01575
B NIV full-face mask ClassicStar® AAV, single-patient use, size S	MP01570
NIV full-face mask ClassicStar® AAV, single-patient use, size M	MP01571
NIV full-face mask ClassicStar® AAV, single-patient use, size L	MP01572



NON-INVASIVE VENTILATION MASKS AND ACCESSORIES

Full-face masks are often the first-line strategy in the initial management of acute respiratory failure as they cover nose and mouth. Nasal masks are often chosen if NIV therapy has to be prolonged due to improved comfort and reduced complications associated with full-face masks. Similar to ClassicStar full-face masks, the nasal mask cushion can be individually adjusted to the patient's face providing high patient comfort and effective seal. The 4-point-headgear ensures a stable and secure fixation reducing mask displacement. All ClassicStar NIV nasal masks are for single patient use. Sizing gauges for easy mask size identification as well as a pumpball are available individually (cf. accessories for non-invasive ventilation masks).

A	NIV nasal mask ClassicStar® non-vented, single-patient use, size S	MP01623
	NIV nasal mask ClassicStar® non-vented, single-patient use, size M	MP01624
	NIV nasal mask ClassicStar® non-vented, single-patient use, size L	MP01625
B	NIV nasal mask ClassicStar® vented, single-patient use, size S	MP01620
	NIV nasal mask ClassicStar® vented, single-patient use, size M	MP01621
	NIV nasal mask ClassicStar® vented, single-patient use, size L	MP01622



NON-INVASIVE VENTILATION MASKS AND ACCESSORIES

NovaStar® TS NIV full-face masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing. The NovaStar® TS NIV masks have very soft silicone-gel filled mask cushion. In combination with the pliable ring embedded inside the flexible, clear mask body, – which allows the mask to be bent and adjusted individually to the patient's face ('customized fit'), – the masks provide ultimate comfort and effective seal. The forehead support can be adapted gradually to the patient's forehead providing stable mask position and enhanced comfort. The unique magnetic clips support fast and easy fixation.

All NovaStar® TS NIV masks are for multi patient use. They can be disinfected thermally with hot steam or chemically (manually). Sizing gauges for easy mask size identification as well as replacement headgears and clips are available individually (cf. accessories for non-invasive ventilation masks).




A	NIV full-face mask NovaStar® TS SE, reusable, size S	MP01579
	NIV full-face mask NovaStar® TS SE, reusable, size M	MP01580
	NIV full-face mask NovaStar® TS SE, reusable, size L	MP01581
B	NIV full-face mask NovaStar® TS AAV, reusable, size S	MP01576
	NIV full-face mask NovaStar® TS AAV, reusable, size M	MP01577
	NIV full-face mask NovaStar® TS AAV, reusable, size L	MP01578
	NovaStar® TS SE Vpack S, 3 × MP01579, 3 pcs.	MP01564
	NovaStar® TS SE Vpack M, 3 × MP01580, 3 pcs.	MP01565
	NovaStar® TS SE Vpack L, 3 × MP01581, 3 pcs.	MP01566
	NovaStar® TS AAV Vpack S, 3 × MP01576, 3 pcs.	MP01567
	NovaStar® TS AAV Vpack M, 3 × MP01577, 3 pcs.	MP01568
	NovaStar® TS AAV Vpack L, 3 × MP01578, 3 pcs.	MP01569



NON-INVASIVE VENTILATION MASKS AND ACCESSORIES

ACCESSORIES FOR NON-INVASIVE VENTILATION MASKS


A	Headgear for NovaStar® TS SE NIV full-face mask	MP01583
B	Headgear for NovaStar® TS AAV NIV full-face mask	MP01584
C	Magnetic clip for headgears for NovaStar® TS SE and AAV, 4 pcs.	MP01585
<p>The Dräger sizing gauges help to chose the right NIV mask size – there is no need to open the mask bag. Sizing gauges are included in every NIV mask package; they can also be seperatly orderd as a set of 3 pcs.</p>		
D	Sizing gauge for ClassicStar® SE/AAV NIV full-face masks, 3 pcs.	MP01592
E	Sizing gauge for ClassicStar® non-vented/vented NIV nasal masks, 3 pcs.	MP01632
F	Sizing gauge for NovaStar® TS SE/AAV NIV full-face masks, 3 pcs.	MP01591
G	Two-sided pump ball for air management	MP01590



ANESTHESIA AND VENTILATION FACE MASKS AND ACCESSORIES

5.2 ANESTHESIA AND VENTILATION FACE MASKS AND ACCESSORIES

LiteStar® anesthesia face mask is for disposable use. The teardrop shape of the mask supports an anatomical fit. The transparent mask body allows for continuous observation of the patient's condition. The colored reinforcing ring along the mask connector provides a secure connection with the ventilation system. The color coding of the reinforcing rings* contributes to easy size identification. Additional disposable hook rings and disposable headgears for fixation are available (cf. accessories for anesthesia and ventilation face masks).



A	① Anesthesia face mask LiteStar®, disp., w/o hook ring, size 1, prenat., 30 pcs.	MP01501
	② Anesthesia face mask LiteStar®, disp., w/o hook ring, size 2, baby, 30 pcs.	MP01502
	③ Anesthesia face mask LiteStar®, disp., w/o hook ring, size 3, infant, 30 pcs.	MP01503
	④ Anesthesia face mask LiteStar®, disp., w/o hook ring, size 4, adult S, 30 pcs.	MP01504
	⑤ Anesthesia face mask LiteStar®, disp., w/o hook ring, size 5, adult M, 30 pcs.	MP01505
	⑥ Anesthesia face mask LiteStar®, disp., w/o hook ring, size 6, adult L, 30 pcs.	MP01506

*They are color coded for easier size identification. Reddish color (size 3), yellowish color (size 4-5) and greenish color (size 6).

ANESTHESIA AND VENTILATION FACE MASKS AND ACCESSORIES


Patient comfort and ease of use were the top priorities when developing the Dräger disposable ComfortStar® anesthesia face mask portfolio. Patient comfort is supported by teardrop or round-shaped masks and adjustable (inflatable) mask cushion which provide anatomical fit with effective seal. Non-slip ridges (sizes 4-6) and a flexible mask body provide healthcare professionals an easy and comfortable grip.

ComfortStar® scented anesthesia face masks have the same excellent benefits of the ComfortStar® standard masks, but in addition, they have added aromas. The appropriate color scheme provides optical stimulation and is intended to reduce pre-operative anxiety in patients.

All masks are pre-equipped with 'Traffic Light' colored hook rings. They are color coded for easier size identification. Smaller sizes (0 – 1) have reddish color, mid-sizes (2 – 3) yellowish color and large sizes (4 – 6) greenish color.

All ComfortStar® masks are compatible with all Dräger anesthesia devices.



Pumpball as well as different headgears for fixation are available (cf. accessories for anesthesia and ventilation face masks).



A	① Anesth. face mask ComfortStar®, disp., hook rg, std., size 0, prenat., 20 pcs.	MP01510
	② Anesth. face mask ComfortStar®, disp., hook rg, std., size 1, neo., 20 pcs.	MP01511
	③ Anesth. face mask ComfortStar®, disp., hook rg, std., size 2, baby, 20 pcs.	MP01512
	④ Anesth. face mask ComfortStar®, disp., hook rg, std., size 3, inf., 20 pcs.	MP01513
	⑤ Anesth. face mask ComfortStar®, disp., hook rg, std., size 4, adt. S, 20 pcs.	MP01514
	⑥ Anesth. face mask ComfortStar®, disp., hook rg, std., size 5, adt. M, 20 pcs.	MP01515
	⑦ Anesth. face mask ComfortStar®, disp., hook rg, std., size 6, adt. L, 20 pcs.	MP01516

ANESTHESIA AND VENTILATION FACE MASKS AND ACCESSORIES

A	1 Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 1, neo., 20 pcs.	MP01521
	2 Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 2, baby, 20 pcs.	MP01522
	3 Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 3, inf., 20 pcs.	MP01523
	4 Anesth. face mask ComfortStar®, disp., hook rg, strawb., size 4, adt. S, 20 pcs	MP01524
B	1 Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 1, neo., 20 pcs.	MP01531
	2 Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 2, baby, 20 pcs.	MP01532
	3 Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 3, inf., 20 pcs.	MP01533
	4 Anesth. face mask ComfortStar®, disp., hook rg, bubblg., size 4, adt. S, 20 pcs.	MP01534
C	1 Anesthesia face mask ComfortStar®, disp., hook rg, mint, size 3, inf., 20 pcs.	MP01543
	2 Anesth. face mask ComfortStar®, disp., hook rg, mint, size 4, adult S, 20 pcs.	MP01544
	3 Anesth. face mask ComfortStar®, disp., hook rg, mint, size 5, adult M, 20 pcs.	MP01545
	4 Anesth. face mask ComfortStar®, disp., hook rg, mint, size 6, adult L, 20 pcs.	MP01546



ANESTHESIA AND VENTILATION FACE MASKS AND ACCESSORIES

All-round masks can be adjusted to the patient's face by increasing or decreasing the air in the mask cushion. Thus, the mask provides enhanced patient comfort and effective seal. The All-round masks are for application on pediatrics and adults. They are reusable.

A	1 Face mask All-round, reusable, size 1, small	2165732
	2 Face mask All-round, reusable, size 2, medium	2165740
	3 Face mask All-round, reusable, size 3, large	2165759


L. Rendell-Baker, one of the leading anesthetists in the U.K. and U.S., developed together with D. Soucek a face mask especially for newborns and pediatrics, which increased patient safety in the operation rooms in the '60s. Since then, the Rendell-Baker mask has become a worldwide standard for the application of anesthetics in newborns and pediatrics. Rendell-Baker masks are reusable.

B	Rendell-Baker face mask, reusable, size 0, premature baby	M22764
	Rendell-Baker face mask, reusable, size 1, neonate	M14631
	Rendell-Baker face mask, reusable, size 2, baby	M14632
	Rendell-Baker face mask, reusable, w/ hook ring, size 3, infant	M14633



ANESTHESIA AND VENTILATION FACE MASKS AND ACCESSORIES

New silicone masks are made of medical grade silicone because this is generally considered the material of choice for its superior ability to conform to the patient's facial anatomy. The field of application includes anesthesia and mask ventilation for pediatric and adult patients. The masks are available in various shapes and sizes. The smaller sizes have a rather round shape in order to provide comfortable fit and effective seal for the faces of infants. The bigger sizes have an anatomically formed teardrop shape to ensure convenient fit and seal for facial contours of adult patients. New silicone face masks have a flexible, soft and transparent mask body. The mask body design provides a comfortable grip. Shape and material allow for safe handling by doctors and nurses. The silicone masks are reusable.



A	① Silicone face mask, reusable, size 00, premature baby	MP02900
	② Silicone face mask, reusable, size 0, small neonate	MP01910
	③ Silicone face mask, reusable, size 1, large neonate	MP01911
	④ Silicone face mask, reusable, size 2, small child	MP01912
	⑤ Silicone face mask, reusable, size 3, large child	MP01913
	⑥ Silicone face mask, reusable, size 4, small adult	MP01914
	⑦ Silicone face mask, reusable, size 5, large adult	MP01915






Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. accessories for anesthesia and ventilation face masks).

ANESTHESIA AND VENTILATION FACE MASKS AND ACCESSORIES

ACCESSORIES FOR ANESTHESIA AND VENTILATION FACE MASKS

There are three different headgears in small and large designs offering patients and physicians a soft, elastic, lightweight fixation of disposable and/or reusable anesthesia/ventilation masks.

A	① Headgear, reusable, silicone, small	MP01557
	② Headgear, reusable, silicone, large	MP01558
B	① Headgear, disposable, soft fabric, small	MP01559
	② Headgear, disposable, soft fabric, large	MP01560
C	① Headgear, disposable, soft rubber, small	MP01561
	② Headgear, disposable, soft rubber, large	MP01562
D	① Hook ring for LiteStar® anesth. face masks, disp., 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551
	② Hook ring for LiteStar® anesth. face masks, disp., 22 mm ID, for sizes 3 – 6, 30 pcs.	MP01552
E	① Hook ring for silicone face masks, reus., 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
	② Hook ring for silicone face masks, reus., 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917
	Hook ring for All-round face masks	M11044
	Sealing plug for All-round face masks	M14737
F	Elbow for CPAP masks, disposable	8409683
G	Two-sided pump ball for air management	MP01590




**OXYGEN (O₂) AND AEROSOL THERAPY MASKS,
VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES**

**5.3 OXYGEN (O₂) AND AEROSOL THERAPY MASKS,
VENTURI MASK KITS, NASAL CANNULAS
AND ACCESSORIES**

Oxygen therapy is the administration of oxygen at a concentration higher than in ambient air. The purpose is to prevent and/or treat the symptoms and manifestation of hypoxia. Aerosol therapy is used to administer medicine in the patient airways/lungs in order to reduce inflammation caused by different respiratory conditions. The aerosol and oxygen therapy masks are for disposable use.

A	O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01930
B	O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01920
C	O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01931
D	O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01921
E	O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, S, 50 pcs.	MP01934
F	O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, M/L, 50 pcs.	MP01926
G	O2Star™ Demo package oxygen therapy accessories (mask, nasal cannula, con. tube), 5 pcs.	MP01946



OXYGEN (O₂) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

A	<u>O2Star™ Tracheostomy mask, disposable, S, 50 pcs.</u>	<u>MP01932</u>
B	<u>O2Star™ Tracheostomy mask, disposable, M/L, 50 pcs.</u>	<u>MP01924</u>
C	<u>O2Star™ Face tent, disposable, S, 50 pcs.</u>	<u>MP01933</u>
D	<u>O2Star™ Face tent, disposable, M/L, 50 pcs.</u>	<u>MP01925</u>





**OXYGEN (O₂) AND AEROSOL THERAPY MASKS,
VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES**

<p>A O2Star™ Venturi mask kit, adjustable venturi valve, disposable, S, 25 pcs.</p>	<p>MP01935</p>
<p>B O2Star™ Venturi mask kit, adjustable venturi valve, disposable, M/L, 25 pcs.</p>	<p>MP01922</p>
<p>C O2Star™ Venturi mask kit, fixed venturi valve, disposable, S, 25 pcs.</p>	<p>MP01936</p>
<p>D O2Star™ Venturi mask kit, fixed venturi valve, disposable, M/L, 25 pcs.</p>	<p>MP01923</p>



OXYGEN (O₂) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES


A	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, L, 50 pcs.	MP02922
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02923
B	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, L, 50 pcs.	MP02926
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02927
C	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02930
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02931
D	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02934
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02935



**OXYGEN (O₂) AND AEROSOL THERAPY MASKS,
VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES**

**ACCESSORIES FOR OXYGEN (O₂)
AND AEROSOL THERAPY MASKS,
VENTURI MASK KITS, NASAL CANNULAS**

A	O2Star™ Connector kit, 6mm OD/22mm OD + 6mm OD/22mm ID w. connection tube, disp., 5 pcs.	MP01940
B	O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.	MP01941
C	O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.	MP01942
D	O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.	MP01927
	O2Star™ Oxygen connection tube, 2.1 m with 9/16" connector, disposable, 25 pcs.	MP01944
E	O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.	MP01943
	O2Star™ Oxygen connection tube, 4 m with 9/16" connector, disposable, 25 pcs.	MP01945
F	O2Star™ Venturi valve kit, 6 fixed venturi valves, disposable, 5 pcs.	MP01928
G	O2Star™ Adjustable venturi valve, disposable, 5 pcs.	MP01929



Not all articles are available worldwide.

DEVICE RELATED ACCESSORIES

6. DEVICE RELATED ACCESSORIES

A	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776
	Expiratory valve for Evita®, reusable	8410580
B	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600
	Membrane for Evita 2 dura®, Evita® 4, Evita® XL, for expiratory valve	8412015
C	Water trap for Evita 2 dura®, Evita® 4, Evita® XL, reusable	8413125
D	Expiratory valve for Evita® V500, disposable, Infinity ID, 10 pcs.	MP01060
	Expiratory valve for Evita Infinity® V500, reusable	8416750



DEVICE RELATED ACCESSORIES

A	<u>Expiratory valve for Savina[®], disposable, 10 pcs.</u>	<u>MP01061</u>
	<u>Expiratory valve for Savina[®], reusable</u>	<u>8413660</u>
	<u>Expiratory valve for Savina[®] 300, reusable</u>	<u>8417050</u>
B	<u>Expiratory valve for Carina[®], disposable</u>	<u>MP00220</u>
C	<u>Leakage valve for Carina[®] SyncVent, disposable, 5 pcs.</u>	<u>MP00224</u>
	<u>Expiratory valve for Babylog[®] 8000</u>	<u>8408950</u>
	<u>Expiratory valve for Babylog[®] VN 500, reusable</u>	<u>8415270</u>



NON DEDICATED ACCESSORIES

- A Bacterial filter for Dräger patient monitors, reusable 8402868
- B Activated charcoal filter for absorption of anesthetic vapors, disp., 5 pcs. 6724492



PACK2GO®

7. PACK2GO®

Dräger has developed a comprehensive range of disposable accessories. These accessories can now also be ordered together in a Pack2Go® package, in order to benefit the hospital's costs and logistical/clinical processes. Pack2Go® package solutions include dedicated Dräger and general accessories, which can be used as a system solution with Dräger devices.

- | | | |
|----------|--|----------------|
| A | Pack2Go® Evita invasive vent. pack w/ breath. circuit VentStar®, basic, + cuvette | MP01656 |
| B | Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m | MP01657 |
| C | Pack2Go® Evita invasive vent. pack w/ breath. circuit VentStar®, coax, + cuvette | MP01676 |
| D | Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coax, 1.8m | MP01677 |



PACK2GO®

A	Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size S	MP01663
	Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size M	MP01664
	Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size L	MP01665
B	Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size S	MP01660
	Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size M	MP01661
	Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size L	MP01662
C	Pack2Go® Savina invasive vent. pack w/ breathing circuit VentStar®, coax., 1.8 m	MP01673
D	Pack2Go® Savina invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m	MP01674
E	Pack2Go® Oxylog 3000 plus NIV ventilation pack with CO₂ cuvette	MP01668
F	Pack2Go® Oxylog 3000/3000 plus NIV ventilation pack	MP01669
G	Pack2Go® Mini invasive ventilation pack, A	MP01671



PACK2GO®


A	Pack2Go® anesthesia pack, A, w/ anesth. set, flex.+mask ComfortStar®, std., sz.5	MP01680
B	Pack2Go® anesthesia pack, A, w/ anesth. set, flex.+mask ComfortStar®, mint, sz.5	MP01681
C	Pack2Go® anesthesia pack, A, with anesthesia set + watertrap	MP01682
D	Pack2Go® anesthesia pack, P, w/ anesth.set,basic + mask ComfortStar®, std., sz.3	MP01683
E	Pack2Go® anesthesia pack, P, w/ anesth.set, basic+mask ComfortStar®,strawb.,sz.3	MP01684
F	Pack2Go® Mini anesthesia pack, M, P, w/ full-face mask ComfortStar®, std., sz. 3	MP01685
G	Pack2Go® Mini anesthesia pack, L, A, w/ full-face mask ComfortStar®, std., sz. 5	MP01686



HUMIDIFIER AND NEBULIZER

8. HUMIDIFIER AND NEBULIZER

A	Patient part for Aquapor EL	8405029
B	Filling kit for Aquapor EL	8405031
C	Rail clamp for Aquapor EL, for standard rail	8403345
D	Humidification module for Aquamod, 20 pcs.	8410600
E	Temperature probe for Aquamod	8408647
F	Water hose for Aquamod	8409625




HUMIDIFIER AND NEBULIZER

	Module holder for Incubator 8000, for humidification module Aquamod	8410535
A	Module holder for Incubator 7520 and non-Dräger incubators	8410536
B	Thermometer for simple temperature monitoring in the breathing circuit	2M13259
C	Temperature probe for Aquapor EL	8405371





HUMIDIFIER AND NEBULIZER

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282
A	Humidifier chamber for F&P MR 290, disposable, 40 pcs.	8418283
B	Humidifier chamber F&P MR 340, reusable, N/P, with 100 pcs. filter paper	8411047
C	Humidifier chamber F&P MR 370, reusable, A, with 100 pcs. filter paper	8412217
D	Filter paper for F&P MR 340, 100 pcs.	8411073
E	Filter paper for F&P MR 370, 100 pcs.	8412218



HUMIDIFIER AND NEBULIZER

A	Rail clamp for F&P humidifier	8411074
B	Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002
C	Water bag holder 900 MR 290	MP01008
D	Hose heater for F&P MR 700/730, 70 cm	8411154
D	Hose heater, A, 1.1 m	8411045
E	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993
F	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m	8414969



HUMIDIFIER AND NEBULIZER

A	Dual temperature probe for F&P MR 700/730, 1.1 m	8411048
B	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m	8414989
B	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966
C	Hose heater adapter for F&P MR 700/730, for reusable breathing circuit	8411097
D	Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968
E	Hose heater adapter for F&P MR 700/730, for disposable breathing circuit	8418462
F	Hose heater adapter for F&P MR 850, for disposable breathing circuit	8414992



HUMIDIFIER AND NEBULIZER

A	Hose heater adapter for F&P MR 850, for third-party breathing circuit	MP01001
B	Hose heater adapter for F&P MR 730, for third-party breathing circuit	8418433
C	Hose heater adapter for F&P MR 850, for double-heated disp. breathing circuit	MP01006
D	Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050
E	Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007



HUMIDIFIER AND NEBULIZER

A Medication nebulizer for Babylog® 8000 with quick connector	8411030
B Medication nebulizer for Evita 2 dura®, Evita® 4, Evita® XL, Savina®	8412935
C Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000
D Connector set for med. nebulizer, for neonatal breathing circuit	8411031
Nebulizer hose	8412985



HUMIDIFIER AND NEBULIZER

AERONEB® PRO

Aeroneb Pro works with an electronic micropump. The nebulizer can be used with Evita 2 dura®, Evita® 4, Evita® XL, Savina® und Babylog® 8000. Aeroneb Pro is ideally suited to nebulizer therapy requirements for inline mechanical ventilation and it accommodates all patient age ranges from neonates to adults. It operates without changing patient ventilator parameters, without heating or degrading medications and it can be refilled without interrupting ventilation.

A	Medication nebulizer Aeroneb Pro	MP01010
B	Nebulizer unit with filler cap for Aeroneb Pro	MP01030
C	T-piece with plug for Aeroneb Pro, A, ISO 22 mm, 5 pcs.	MP01031
D	T-piece set with plug for Aeroneb Pro, P, 15 mm, w/ adapter 10 mm f. neo., 5 pcs.	MP01032
E	T-connector for Aeroneb Pro, 12 mm, with plug, 5 pcs.	MP01037
F	Controller cable for Aeroneb Pro	MP01036
G	Filler cap for Aeroneb Pro, silicone, 5 pcs.	MP01035
	Sealing plug for Y-piece, 5 pcs.	8411024
	Inhalation mask for Inhalette, autoclavable	M11015
	Mouthpiece for Inhalette, autoclavable	M12394



HUMIDIFIER AND NEBULIZER

AERONEB® SOLO

A Aeroneb® Solo Starter Kit:

Consists of:

Control module, 2 Aeroneb® Solo Nebulizers with filler caps, adult T-adapter with silicone plug, Universal mounting bracket, AC/DC adapter and Instruction manual.

Int.

MP01071

FR, NL, IT, GE

MP01072

ES, IT, PT, GR, TK

MP01073

SW, NO, FI, DK

MP01074

UK

MP01075

US

MP01076

B Nebulizer head, 5 pcs.

MP01078

C Nebulizer head, 10 pcs.

MP01079

T-Adapter, adult, 10 pcs.

MP01085

T-Adapter, pediatric, 10 pcs.

MP01086

Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.

MP01087





INTUBATION KITS

9. INTUBATION KITS

The practical design of the laryngoscope family* ensures optimum hygiene and reliable functioning in every situation. Its ergonomic design guarantees problem free handling.
*Made by Kirchner&Wilhelm, Asperg, Germany.

WARM LIGHT (WL) LARYNGOSCOPES


	Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302
A	Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303
	Blade size 2 (Mac), reusable, 112 × 20 mm	MX03304
	Blade size 3 (Mac), reusable, 130 × 23 mm	MX03305
	Blade size 4 (Mac), reusable, 150 × 25 mm	MX03306
B	Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307
	Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308
	Blade size 2 (Miller), reusable, 153 × 13 mm	MX03309
C	Universal laryngoscope set, reusable (Battery grip adult; blade size 0 (Miller); blade size 1 (Mac); blade size 2 (Mac); blade size 3 (Mac); blade size 4 (Mac))	MX03300
	Laryngoscope set, adult, reusable (Battery grip adult; blade size 2 (Mac); blade size 3 (Mac); blade size 4 (Mac))	MX03313
	Laryngoscope set, pediatric, reusable (Battery grip pediatric; blade size 0 (Miller); blade size 1 (Miller), blade size 2 (Mac))	MX03312
D	Battery grip, adult, 2.5 V, 28 mm Ø	MX03301
	Battery grip, pediatric, 2.5 V, 19 mm Ø	MX03314
E	Battery, adult, 2.5 V	MX03327
	Battery, pediatric, 2.5 V	MX03315
F	Vacuum lamp for blade (size 00 – 1)	MX03316
	Vacuum lamp for blade (size 2 – 5)	MX03311



INTUBATION KITS

FIBER OPTIC (F.O.) LARYNGOSCOPES

	F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319
A	F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320
	F.O. blade size 2 (Mac), reusable, 115 × 17 mm	MX03321
	F.O. blade size 3 (Mac), reusable, 135 × 18 mm	MX03322
	F.O. blade size 4 (Mac), reusable, 155 × 18 mm	MX03323
	F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052
	F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324
	F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325
B	F.O. blade size 2 (Miller), reusable, 154 × 14 mm	MX03326
	F.O. blade size 3 (Miller), reusable, 195 × 15 mm	MX50053
	F.O. blade size 4 (Miller), reusable, 210 × 18 mm	MX50054
	F.O. universal laryngoscope set, reusable	MX03317
	(F.O. battery grip adult; F.O. blade size 0 (Miller); F.O. blade size 1 (Mac); F.O. blade size 2 (Mac); F.O. blade size 3 (Mac); F.O. blade size 4 (Mac))	
	F.O. laryngoscope set, adult, reusable	MX03330
	(F.O. battery grip adult; F.O. blade size 2 (Mac); F.O. blade size 3 (Mac); F.O. blade size 4 (Mac))	
	F.O. laryngoscope set, pediatric, reusable	MX03329
	(F.O. battery grip pediatric; F.O. blade size 0 (Miller); F.O. blade size 1 (Miller); F.O. blade size 2 (Mac))	
C	F.O. battery grip, adult, 2.5 V, 28 mm Ø	MX03318
	F.O. battery grip, pediatric, 2.5 V, 19 mm Ø	MX03331
	Xenon lamps for battery grip, 2.5 V	MX03328
	Battery, adult, 2.5 V	MX03327
	Battery, pediatric, 2.5 V	MX03315
D	Universal charging station MedCharge 4000 "ALL in ONE"	MX50028



RESUSCITATORS

10. RESUSCITATORS

The MR-100 is a reusable, silicone, manual resuscitator that is so compact it can be folded to approximately half its normal size when not in use. A pop-off valve is included, to prevent high airway pressures.

The resuscitator is available in three sizes: adult (A), child (P) and infant (N).

A Man. breathing bag MR-100, reus., ltx-fr., A, w/ pressure valve, 60±10mbar* **5702881**

Man. breathing bag MR-100, reus., ltx-fr., P, w/ press. valve, relief >40±5mbar* **5702321**

Man. breathing bag MR-100, reus., ltx-fr., N, w/ press. valve, relief >40±5mbar* **5702322**

Not all articles are available worldwide.

ACCESSORIES

B O₂-Reservoir MR-100, 2,500 ml* **5703701**

C O₂-Reservoir MR-100, 600 ml* **5703702**

D Patient valve for adults, standard* **5703705**

E Patient valve for adults, 60 mbar, volume of dead space 18 ml* **5703706**

F Patient valve for child/baby, 40 mbar, volume of dead space 18 ml* **5703707**

*Made by GaleMed Corporation, Taiwan.



RESUSCITATORS

A	O₂-Reservoir valve MR-100*	5703703
B	Intake valve MR-100*	5703704
C	PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832
D	PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475
E	Disposable PEEP valve 0 – 20 cmH₂O	5703471
F	PEEP valve diverter, reusable*	5703708

*Made by GaleMed Corporation, Taiwan.



RESUSCITATORS

O₂ OXIDEM DEMAND VALVE

	Oxidem 3000 demand valve (configuration)	5704593
A	Oxidem 3000 demand valve incl. adapter (2120496, 2120488)	2111764
	1.5 m spiral hose and M12×1 screw connector	2M86291
	1.5 m spiral hose and probe for central supply system	2M86292
	3.0 m spiral hose and probe for central supply system	2M86293
	Adapter for Oxidem for M12×1 (for existing hose systems)	8410547
B	Adapter for Ambu Mark III	2120488
C	Adapter for Laerdal	2120496
	Adapter for Laerdal new	5790124
D	Adapter for Combibag	2M86913
E	Adapter for Resutator 2000/MR100	2120461
F	Sealing rings for spiral hoses, pack of 20	M07152





D-14219-2009

Soda lime

SOMETHING YOU CAN COUNT ON:

- High quality soda lime – directly from the manufacturer of the anesthesia device
- Drägersorb CLIC, disposable absorber:
 - even greater ease of use
 - easier handling thanks to hygienic, practical cartridge
 - no contact with the soda lime when replacing the cartridge
 - no dust exposure
 - cost savings: absorber filling is used up completely
 - easy to replace absorber at any time – even during surgery

2

CONTENT

<u>SODA LIME</u>	<u>103</u>
------------------	------------

NOTES

SODA LIME

A	Soda lime Drägersorb® 800+, for CO₂ absorption, canister, 5 L, 2 pcs.	MX00001
B	Soda lime Drägersorb® Free, for CO₂ absorption, canister, 5 L, 2 pcs.	MX50050
C	Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209
CO₂ ABSORBER WITH CLIC SYSTEM		
D	CLIC Absorber 800+, disposable absorber, 1.2 L, 6 pcs.	MX00004
E	CLIC Absorber Free, disposable absorber, 1.2 L, 6 pcs.	MX50100
F	Infinity ID CLIC Absorber 800+, disposable absorber, 1.2 L, 6 pcs.	MX50004
G	Infinity ID CLIC Absorber Free, disposable absorber, 1.2 L, 6 pcs.	MX50120



SODA LIME

A Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090
B Absorber intermediate plate, to connect adapter to Cato, Cicero, or Fabius	MX00013
C Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE. 5 pcs.	MK02588





D-12634-2009

Sensors

SOMETHING YOU CAN COUNT ON:

- Highly sensitive measuring technology for fast and accurate results
- 100 percent system compatibility with Dräger devices and systems
- High measuring accuracy – guaranteed through Dräger's above-average quality standards and confirmed by extensive testing

3

CONTENT

<u>SENSORS</u>	<u>109</u>
----------------	------------

SENSORS

Flow sensors by Dräger

Hot-wire anemometry: Accurate and intelligent flow measurement

Spirolog®, neonatal flow sensors and SpiroLife® are based on proven hot-wire anemometry techniques. Due to extremely fast and accurate measurement results, as well as extremely low inspiratory and expiratory resistances, it is clearly superior to other methods. You only need one flow sensor for all patients. Neonatal flow sensors offer customized solutions for the sole exception of the specific needs of neonates in intensive care. The sterilizable neonatal flow sensors and SpiroLife® combine the advantages of hot-wire technology with the possibility of sterilizability. Therefore, they integrate seamlessly into your hospital's sterilization processes.

A	Flow sensor Spirolog®, ABS, disinfectable, 5 pcs.	8403735
B	Flow sensor Infinity® ID, ABS, disinfectable, 5 pcs.	6871980
C	Flow sensor SpiroLife®, PPSU, disinfectable and sterilizable	MK01900
D	Neonatal flow sensor with Y-piece, PSU, disinfectable and sterilizable	8410185
E	Neonatal flow sensor ISO 15, PSU, disinfectable and sterilizable	8411130
F	Insert for neonatal flow sensor, PSU, disinfectable and sterilizable	8410179

Differential pressure measurement: proven technology for emergencies

The sterilizable reusable flow sensor for the emergency room is based on the proven principle of differential pressure measurement. Because of its robustness, it really is the ideal solution for the specialties of the emergency room. The pressure differential sensor is used on Oxylog® 3000 plus, Oxylog® 3000 and Oxylog® 2000 plus.



Whichever Dräger flow sensor you choose – you can be sure to have made the right choice with our extensive family of flow sensors.

G	Pressure difference flow sensor, PPSU, disinfectable and sterilizable	8412034
----------	--	----------------



SENSORS

A	<u>Flow sensor cable, for neonatal flow sensor, e.g., Babylog</u>	<u>8409626</u>
B	<u>MRI flow sensor extension cable, for MRI patient monitor</u>	<u>8306370</u>
C	<u>Flow sensor connection cable</u>	<u>8305622</u>
D	<u>Flow sensor cable for V500 with Neo option and VN500</u>	<u>8416600</u>



SENSORS

Oxygen sensors by Dräger

Oxygen for Life

Oxygen sensors have the important task of measuring and monitoring the inspiratory and/or expiratory O₂ concentration in anesthesia and respiratory devices. Oxygen sensors from Dräger satisfy the highest national and international requirements. Furthermore, they have been extensively tested and fine-tuned for proper functional performance with Dräger devices and systems. Dräger's years of experience in the field of sensors, and their high quality has even convinced NASA. Dräger O₂ sensors are electrochemical transducers used to measure O₂ partial pressure. They operate on the principle of a galvanic cell.

Examples of locations where the sensors are used include the Fabius® family, Evita® family and the Primus®.

To take into account the high value of oxygen measurement, we only recommend using O₂ sensors from Dräger.

A	O₂ sensor capsule, for mainstream measurement	6850645
B	Fast O₂ sensor, for sidestream measurement	6850930
C	O₂ sensor Oxytrace VE, for Savina® ventilator	MX01049
D	O₂ sensor housing Oxydig, for O₂ sensor capsule, with spiral cable	6850250
E	O₂ sensor housing Anemone, for O₂ sensor capsule, with smooth cable	6850720





D-28161-2009

Monitoring accessories

SOMETHING YOU CAN COUNT ON:

- The right accessory for every need (such as disposable and reusable products)
- Precise measurement data thanks to the highest medical technological standard
- Disposable accessories:
 - Prevention of cross infection in hospital
 - Simplify and speed up the workflow
- MonoLead®
 - ECG single cable solution that can replace conventional multi-cable systems
- MultiMed® Pods
 - Unify ECG, pulse oximetry and temperature monitoring in one cable
 - Reduce cable clutter

4

CONTENT

MONITORING ACCESSORIES

1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series	115
1.1 MultiMed® Pods	115
1.2 Electrocardiography (ECG)	117
1.3 Pulse oximetry (SpO ₂)	125
1.4 Temperature	143
1.5 Non-invasive blood pressure (NIBP)	145
1.6 CNAP continuous non-invasive arterial pressure	149
1.7 Invasive blood pressure (IBP) and cardiac output (CO)	150
1.8 Infinity® PiCCO	159
1.9 Bispectral index (BIS)	161
1.10 Electroencephalography (EEG)	161
1.11 Neuromuscular Transmission (NMT)	162
1.12 Capnography etCO ₂	163
1.13 Scio	168
1.14 Transcutaneous monitoring (tpO ₂ /tpCO ₂)	169
1.15 Recorder paper	169
1.16 Power sources	170
2. Infinity® Acute Care System	171
2.1 Electrocardiography (ECG)	171
2.2 Pulse oximetry (SpO ₂)	176
2.3 Temperature	189
2.4 Non-invasive blood pressure (NIBP)	191
2.5 Invasive blood pressure (IBP) and cardiac output (CO)	195
2.6 etCO ₂	197
3. Infinity® M300	198
3.1 Electrocardiography (ECG)	198
3.2 Pulse oximetry (SpO ₂)	202
3.3 Pouch	211
3.4 Codensation	211
4. Infinity® TruST™ Telemetry	213
4.1 Electrocardiography (ECG)	213
4.2 Pouch	213
5. Infinity® MicroO₂+®	214
5.1 SpO ₂	214
5.2 Pouch	217
5.3 Power sources	217
6. Vista 120	218
6.1 Electrocardiography (ECG)	218
6.2 Pulse oximetry (SpO ₂)	219
6.3 Non-invasive blood pressure (NIBP)	220
6.4 Temperature	221
6.5 Invasive blood pressure (IBP)	221
6.6 CO ₂	221
6.7 Device accessories	221

MULTIMED® PODS

**1. INFINITY® MONITORING:
GAMMA, DELTA, KAPPA AND VISTA SERIES**

1.1 MULTIMED® PODS

A	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO ₂ , and temp., 1.5 m	5950196
	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO ₂ , and temp., 2.5 m	3368391
B	Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO ₂ , and temp., 2.5 m	5191221
C	Multiparameter cable MultiMed® plus, for ECG, resp., SpO ₂ , and temp., 2.5 m	MS20093
D	Multiparameter cable MultiMed® plus OR, for ECG, resp., SpO ₂ , and temp., 2.5 m	MS20094
E	Multiparameter cable NeoMed Pod, for ECG, resp., SpO ₂ , temp., and FiO ₂ , 2.5 m	5590539
F	Patient parameter unit MultiMed® 12 Pod	5589663

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




MONITORING

MULTIMED® PODS

A	Holder for MultiMed® 12 Pod	5202747
B	Pod connection cable, 30 cm	7257988
	Pod connection cable, 3 m	3368425
	Pod connection cable, 5 m	5195198
C	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods, swiveling 360°	MP00721
D	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128
E	Universal pole mount	7485621
F	Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464
G	Extension set, for Quickstop hinged arm 2M86464	MP00653

GAMMA / GAMMA XL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



ELECTROCARDIOGRAPHY (ECG)

1.2 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.




MonoLead® is an ECG single cable solution patented by Dräger that replaces multi-cable systems.

The single tangle-proof lead set accommodates standard electrodes while eliminating the tangled mess that frequently occurs with traditional multi-lead sets.

Note: Not for use with Infinity® TruST™ Telemetry.

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (Eur. color code), 2 m	MS14555	■	■	■	■	■	■
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color c.), 2 m	MS14556	■	■	■	■	■	■
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (Eur. color c.), 2.5 m	MS14559	■	■	■	■	■	■
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US c. c.), 2.5 m	MS14560	■	■	■	■	■	■
C	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (Eur. color c.), 3 m	MS14683	■	■	■	■	■	■
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color c.), 3 m	MS14682	■	■	■	■	■	■

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



ELECTROCARDIOGRAPHY (ECG)

MONOLEAD LONG, SINGLE-PIN CONNECTOR

Not for use with ECG extension cable MS16256.

ECG cable, 3-lead,
single-pin connector MonoLead® 3,
IEC1 (Eur. color code), 4.1 m **MS28561**

ECG cable, 3-lead,
single-pin connector MonoLead® 3,
IEC2 (AHA/US color code), 4.1 m **MS28557**


ECG cable, 5-lead,
single-pin connector MonoLead® 5,
IEC1 (Eur. color code), 5.3 m **MS28559**

ECG cable, 5-lead,
single-pin connector MonoLead® 5,
IEC2 (AHA/US color code), 5.3 m **MS28558**

ECG cable, 6-lead,
single-pin connector MonoLead® 6,
IEC2 (AHA/US color code), 5.7 m **MS28560**

A ECG cable, 6-lead,
single-pin connector MonoLead® 6,
IEC1 (Eur. color code), 5.7 m **MS17185**

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



D-7685-2010

ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® DUAL PIN CONNECTOR

ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.




A	ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (Eur. color code), 2 m	MS16160
	ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS16233
B	ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (Eur. color code), 2.5 m	MS16161
	ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color c.), 2.5 m	MS16229

CHESTLEADS FOR USE WITH MULTIMED® 12

ECG dual-pin connectors can be connected directly to MultiMed® 12.

ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	MS16232
ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	MS16230

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL





ELECTROCARDIOGRAPHY (ECG)

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

A	ECG cable, 3-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1 m, 20 pcs.	MP00875							
	ECG cable, 3-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c. c.), 1 m, 20 pcs.	MP00877							
B	ECG cable, 5-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m, 20 pcs.	MP00879							
	ECG cable, 5-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c.c.), 1/1.5 m, 20 pcs.	MP00881							
	ECG cable, 6-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m, 20 pcs.	MP03122							
	ECG cable, 6-lead, single-pin conn., single-pat. use, IEC2 (AHA/US), 1/1.5 m, 20 pcs.	MP03123							

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL






ELECTROCARDIOGRAPHY (ECG)

REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
B	ECG cable, 5-lead, single-pin connector, IEC1 (Eur. color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
C	ECG cable, 6-lead, single-pin connector, IEC1 (Europ. color code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ELECTROCARDIOGRAPHY (ECG)

REUSABLE ECG LEADS DUAL-PIN CONNECTOR

ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.


A	ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	MP03411
	ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	MP03412
B	ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03413
	ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03414
C	ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03415
	ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03416
D	ECG cable, 5-lead, dual-pin connector, radiotranslucent, IEC2, 1.5 m	5734418

CHESTLEADS FOR USE WITH MULTIMED® 12

ECG dual-pin connectors can be connected directly to MultiMed® 12.

	ECG cable for C lead, IEC1 (European color code), 1 m	MP03417
	ECG cable for V lead, IEC2 (AHA/US color code), 1 m	MP03418

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ELECTROCARDIOGRAPHY (ECG)




ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

NEONATAL ECG

C	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779
D	ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL





MONITORING

ELECTROCARDIOGRAPHY (ECG)

ECG ACCESSORIES

A	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
	Telemetry cable adapter, connects single-pin cable to telemetry transmitter	MS14681
B	ECG extension cable, single-pin connector, 2 m	MS16256
C	ECG extension cable, dual-pin connector, 2 m	MS16492
D	ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5	5947226
E	ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6	7486140

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



PULSE OXIMETRY (SPO₂)

1.3 PULSE OXIMETRY (SPO₂)

DRÄGER

DRÄGER CABLES

SpO₂ intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 1 m **3368433**

SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 2 m **3375834**

SpO₂ intermediate cables for connection to MultiMed® plus/plus OR and Infinity® M300.

B SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m **MS18683**

C SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m **MS17330**

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



PULSE OXIMETRY (SpO₂)

DRÄGER REUSABLE SENSOR

A SpO₂ finger sensor Dräger, reusable MS13235

DRÄGER DISPOSABLE SENSORS

B SpO₂ adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs. MS16449

C SpO₂ adhesive sensor Dräger, foam, disposable, adult, 24 pcs. MS16445

D SpO₂ adhesive sensor Dräger, vinyl, disposable, child, 24 pcs. MS16448

E SpO₂ adhesive sensor Dräger, foam, disposable, child, 24 pcs. MS16444

F SpO₂ adhesive sensor Dräger, cloth, disposable, baby, 24 pcs. MS16447

G SpO₂ adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs. MS16446

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



Not all articles are available worldwide.

PULSE OXIMETRY (SPO₂)

MASIMO®


For Masimo accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO® LNOP CABLES

SpO₂ intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A	SpO ₂ sensor cable Masimo® ProCal, for MultiMed 5/6 and NeoMed pods, 2 m	7492601							
	SpO ₂ sensor cable Masimo® ProCal, for MultiMed 5/6 and NeoMed pods, 1.5 m	MS13926							
	SpO ₂ intermediate cables for connection to Masimo® Set Pod and Infinity® M300.								
B	SpO ₂ intermediate cable Masimo® LNOP, 1.2 m	MS18680							
	SpO ₂ intermediate cable Masimo® LNOP, 3 m	MS17041							
	SpO ₂ intermediate cables for connection to MultiMed® plus/plus OR.								
	SpO ₂ sensor cable Masimo® ProCal, for MultiMed Plus/Plus OR, 2 m	MS20163							

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




Not all articles are available worldwide.

PULSE OXIMETRY (SPO₂)

MASIMO® LNOP REUSABLE SENSORS

A	SpO₂ finger sensor Masimo® LNOP DCI, reusable, adult	7270312
B	SpO₂ finger sensor Masimo® LNOP DCIP, reusable, child	7270304
C	SpO₂ multisite sensor Masimo® LNOP YI, reusable	7497014
D	SpO₂ ear sensor Masimo® LNOP TI, reusable	7497006

GAMMA / GAMMA XL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL







PULSE OXIMETRY (SPO₂)

MASIMO® LNOP DISPOSABLE SENSORS

A	SpO₂ adhesive sensor Masimo® LNOP Adt, disposable, adult, 20 pcs.	7496990
B	SpO₂ adhesive sensor Masimo® LNOP Pt, disposable, child, 20 pcs.	7496982
C	SpO₂ adhesive sensor Masimo® LNOP Neo, disposable, neonate, 20 pcs.	7496974
D	SpO₂ adhesive sensor Masimo® LNOP NeoPt, disposable, premature baby, 20 pcs.	7496966

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



Not all articles are available worldwide.

PULSE OXIMETRY (SPO₂)

MASIMO® LNCS CABLES

SpO₂ intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 1 m* 3368433

SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 2 m* 3375834

SpO₂ intermediate cables for connection to MultiMed® plus/plus OR.

B SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m* MS18683

C SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m* MS17330




SpO₂ intermediate cables for connection to Infinity® M300 and Masimo® SET Pod.

D SpO₂ intermediate cable Masimo® LNCS, 3 m MS17522

D SpO₂ intermediate cable Masimo® LNCS, 1.2 m MS24303

*Note: Requires Nellcor sensor software setting.

GAMMA / GAMMA XL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




PULSE OXIMETRY (SPO₂)

MASIMO® LNCS REUSABLE SENSORS

A	SpO ₂ finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
B	SpO ₂ finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO ₂ Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO ₂ Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
	SpO ₂ Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
C	SpO ₂ Masimo® sensor LNCS-DBI, reusable, adult	MP02993

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



Not all articles are available worldwide.

PULSE OXIMETRY (SPO₂)

MASIMO® LNCS DISPOSABLE SENSORS

A	SpO₂ adhesive sensor Masimo® LNCS Adt, disposable, adult, 20 pcs.	MP00790
B	SpO₂ adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
C	SpO₂ adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
D	SpO₂ adhesive sensor Masimo® LNCS Pt, disposable, child, 20 pcs.	MP00793
E	SpO₂ adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL







PULSE OXIMETRY (SPO₂)

MASIMO® LNCS TRAUMA SENSORS

Masimo LNCS Trauma Sensors are for use with Masimo SET technology only.

A	Masimo Trauma sensor LNCS, adult, 20 pcs.	MP03191
B	Masimo Trauma sensor LNCS, infant/pedi, 20 pcs.	MP03193
C	Masimo Trauma sensor LNCS, neonate, 20 pcs.	MP03192

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




Not all articles are available worldwide.

PULSE OXIMETRY (SPO₂)

MASIMO® M-LNCS ADAPTERCABLE

A	Adaptercable M-LNCS to LNC	MP02994	
	For connection of M-LNCS sensors to Infinity® M300 Masimo® SET Pod via LNCS intermediate cable MS24303 or MS17522.		
B	Adaptercable M-LNCS to MultiMed®	MP03195	
	For connection of M-LNCS sensors to Multimed 5/6/12, NeoMed Pods and Multimed Plus/Plus OR via the according intermediate cables 368433/3375834 or MS18683/MS17330.		

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL






PULSE OXIMETRY (SPO₂)

MASIMO® M-LNCS DISPOSABLE SENSORS

A	SpO₂ adhesive sensor Masimo® LNCS Adtx-3, disposable, adult, 20 pcs.	MP02976
B	SpO₂ adhesive sensor Masimo® LNCS Pdtx-3, disposable, pedi, 20 pcs.	MP02977
C	SpO₂ adhesive sensor Masimo® LNCS Inf-3, disposable, infant, 20 pcs.	MP02978
D	SpO₂ adhesive sensor Masimo® LNCS Neo-3, disposable, neonate, 20 pcs.	MP02979
E	SpO₂ adhesive sensor Masimo® LNCS NeoPt-3, disposable, premature baby, 20 pcs.	MP02980
F	M-LNCS sensor Muster Pack, contains 1 Adtx-3, 1 Pdtx-3, 1 Neo-3 disposable sensor	MP02986

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL






PULSE OXIMETRY (SPO₂)

**MASIMO® M-LNCS TRAUMA
DISPOSABLE SENSORS**

Masimo M-LNCS Trauma sensors are
for use with Masimo SET technology only.

A	Masimo® M-LNCS Trauma sensor, neonate, 20 pcs.	MP03204
B	Masimo® M-LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03205
C	Masimo® M-LNCS Trauma sensor, adult, 20 pcs.	MP03206

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



PULSE OXIMETRY (SPO₂)

MASIMO® M-LNCS REUSABLE SENSORS

A	SpO₂ finger sensor Masimo® M-LNCS DCI, reusable, adult	MP02981
B	SpO₂ finger sensor Masimo® M-LNCS DCIP, reusable, pedi	MP02982
C	SpO₂ Masimo® sensor M-LNCS-TC-I Ear, reusable, pedi/adult	MP02983
D	SpO₂ Masimo® sensor LNCS-TF-I, reusable, pedi/adult	MP02985
E	SpO₂ Masimo® sensor M-LNCS-YI Multi, reusable, neonate/pedi/adult	MP02984
F	SpO₂ Masimo® sensor M-LNCS-DBI, reusable, adult	MP03207

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL







Not all articles are available worldwide.

PULSE OXIMETRY (SpO₂)

MASIMO® ACCESSORIES

A	SpO₂ adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO₂ sensor, 12 pcs.	7496933
B	SpO₂ adhesive wrap Masimo®, for NeoPt SpO₂ sensor, 100 pcs.	7496925
C	SpO₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496917
D	SpO₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496909
E	SpO₂ adhesive square Masimo®, 12 pcs.	7496875
F	SpO₂ foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO₂ sensor, 12 pcs.	7496891


GAMMA / GAMMA XL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



PULSE OXIMETRY (SPO₂)

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL

- A** Headband LNOP/LNCS TF-I, 5 pcs. MP03197
- B** Adhesive Pad LNOP/LNCS TF-I, 20 pcs. MP03198



PULSE OXIMETRY (SPO₂)

NELLCOR®

NELLCOR® CABLES

SpO₂ intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 1 m **3368433**

SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 2 m **3375834**

SpO₂ intermediate cables for connection to , MultiMed® plus/plus OR, Infinity® M300 and Nellcor® Oximax.

B SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m **MS18683**

C SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m **MS17330**

NELLCOR® REUSABLE SENSORS

D SpO₂ finger sensor Nellcor® DURA DS 100A **7262764**




E SpO₂ multisite sensor Nellcor® Dura-Y™, reusable **MX01004**

Ear clip for Nellcor® Dura-Y **MX01005**

F Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs. **8201012**

G Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs. **2170221**

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




PULSE OXIMETRY (SPO₂)

NELLCOR® DISPOSABLE SENSORS

A	SpO ₂ adhesive sensor Nellcor® Oximax® Max-A, disp., adult, cable 46 cm, 24 pcs.	MX50065
B	SpO ₂ adhesive sensor Nellcor® Oximax® Max-AL, disp., adult, cable 91 cm, 24 pcs.	MX50071
C	SpO ₂ adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
D	SpO ₂ adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068
E	SpO ₂ adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066
For use with Oximax® technology.		
F	SpO ₂ adhesive sensor Nellcor® Oximax® Max-Fast, disp., appl.on forehead, 24 pcs.	MX50070
G	SpO ₂ adhesive sensor Nellcor® Oximax® Max-R, disp., application on nose, 24 pcs.	MX50069

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



MONITORING

Not all articles are available worldwide.

PULSE OXIMETRY (SPO₂)

For connectivity of M-LNCS sensors also refer to Chart on page 187 (in IACS chapter).

SpO₂ Sensor Connectivity

VF6 VF7 VF8 SW 1.00 SW 1.01

Monitor Category	Monitor Model	Compatible Sensors	Compatible Sensors	Compatible Sensors	Compatible Sensors	Compatible Sensors	Compatible Sensors	Compatible Sensors	Compatible Sensors
Patient-worn Monitors	Infinity M300	D-E	MS16449 MS16448 MS16444	MS16447 MS16446	MS13235				Dräger Sensors Reusable
	Gamma XL	Masimo D-E Nellcor D-E MultiMed	MS18683 MS17530 MS17530						Dräger Sensors Reusable
	Gamma X XLV/ista XL	Masimo D-E Nellcor D-E MultiMed	MS18683 MS17530 MS17530						Dräger Sensors Reusable
Infinity Patient Monitors	Delta/Delta XL	Masimo D-E Nellcor D-E MultiMed	MS20093 2.5 M MS20094 2.5 M	MS20163 2 M					Nellcor Sensors Disposable
	Delta/Delta XL	Masimo D-E Nellcor D-E MultiMed	MS20093 2.5 M MS20094 2.5 M	MS20163 2 M					Nellcor Sensors Disposable
	Delta/Delta XL	Masimo D-E Nellcor D-E MultiMed	MS20093 2.5 M MS20094 2.5 M	MS20163 2 M					Nellcor Sensors Disposable
Kappa	Kappa	Masimo D-E Nellcor D-E MultiMed	MS16356 MS16355						Nellcor Sensors Reusable
	Kappa	Masimo D-E Nellcor D-E MultiMed	MS16356 MS16355						Nellcor Sensors Reusable
	Kappa	Masimo D-E Nellcor D-E MultiMed	MS16356 MS16355						Nellcor Sensors Reusable
Kappa XLT	Kappa XLT	Masimo D-E Nellcor D-E MultiMed	MS16356 MS16355						Nellcor Sensors Reusable
	Kappa XLT	Masimo D-E Nellcor D-E MultiMed	MS16356 MS16355						Nellcor Sensors Reusable
	Kappa XLT	Masimo D-E Nellcor D-E MultiMed	MS16356 MS16355						Nellcor Sensors Reusable
Anesthesia WS	Zeus IE	Masimo D-E Nellcor D-E MultiMed	MS16356 MS16355						Nellcor Sensors Reusable
	Zeus IE	Masimo D-E Nellcor D-E MultiMed	MS16356 MS16355						Nellcor Sensors Reusable
	Zeus IE	Masimo D-E Nellcor D-E MultiMed	MS16356 MS16355						Nellcor Sensors Reusable

*Requires Nellcor Sensor software setting.

TEMPERATURE

1.4 TEMPERATURE


ADAPTER CABLES

A	Adapter cable, 7-pin connector for temperature probe with ¼" connector	5198333
B	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154

SINGLE-PATIENT USE TEMPERATURE PROBES

C	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6m	MP00991
	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m	MP00992
D	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6m	MP00993
	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m	MP00994
E	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996
F	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL





TEMPERATURE

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




NON-INVASIVE BLOOD PRESSURE (NIBP)

1.5 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES

A NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953
B NIBP hose, neonate, 2.4 m	2870298
C NIBP cuff adapter, 10 pcs.	MP00945

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS, REUSABLE

A	1 NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911
	2 NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912
	3 NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913
	4 NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915
	5 NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916
	6 NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917
	7 NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918
	8 NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919
	9 NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921

GAMMA / GAMMA XL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLIT
 VISTA
 VISTA XL




D-25285-2009

NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS, SINGLE-PATIENT USE

A	①	NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924	■	■	■	■	■
	②	NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925	■	■	■	■	■
	③	NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926	■	■	■	■	■
	④	NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928	■	■	■	■	■
	⑤	NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929	■	■	■	■	■
	⑥	NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930	■	■	■	■	■
	⑦	NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931	■	■	■	■	■
	⑧	NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932	■	■	■	■	■
	⑨	NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934	■	■	■	■	■

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



Not all articles are available worldwide.

NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS NEONATAL, DISPOSABLE

A	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
B	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
C	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
D	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
E	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

1.6 CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

A	Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075
Includes the following accessories:		
	CNAP™ cuff controller and cradle	MS26125
B	CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893
C	CNAP™ cuff controller forearm strap	MS26122
D	Cuff controller cradle allows CNAP™ cuff controller to “slide” with movement of patient’s arm	MS26123
E	CNAP™ sensor cuff, size L	MS15896
E	CNAP™ sensor cuff, size M	MS15895
E	CNAP™ sensor cuff, size S	MS15894
F	Pod connection cable, 3 m	3368425
G	Universal pole mount	7485621

Note:

Siemens SC 7000, SC 8000 and SC 9000XL monitors with software level below VF4 and the following hardware revisions require Memory Expansion Board (7494557): Siemens SC 7000 below 14, SC 8000 below 17 and SC 9000XL below 6. Infinity® CNAP™ SmartPod® requires software version VF7 or higher.

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
KAPPA XLT
VISTA
VISTA XL



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.7 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP AND CO HEMO PODS

A	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725							
B	Patient parameter unit Infinity® HemoMed Pod	5588822							
C	Connection cable, connects HemoMed Pod to monitor, 3 m	5591925							
	Connection cable, connects HemoMed Pod to monitor, 5 m	5591933							
D	Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464							
E	Extension set, for Quickstop hinged arm 2M86464	MP00653							
F	Universal pole mount	7485621							

GAMMA / GAMMA XL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLIT
 VISTA
 VISTA XL



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP QUADHEMO ADAPTERS

IBP transducer adapter Abbott/Medex	MS22535
IBP transducer adapter Argon (former Becton Dickinson/Ohmeda)	MS22148
IBP transducer adapter Baxter/Edwards	MS22147
IBP transducer adapter Utah Medical	MS22534
IBP transducer adapter cable, Dräger 7-pin	MS22533
IBP transducer adapter cable, Dräger 10-pin	MS22532

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL

	■	■	■	
	■	■	■	
	■	■	■	
	■	■	■	
	■	■	■	
	■	■	■	






Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP HEMO POD ADAPTERS AND PLATES

A	Pod adapter, 10-pin, for pressure transducer	3375958
B	Pod adapter, for Abbott/Medex pressure transducer	5196998
C	Pod adapter, for Edwards pressure transducer	5196980
D	Pod adapter, for Argon pressure transducer (former Becton Dickinson/Ohmeda)	3375941
	Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLIT
 VISTA
 VISTA XL






**INVASIVE BLOOD PRESSURE (IBP)
AND CARDIAC OUTPUT (CO)**

A	IBP press. transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	<u>7270460</u>
B	IBP press. transducer plate, f.Hemo2/4 Pods, f.Abbott TranspacII/III/Braun, 5 pcs	<u>5192112</u>
C	IBP press. transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	<u>4721416</u>
D	IBP press. transducer plate, for Hemo4 Pod, universal, 5 pcs.	<u>4721424</u>
	IBP pressure transducer plate, f.Hemo2 Pod, f.Memscap (Capto/SensoNor), 5 pcs.	<u>4721614</u>
E	IBP pressure transducer plate, for Hemo2 Pod, universal, 5 pcs.	<u>4721408</u>

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

■	■	■	■
■	■	■	■
■	■	■	■
■	■	■	■
■	■	■	■
■	■	■	■



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP Y-CABLES AND ADAPTERS

A	IBP Y-adapter, 7-pin	5592147
B	IBP Y-adapter, 10-pin	5731281
C	IBP adapter, 10-pin to 7-pin	3368383
D	IBP Y-adapter, 10-pin to 7-pin	5588095
E	IBP Y-cable, Baxter/Edwards, 3.7 m	5206607

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL





**INVASIVE BLOOD PRESSURE (IBP)
AND CARDIAC OUTPUT (CO)**

**IBP MEMSCAP CABLES
AND TRANSDUCERS**

A	IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563
	IBP press. transducer for Memscap (Capto/SensoNor) 844, disp., sterile, 50 pcs.	7864908
B	IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180
C	IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disp., 10 pcs.	7489433
D	IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155
E	IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417
F	IBP pressure transducer cable for Memscap (Capto/SensoNor) 844, 3 m	7486876
	IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




MONITORING

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP OHMEDA CABLES AND TRANSDUCERS

A	IBP connection cable Argon (former Becton Dickinson/Ohmeda), 3.7 m	3375933
B	IBP Y-cable Argon (former Becton Dickinson/Ohmeda), 3.7 m	5206581
C	IBP pressure transducer set Ohmeda, disposable, sterile, 5 pcs.	4528741

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL







INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

CO CABLES, CATHETERS AND THERMISTORS






A	CO thermistor cable Argon (former Becton Dickinson/Ohmeda)	8420077
B	CO thermistor T-piece Argon (former Becton Dickinson/Ohmeda)	5741975
C	CO thermistor cable Baxter/Edwards	8539983
D	CO connection cable, 1 m	3368458
E	CO catheter cable	8419160







GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

Hemodynamic Connectivity

<p>Infinity Acute Care System</p> <p>MS23897 2.0 M MS23896 2.0 M</p>  <p>Hemo</p> <p>Monitor IBP</p>	<p>Infinity Bedside Monitors</p> <p>Infinity Gamma X XL Vista XL</p>  <p>HemoMed</p>	<p>Infinity Delta/XL</p>  <p>HemoMed Aux/Hemo 2, 3</p>	<p>Infinity Kappa</p>  <p>HemoMed Aux/Hemo 2, 3</p>	<p>Infinity Kappa XLT *PICCO not supported</p>  <p>HemoMed Aux/Hemo 2, 3</p>	<p>7207086 0.3 M 3386426 3.0 M 591933 5.0 M 591936 5.0 M</p> <p>Aux/Hemo 2, 3</p> <p>HemoMed</p> <p>or</p> <p>5591925 3.0 M 5591933 5.0 M</p> <p>HemoMed</p>
--	--	--	--	--	--

<p>Quad Hemo</p> <p>MS20725</p>  <p>Temp A Temp B C.O.</p> <p>Monitor</p> <p>A B C D</p>	<p>Dual Hemo</p> <p>MS20783</p>  <p>Hemo</p> <p>A B</p>	<p>Hemo4</p> <p>4315661</p>  <p>Temp A Temp B C.O. IBP</p> <p>A B C D</p>	<p>Hemo2</p> <p>4319435</p>  <p>Temp A Temp B C.O. IBP</p> <p>A B</p>	<p>PiCCO</p> <p>MS16734</p> <p>Kappa XLT does not support PiCCO</p>  <p>C.O.</p> <p>Aux/Hemo</p> <p>A B C D</p> <p>PiCCO uses 10 pin adapter 3375668 with translator adapter cable MS16720</p>	<p>HemoMed</p> <p>5568822</p>  <p>HemoMed</p> <p>A B C D</p>
--	---	---	---	--	--

<p>Vendor specific adapter cables [A-B-C-D]</p> <p>7 Pin MS22633</p> <p>10 Pin MS22632</p> <p>Abbott-Medex (Transmitter) MS22148</p> <p>Argon/BD MS22147</p> <p>Baxter-Edwards MS22147</p> <p>Utah Medical MS22634</p>	<p>Vendor specific Hemo Pod adapters [ABCD]</p> <p>10 Pin 3375959</p> <p>7 Pin MS23596</p> <p>Abbott-Medex (Transmitter) 5196568</p> <p>Baxter-Edwards 5196960</p> <p>Argon/BD 3376941</p>	<p>Temperature</p> <p>Single Patient Use</p> <p>Adult 4329279 1.5m 5204689 3m</p> <p>Pediatric 4329280 1.5m 5204690 3m</p> <p>Single Patient Use</p> <p>Adult MP00997 1.5m MP00992 3m</p> <p>Pediatric MP00995 1.5m MP00997 3m</p> <p>MP00994 3m MP00995 1.5m MP00994 3m</p>	<p>Cardiac Output (C.O.)</p> <p>3386456</p> <p>8419160</p> <p>8420077</p> <p>5741975</p> <p>8639183</p> <p>Argon/BD</p> <p>Baxter-Edwards</p> <p>PiCCO</p> <p>MS16916 MS16918 MS16919</p>
---	---	---	--


09-04-2014

INFINITY® PICCO


1.8 INFINITY® PICCO

A	Patient parameter unit Infinity® PiCCO® SmartPod®	MS17441
B	CO thermistor cable for Infinity® PICCO® Pod	MS16919
	CO catheter cable for Infinity® PICCO® Pod	MS16918
	CO cable for Infinity® PICCO® Pod	MS16916
C	Pod adapter, 10-pin, for pressure transducer	3375958
	Adapter cable for Infinity® PiCCO® SmartPod®, for 10-pin connector	MS16920

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



INFINITY® PICCO



**BISPECTRAL INDEX (BIS)/
ELECTROENCEPHALOGRAPHY (EEG)**

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

1.9 BISPECTRAL INDEX (BIS)

**INFINITY® BISX SMARTPOD®
AND ACCESSORIES**


A	Patient parameter unit Infinity® BISx SmartPod®	MS14796					
----------	--	----------------	--	--	--	--	--



1.10 ELECTROENCEPHALOGRAPHY (EEG)

INFINITY® EEG POD AND ACCESSORIES

B	Patient parameter unit Infinity® EEG Pod	5736744					
C	EEG electrode cable, color-coded, 9 pcs.	5947804					
D	Block for EEG referential lead conversion	5954859					
E	EEG electrodes, disposable, 25 pcs.	MS29468					



MONITORING

NEUROMUSCULAR TRANSMISSION (NMT)

1.11 NEUROMUSCULAR TRANSMISSION (NMT)

INFINITY® TRIDENT (NMT) SMARTPOD® AND ACCESSORIES

A	Patient parameter unit set	
	Infinity® Trident® NMT SmartPod®	MS15007
	Includes the following accessories:	
	NMT accelerometer Trident®	MS15085
	NMT thermistor Trident®	MS15053
	NMT hand adapter Trident®	MS15086
	NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084
	NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174
	NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218
	Bed clip for cables	MS15087

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



MT-5600-2004

CAPNOGRAPHY ETCO₂

1.12 CAPNOGRAPHY ETCO₂

ETCO₂ PODS

A	Patient parameter unit Infinity® etCO ₂ Microstream SmartPod®	7870947
----------	---	----------------

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



A






D-9056-2009

CAPNOGRAPHY ETCO₂

ETCO₂ ACCESSORIES FOR CAPNOSTAT III

A	etCO₂ sensor set Capnostat-III	4322975
B	etCO₂ airway adapter, reusable, adult	4721796
B	etCO₂ airway adapter, reusable, neonate	4721788
C	etCO₂ sidestream airway adapter, including tubing, 10 pcs.	4714437
D	Dehumidification tubing for etCO₂ sidestream sampling, Nafion®, 10 pcs.	4714429
E	etCO₂ nasal cannula, adult, 10 pcs.	4714395
E	etCO₂ nasal cannula, child, 10 pcs.	4714387

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL




CAPNOGRAPHY ETCO₂

ETCO₂ MICROSTREAM ADAPTERS AND CANNULAS

A	etCO ₂ airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535
B	etCO ₂ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550
C	etCO ₂ airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543
D	etCO ₂ nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477
E	etCO ₂ nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469
F	etCO ₂ nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL






MONITORING

CAPNOGRAPHY ETCO₂

	etCO ₂ nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600
A	etCO ₂ nasal cannula Microstream®, + O ₂ , adult, max. 24 h, 25 pcs.	7869493
	etCO ₂ nasal cannula Microstream®, + O ₂ , child, max. 24 h, 25 pcs.	7869485
B	etCO ₂ nasal/mouth cannula Microstream®, + O ₂ , child, max. 12 h, 25 pcs.	7869584
C	etCO ₂ nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.	7869618
D	etCO ₂ nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501
	Smart Capnoline® Plus, adult/intermediate, (pack of 25)	MS26187
	Smart Capnoline® Plus O ₂ , adult/intermediate, (pack of 25)	MS26188

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL





CAPNOGRAPHY ETCO₂

RESPIRATORY MECHANICS ACCESSORIES

A	Sensor for respiratory mechanics and flow, disposable, adult/child, 10 pcs.	5957134
	Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.	5957100
B	Sensor for respiratory mechanics, flow and CO₂, disp., adult/child, 10 pcs.	5957126
	Sensor for respiratory mechanics, flow and CO₂, disposable, child, 10 pcs.	5957142
	Sensor for respiratory mechanics, flow and CO₂, disposable, neonate, 10 pcs.	5957118

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



Not all articles are available worldwide.

SCIO


1.13 SCIO

SCIO ACCESSORIES

A	Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415
B	Sample line, disposable, 10 pcs.	8290286
C	Watertrap WaterLock® 2, 12 pcs.	6872130
D	Adapter WaterLock® 2, set of 6 pcs.	6872128
E	Water trap Infinity® ID WaterLock® 2, 12 pcs.	6872020
	Sample gas return line for Fabius®, with filter	M32692

MGM ACCESSORIES

B	Sample line, disposable, 10 pcs.	8290286
----------	---	----------------



**TRANSCUTANEOUS MONITORING/
OXYGEN MEASUREMENT/RECORDER PAPER**


**1.14 TRANSCUTANEOUS MONITORING
(TPO₂/TPCO₂)**

A	tpO₂/tpCO₂ solid-state electrode	4529988				
	Membrane replacement set for tcpO₂/tcpCO₂ electrodes	MP00715				
	Fixation set for tpO₂ and tpCO₂ electrodes	MP00716				
	Calibration gas, for tpO₂/tcpCO₂, 20,9% O₂ and 5% CO₂, 12 pcs.	MP00717				
	Electrode holder set, Electrode holder, screw, and O-ring	MP00718				
	TCC calibration unit	MP00722				

1.15 RECORDER PAPER

B	Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201				
----------	--	----------------	--	--	--	--

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




POWER SOURCES

1.16 POWER SOURCES

A	Battery charger for Infinity® Gamma/Gamma XL	4710211
B	Lead-acid battery	5947697
C	Lithium-ion battery for Infinity® Gamma/Gamma XL	5732354
D	SLA battery charger for Infinity® Delta/Delta XL	5597377
E	SLA battery for Infinity® Delta/Delta XL	5592097
F	Lithium battery, for Infinity® Telemetry Transmitter, MicroO₂ and MicroO₂+, 6 pcs.	3361164

GAMMA / GAMMA XL
 GAMMA XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL






INFINITY® ACUTE CARE SYSTEM

2. INFINITY® ACUTE CARE SYSTEM

2.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (Eur. color code), 2 m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color c.), 2 m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (Eur. color c.), 2.5 m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US c. c.), 2.5 m	MS14560
C	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (Eur. color c.), 3 m	MS14683
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color c.), 3 m	MS14682



INFINITY® ACUTE CARE SYSTEM

MONOLEAD LONG, SINGLE-PIN CONNECTOR


Not for use with ECG extension cable MS16256.

ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (Eur. color code), 4.1 m	MS28561
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	MS28557
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (Eur. color code), 5.3 m	MS28559
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	MS28558
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	MS28560
A ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (Eur. color code), 5.7 m	MS17185

CHESTLEADS MONOLEAD®

ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (Eur. color c.), 1.7 m	MS14693
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color c.), 1.7 m	MS14694
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (Eur. color c.), 3.7 m*	MS20476
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color c.), 3.7 m*	MS20475





*Not for use with extension cable MS31435.



INFINITY® ACUTE CARE SYSTEM

**REUSABLE ECG LEADS
SINGLE-PIN CONNECTOR**

A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
B	ECG cable, 5-lead, single-pin connector, IEC1 (Eur. color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
C	ECG cable, 6-lead, single-pin connector, IEC1 (Europ. color code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406
CHESTLEADS		
D	ECG cable, 4-lead, single-pin connector, IEC1 (European color code), 1 m	MP03407
	ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03408



INFINITY® ACUTE CARE SYSTEM

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

A ECG cable, 3-lead, single-pin conn.,
single-pat. use, IEC1 (Eur. c. c.), 1 m, 20 pcs. **MP00875**

ECG cable, 3-lead, single-pin conn.,
single-pat. use, IEC2 (AHA/US c. c.), 1 m, 20 pcs. **MP00877**

B ECG cable, 5-lead, single-pin conn.,
single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m, 20 pcs. **MP00879**

ECG cable, 5-lead, single-pin conn.,
single-pat. use, IEC2 (AHA/US c. c.), 1/1.5 m, 20 pcs. **MP00881**


ECG cable, 6-lead, single-pin conn.,
single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m, 20 pcs. **MP03122**

ECG cable, 6-lead, single-pin conn.,
single-pat. use, IEC2 (AHA/US), 1/1.5 m, 20 pcs. **MP03123**

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR FOR CHESTLEADS

ECG cable, 4-lead, single-pin conn.,
single-pat. use, IEC1 (Eur. c. c.), 1 m, 20 pcs. **MP03120**

ECG cable, 4-lead, single-pin conn.,
single-pat. use, IEC2 (AHA/US c. c.), 1 m, 20 pcs. **MP03121**



INFINITY® ACUTE CARE SYSTEM

ELECTRODES


A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

NEONATAL ECG

ECG neonatal 3-lead adapter cable, 2 m	MS25951	
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

ECG ACCESSORIES

C	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
	ECG "4-lead" spacer, 10 pcs.	MS22832
D	ECG extension cable, single-pin connector, 2 m	MS16256



INFINITY® ACUTE CARE SYSTEM

2.2 PULSE OXIMETRY (SPO₂)

MASIMO®

For Masimo accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO® LNCS CABLES

For connection of LNCS sensors to Masimo SET Mcable.

A	SpO ₂ intermediate cable Masimo® LNCS, 1.2 m	MP00800
A	SpO ₂ intermediate cable Masimo® LNCS, 3 m	MP00797
A	SpO ₂ intermediate cable Masimo® LNCS, 4.3 m	MP03194

For connection of LNCS sensors to Masimo rainbow SET Mcable.

B	SpO ₂ intermediate cable Masimo Red LNCS, 1.2 m	MP02991
B	SpO ₂ intermediate cable Masimo Red LNCS, 3 m	MP02992
B	SpO ₂ intermediate cable Masimo Red LNCS, 4.3 m	MP03196

MASIMO® REUSABLE SENSORS


C	SpO ₂ finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
D	SpO ₂ finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO ₂ Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO ₂ Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
	SpO ₂ Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
E	SpO ₂ Masimo® sensor LNCS-DBI, reusable, adult	MP02993



INFINITY® ACUTE CARE SYSTEM

MASIMO® DISPOSABLE SENSORS

A SpO ₂ adhesive sensor Masimo® LNCS Adt, disposable, adult, 20 pcs.	MP00790
B SpO ₂ adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
C SpO ₂ adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
D SpO ₂ adhesive sensor Masimo® LNCS Pt, disposable, child, 20 pcs.	MP00793
E SpO ₂ adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794






INFINITY® ACUTE CARE SYSTEM

MASIMO® LNCS TRAUMA SENSORS

Masimo LNCS Trauma sensors are for use with Masimo SET technology only.

A	Masimo Trauma sensor LNCS, adult, 20 pcs.	MP03191
B	Masimo Trauma sensor LNCS, infant/pedi, 20 pcs.	MP03193
C	Masimo Trauma sensor LNCS, neonate, 20 pcs.	MP03192



INFINITY® ACUTE CARE SYSTEM

MASIMO® M-LNCS CABLES

For connection of M-LNCS sensors to Masimo SET Mcable.

SpO₂ intermediate cable Masimo M-LNCS, 1.2 m **MP02988**

SpO₂ intermediate cable Masimo M-LNCS, 3 m **MP02989**

SpO₂ intermediate cable Masimo M-LNCS, 4.3 m **MP03208**

MASIMO® RAINBOW AND M-LNCS CABLES

For connection of rainbow and M-LNCS sensors to Masimo rainbow SET Mcable.

SpO₂ intermediate cable Masimo rainbow/M-LNCS, 1.2 m **MP02974**




SpO₂ intermediate cable Masimo rainbow/M-LNCS, 3.6 m **MP02975**



INFINITY® ACUTE CARE SYSTEM

MASIMO® M-LNCS DISPOSABLE SENSORS

A SpO ₂ adhesive sensor Masimo® LNCS Aadx-3, disposable, adult, 20 pcs.	MP02976
B SpO ₂ adhesive sensor Masimo® LNCS Pdx-3, disposable, pedi, 20 pcs.	MP02977
C SpO ₂ adhesive sensor Masimo® LNCS Inf-3, disposable, infant, 20 pcs.	MP02978
D SpO ₂ adhesive sensor Masimo® LNCS Neo-3, disposable, neonate, 20 pcs.	MP02979
E SpO ₂ adhesive sensor Masimo® LNCS NeoPt-3, disposable, premature baby, 20 pcs.	MP02980
F M-LNCS sensor Muster Pack, contains 1 Aadx-3, 1 Pdx-3, 1 Neo-3 disposable sensor	MP02986






INFINITY® ACUTE CARE SYSTEM

MASIMO® M-LNCS TRAUMA DISPOSABLE SENSORS

Masimo M-LNCS Trauma sensors are for use with Masimo SET technology only.

<p>A Masimo® M-LNCS Trauma sensor, neonate, 20 pcs.</p>	<p>MP03204</p>
<p>B Masimo® M-LNCS Trauma sensor, infant/pedi, 20 pcs.</p>	<p>MP03205</p>
<p>C Masimo® M-LNCS Trauma sensor, adult, 20 pcs.</p>	<p>MP03206</p>



INFINITY® ACUTE CARE SYSTEM

MASIMO® M-LNCS REUSABLE SENSORS

A	SpO₂ finger sensor Masimo® M-LNCS DCI, reusable, adult	MP02981
B	SpO₂ finger sensor Masimo® M-LNCS DCIP, reusable, pedi	MP02982
C	SpO₂ Masimo® sensor M-LNCS-TC-I Ear, reusable, pedi/adult	MP02983
D	SpO₂ Masimo® sensor LNCS-TF-I, reusable, pedi/adult	MP02985
E	SpO₂ Masimo® sensor M-LNCS-YI Multi, reusable, neonate/pedi/adult	MP02984
F	SpO₂ Masimo® sensor M-LNCS-DBI, reusable, adult	MP03207



INFINITY® ACUTE CARE SYSTEM

**MASIMO® RAINBOW DISPOSABLE SENSORS
(SPCO, SPMET, SPOC, PVI)**

A	Rainbow sensor R25-L, adult, 10 pcs.	MP02961
B	Rainbow sensor R20-L, infant, 10 pcs.	MP02962
C	Rainbow sensor R25, adult 10 pcs.	MP02959
D	Rainbow sensor R20, pedi, 10 pcs.	MP02960



INFINITY® ACUTE CARE SYSTEM




MASIMO® RAINBOW RESPONSABLE SENSORS (SPHB, SPMET, SPOC, PVI)

A	Rainbow sensor ReSposable R2-25a (DOS), adult, 25 pcs.	MP02997
B	Rainbow sensor ReSposable R2-20a (DOS), pedi, 25 pcs.	MP02998
C	Rainbow ReSposable system R2-25, adult, 20 DOS and 1 ROS per box	MP03199
D	Rainbow ReSposable system R2-20, pedi, 20 DOS and 1 ROS per box	MP03200
E	Rainbow sensor ReSposable R2-25r (ROS), adult, 5 pcs.*	MP03201
F	Rainbow Sen ReSposable R2-20r (ROS), pedi, 5 pcs.*	MP03202

*To be replaced after using 20 DOS.

MASIMO® RAINBOW REUSABLE SENSORS (SPCO, SPMET, SPOC, PVI)


G	Rainbow sensor DCI, Adt	MP02971
	Rainbow sensor DCIP, pedi	MP02972



INFINITY® ACUTE CARE SYSTEM

MASIMO® ACCESSORIES

A SpO ₂ adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO ₂ sensor, 12 pcs.	7496933
B SpO ₂ adhesive wrap Masimo®, for NeoPt SpO ₂ sensor, 100 pcs.	7496925
C SpO ₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496917
D SpO ₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496909
E SpO ₂ adhesive square Masimo®, 12 pcs.	7496875
F SpO ₂ foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO ₂ sensor, 12 pcs.	7496891



INFINITY® ACUTE CARE SYSTEM

A	<u>Headband LNOP/LNCS TF-I, 5 pcs.</u>	<u>MP03197</u>
B	<u>Adhesive Pad LNOP/LNCS TF-I, 20 pcs.</u>	<u>MP03198</u>
C	<u>Masimo Rainbow sensor cover, 10 pcs.</u>	<u>MP03203</u>



INFINITY® ACUTE CARE SYSTEM

Masimo SpO₂ and rainbow® Sensor Connectivity

PATIENT-WORN MONITORS		INFINITY PATIENT MONITORS		ANESTHESIA WORKSTATION	
<p>Infinity M900</p>	<p>M540</p> <p>Masimo SET MCable MS20067</p> <p>Masimo rainbow® SET MCable MS27003</p>	<p>Gamma XL (VF6, VF7)</p> <p>Masimo SET Pod MS16359</p>	<p>Gamma X XL/Visia XL (VF6, VF7, VF8)</p> <p>Masimo SET Pod MS16358</p>	<p>Delta/Delta XL/Kappa (VF6, VF7, VF8)</p> <p>Masimo SET Pod MS16356</p>	<p>Kappa XLT (VF6)</p> <p>Masimo SET Pod MS16356</p>
<p>Zeus IE</p>	<p>Multimed 5 5950199 3368391</p> <p>Multimed 6 591221</p>	<p>Multimed Plus MS20093 2.5 M MS20092 3.0 M MS20094 2.5 M</p>	<p>Multimed 12 5589863 3.0 M</p>	<p>Multimed 5 5950199 3368391</p> <p>Multimed 6 591221</p>	<p>Multimed 12 5589863 3.0 M</p>
<p>rainbow® Sensors for SpO₂, PLS, PI, SpMet, SpOC, PVI and SpHb or SpCO</p>	<p>Reusable</p> <p>Rainbow® System R2-25 MP33199</p> <p>Adhesive R2-25a MP22897</p> <p>Reusable R2-25f MP33203</p>	<p>Reusable</p> <p>rainbow® R20-L MP22891</p> <p>rainbow® R20 MP22890</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>
<p>Disposable</p> <p>Rainbow® System R2-25 MP33199</p> <p>Adhesive R2-25a MP22897</p> <p>Reusable R2-25f MP33203</p>	<p>Disposable</p> <p>rainbow® R20-L MP22891</p> <p>rainbow® R20 MP22890</p>	<p>Disposable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Disposable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Disposable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Disposable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>
<p>SpHb</p>	<p>SpCO</p>	<p>SpCO</p>	<p>SpCO</p>	<p>SpCO</p>	<p>SpCO</p>
<p>rainbow® Sensors for SpO₂, PLS, PI, SpMet, SpOC, PVI and SpHb or SpCO</p>	<p>Reusable</p> <p>rainbow® DC-1 MP22871</p> <p>rainbow® DC-IP MP22972</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>
<p>rainbow® Sensors for SpO₂, PLS, PI, PVI**</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>
<p>rainbow® Sensors for SpO₂, PLS, PI, PVI**</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>
<p>rainbow® Sensors for SpO₂, PLS, PI, PVI**</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>
<p>rainbow® Sensors for SpO₂, PLS, PI, PVI**</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22976</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>	<p>Reusable</p> <p>M-LNCS Adtk MP22975</p> <p>M-LNCS DC-IP MP22982</p> <p>M-LNCS DC-1 MP22981</p>

* Requires Nellcor sensor software setting.
** PVI works only with Masimo rainbow® SET MCable.

INFINITY® ACUTE CARE SYSTEM

NELLCOR®

NELLCOR® CABLES

Nellcor® intermediate cable, 1.2 m **MP00748**

Nellcor® intermediate cable, 3 m **MS20979**

NELLCOR® REUSABLE SENSOR

A SpO₂ finger sensor Nellcor® DURA DS 100A **7262764**

NELLCOR® DISPOSABLE SENSORS




B SpO₂ adhesive sensor Nellcor® Oximax® Max-A, disp., adult, cable 46 cm, 24 pcs. **MX50065**

C SpO₂ adhesive sensor Nellcor® Oximax® Max-AL, disp., adult, cable 91 cm, 24 pcs. **MX50071**

D SpO₂ adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs. **MX50067**

E SpO₂ adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs. **MX50068**

F SpO₂ adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs. **MX50066**



INFINITY® ACUTE CARE SYSTEM



2.3 TEMPERATURE

ADAPTER CABLE

- | | |
|--|----------------|
| A Y-cable, reusable, 7-pin connector, for 2 temperature probes | 5592154 |
|--|----------------|

SINGLE-PATIENT USE TEMPERATURE PROBES


- | | |
|--|----------------|
| B General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6 m | MP00991 |
| General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m | MP00992 |
| C General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6 m | MP00993 |
| General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m | MP00994 |
| D Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m | MP00995 |
| Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m | MP00996 |
| E Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m | MP00997 |
| Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m | MP00998 |



INFINITY® ACUTE CARE SYSTEM

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616



INFINITY® ACUTE CARE SYSTEM

2.4 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES


A NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953
B NIBP hose, neonate, 2.4 m	2870298
C NIBP cuff adapter, 10 pcs.	MP00945



INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS, REUSABLE


A	① NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911
	② NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912
	③ NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913
	④ NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915
	⑤ NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916
	⑥ NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917
	⑦ NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918
	⑧ NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919
	⑨ NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921



INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS, SINGLE-PATIENT USE

A	① NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924
	② NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925
	③ NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926
	④ NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928
	⑤ NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929
	⑥ NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930
	⑦ NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931
	⑧ NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932
	⑨ NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934



INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS NEONATAL, DISPOSABLE

A	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
B	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
C	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
D	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
E	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173



INFINITY® ACUTE CARE SYSTEM

2.5 INVASIVE BLOOD PRESSURE (IBP)
AND CARDIAC OUTPUT (CO)

A	MPOD-Dual Hemo, 2 invasive blood pressures for M540*	MS20783
B	Infinity® MPOD-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725
	M540 Hemo connection cable, 1.5 m	MS23897
	M540 Hemo connection cable, 3 m	MS23898
IBP TRANSDUCER ADAPTER CABLES		
	IBP transducer adapter Abbott/Medex	MS22535
	IBP transducer adapter Argon (former Becton Dickinson/Ohmeda)	MS22148
	IBP transducer adapter Baxter/Edwards	MS22147
	IBP transducer adapter Utah Medical	MS22534
	IBP transducer adapter cable, Dräger 7-pin	MS22533
	IBP transducer adapter cable, Dräger 10-pin	MS22532

*Note: Infinity® MPOD-Dual Hemo does not require an additional hemo connection cable.





INFINITY® ACUTE CARE SYSTEM

CO CABLES AND THERMISTORS

A	CO thermistor cable Argon (former Becton Dickinson/Ohmeda)	8420077
B	CO thermistor T-piece Argon (former Becton Dickinson/Ohmeda)	5741975
C	CO thermistor cable Baxter/Edwards	8539983
D	CO connection cable, 1 m	3368458
E	CO catheter cable	8419160

CARDIAC OUTPUT KITS

	Cardiac output kit, Baxter	7265155
	Cardiac output kit, Argon (former Becton Dickinson/Ohmeda)	7265163



INFINITY® ACUTE CARE SYSTEM

2.6 ETCO₂CO₂ CABLES

A	CO ₂ mainstream sensor, for Evita® Infinity® V500, Babylog VN500, Infinity® M540 and Oxylog® 3000 plus	6871950
	Y-cable CO ₂ and analog/sync	MS22259

CO₂ CUVETTES, DISPOSABLE


B	CO ₂ cuvette disposable, adult, 10 pcs.	MP01062
C	CO ₂ cuvette disposable, pediatric, 10 pcs.	MP01063

CO₂ CUVETTES, REUSABLE

D	CO ₂ cuvette reusable, adult, for CO ₂ sensors 6871500, 6870300, 6871950	6870279
E	CO ₂ cuvette reusable, pediatric, for CO ₂ sensors 6871500, 6870300, 6871950	6870280

ACCESSORIES

	Calibration set, with test connection and test gas cylinder	8412710
	Test gas cylinder 5 Vol.% CO ₂ , 95 Vol. % N ₂	6850435
	Parking holder for CO ₂ sensor	8416352
	Test filter	6870281






INFINITY® M300

3. INFINITY® M300

3.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (Eur. color code), 2 m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color c.), 2 m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (Eur. color c.), 2.5 m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US c. c.), 2.5 m	MS14560
C	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (Eur. color c.), 3 m	MS14683
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color c.), 3 m	MS14682



INFINITY® M300





ECG-LEAD SETS FOR TELEMETRY

Infinity® TruST™ Telemetry lead sets can also be used in combination with MultiMed plus. Shielded, not for use in the OR.

A	ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03421
	ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03422
B	ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03423
	ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03424
C	ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03425
	ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03426

REUSABLE ECG LEADS SINGLE-PIN CONNECTOR



D	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
E	ECG cable, 5-lead, single-pin connector, IEC1 (Eur. color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
F	ECG cable, 6-lead, single-pin connector, IEC1 (Europ. color code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406



INFINITY® M300

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c. c.), 1 m, 20 pcs.	MP00877
B	ECG cable, 5-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c. c.), 1/1.5 m, 20 pcs.	MP00881
	ECG cable, 6-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m, 20 pcs.	MP03122
	ECG cable, 6-lead, single-pin conn., single-pat. use, IEC2 (AHA/US), 1/1.5 m, 20 pcs.	MP03123




INFINITY® M300

ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
----------	--	----------------

ECG ACCESSORIES

B	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
C	ECG extension cable, single-pin connector, 2 m	MS16256



INFINITY® M300

3.2 PULSE OXIMETRY (SPO₂)

DRÄGER

DRÄGER CABLES

- A** SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m **MS18683**
- B** SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m **MS17330**

DRÄGER REUSABLE SENSOR

- C** SpO₂ finger sensor Dräger, reusable **MS13235**

DRÄGER DISPOSABLE SENSORS

- D** SpO₂ adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs. **MS16449**
- E** SpO₂ adhesive sensor Dräger, foam, disposable, adult, 24 pcs. **MS16445**
- F** SpO₂ adhesive sensor Dräger, vinyl, disposable, child, 24 pcs. **MS16448**
- G** SpO₂ adhesive sensor Dräger, foam, disposable, child, 24 pcs. **MS16444**



INFINITY® M300

MASIMO®

For Masimo accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO® LNOP CABLES

A	SpO₂ intermediate cable Masimo® LNOP, 1.2 m	MS18680
	SpO₂ intermediate cable Masimo® LNOP, 3 m	MS17041

MASIMO® LNOP REUSABLE SENSORS




B	SpO₂ finger sensor Masimo® LNOP DCI, reusable, adult	7270312
C	SpO₂ finger sensor Masimo® LNOP DCIP, reusable, child	7270304
D	SpO₂ multisite sensor Masimo® LNOP YI, reusable	7497014
E	SpO₂ ear sensor Masimo® LNOP TI, reusable	7497006



INFINITY® M300

MASIMO® LNOP DISPOSABLE SENSORS

A SpO ₂ adhesive sensor Masimo® LNOP Adt, disposable, adult, 20 pcs.	7496990
B SpO ₂ adhesive sensor Masimo® LNOP Pt, disposable, child, 20 pcs.	7496982
C SpO ₂ adhesive sensor Masimo® LNOP NeoPt, disposable, premature baby, 20 pcs.	7496966



INFINITY® M300

MASIMO® LNCS CABLES


A	SpO₂ intermediate cable Masimo® LNCS, 3 m	MS17522
A	SpO₂ intermediate cable Masimo® LNCS, 1.2 m	MS24303

MASIMO® LNCS REUSABLE SENSORS

B	SpO₂ finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
C	SpO₂ finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO₂ Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO₂ Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
	SpO₂ Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
D	SpO₂ Masimo® sensor LNCS-DBI, reusable, adult	MP02993

MASIMO® LNCS DISPOSABLE SENSORS

E	SpO₂ adhesive sensor Masimo® LNCS Adt, disposable, adult, 20 pcs.	MP00790
F	SpO₂ adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
G	SpO₂ adhesive sensor Masimo® LNCS Pt, disposable, child, 20 pcs.	MP00793



Not all articles are available worldwide.


INFINITY® M300

MASIMO® M-LNCS ADAPTERCABLE

A Adaptercable M-LNCS to LNC For connection of M-LNCS sensors to InFINITY® M300 Masimo® SET Pod via LNCS intermediate cable MS24303 or MS17522.	MP02994
---	----------------

MASIMO® M-LNCS DISPOSABLE SENSORS

B SpO₂ adhesive sensor Masimo® LNCS Aadx-3, disposable, adult, 20 pcs.	MP02976
C SpO₂ adhesive sensor Masimo® LNCS Pdx-3, disposable, pedi, 20 pcs.	MP02977
D SpO₂ adhesive sensor Masimo® LNCS Inf-3, disposable, infant, 20 pcs.	MP02978



INFINITY® M300

MASIMO® M-LNCS REUSABLE SENSORS



A	SpO₂ finger sensor Masimo® M-LNCS DCI, reusable, adult	MP02981
B	SpO₂ finger sensor Masimo® M-LNCS DCIP, reusable, pedi	MP02982
C	SpO₂ Masimo® sensor M-LNCS-TC-I Ear, reusable, pedi/adult	MP02983
D	SpO₂ Masimo® sensor LNCS-TF-I, reusable, pedi/adult	MP02985
E	SpO₂ Masimo® sensor M-LNCS-YI Multi, reusable, neonate/pedi/adult	MP02984
F	SpO₂ Masimo® sensor M-LNCS-DBI, reusable, adult	MP03207



INFINITY® M300

MASIMO® ACCESSORIES

A	SpO₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496917
	SpO₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496909
B	SpO₂ foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO₂ sensor, 12 pcs.	7496891
C	SpO₂ adhesive square Masimo®, 12 pcs.	7496875



INFINITY® M300

NELLCOR®

NELLCOR® CABLES

A	SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m	MS18683
B	SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m	MS17330

NELLCOR® REUSABLE SENSOR




C	SpO₂ finger sensor Nellcor® DURA DS 100A	7262764
----------	--	----------------



INFINITY® M300

NELLCOR® DISPOSABLE SENSORS

<p>A SpO₂ adhesive sensor Nellcor® Oximax® Max-A, disp., adult, cable 46 cm, 24 pcs.</p>	<p>MX50065</p>
<p>B SpO₂ adhesive sensor Nellcor® Oximax® Max-AL, disp., adult, cable 91 cm, 24 pcs.</p>	<p>MX50071</p>
<p>C SpO₂ adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.</p>	<p>MX50067</p>
<p>D SpO₂ adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.</p>	<p>MX50066</p>
<p>E SpO₂ adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.</p>	<p>MX50068</p>



INFINITY® M300

3.3 POUCH

- A Telemetry transmitter pouch, waterproof, for M300, 10 pcs. MS18630
- B Telemetry transmitter pouch, disposable, 100 pcs. MS22905

3.4 CODENSATION





- C Holder for Infinity® M300 bedside charger, swiveling 360° MP00990



INFINITY® M300





Infinity® M300 Connectivity

ECG






Lead-Sets	Traditional	Telemetry	MonoLead	Single-patient
	 0 64298 2013	 0 86318 2013	 0 65110 2005	 0 64659 2012
	1 m	0.7 m	1 m	1 m
3-lead Europe	MP03401	MP03421	MS14555	MP00875
3-lead AHA	MP03402	MP03422	MS14556	MP00877
5-lead Europe	MP03403	MP03423	MS14559	MP00879
5-lead AHA	MP03404	MP03424	MS14560	MP00881
6-lead Europe	MP03405	MP03425	MS14683	MP03122
6-lead AHA	MP03406	MP03426	MS14682	MP03123

Optional 2 m extension cable MS16256

SPO₂

Cables	Masimo LNOP	Masimo LNCS	Masimo M-LNCS	Neilcor/Dräger
	 0 346 2008	 0 439 2014	 0 464 2014	 0 2394 2011
	1.2 m	MS24303	MP02994*	MS18683
	3 m	MS17041	MS17522	MS17330

Sensors

	Masimo LNOP	Masimo LNCS	MASIMO M-LNCS	Neilcor	Dräger
Disposable	 0 617 2001	 0 32549 2011	 0 467 2014	 0 152 2003	 0 824 2002
	7496966	MP00790	MP02976	MX50065	MS16444
	7496982	MP00791	MP02977	MX50066	MS16445
	7496990	MP00793	MP02978	MX50071	MS16449
				MX50067	MS16448
				MX50068	
Reusable	7270304	MP00795	MP02981	7262764	MS13235
	7270312	MP00796	MP02982		
	7497006	MP00788	MP02983		
	7497014	MP00789	MP02985		
		MP00799	MP02984		
		MP02993	MP03207		

* (Adapter to LNCS cable).




INFINITY M300

MS25755

INFINITY® TRUST™ TELEMETRY

A 4. INFINITY® TRUST™ TELEMETRY	
4.1. ELECTROCARDIOGRAPHY (ECG)	
INFINITY® TRUST™ TELEMETRY ECG-LEAD SETS	
B	ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm MP03421
	ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm MP03422
C	ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm MP03423
	ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm MP03424
D	ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm MP03425
	ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm MP03426
INFINITY TELEMETRY ECG-LEAD SETS	
	ECG cable, 5-lead Infinity® telemetry, IEC1 (European color code) 5956367
	ECG cable, 5-lead Infinity® telemetry, IEC2 (AHA/US color code) 5956359
ADAPTERS	
E	ECG adapter for single-pin ECG cable to MultiMed® 5 MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6 MS14680
4.2 POUCH	
F	Telemetry transmitter pouch, waterproof, for M300, 10 pcs. MS18630
G	Telemetry transmitter pouch, disposable, 100 pcs. MS22905



Not all articles are available worldwide.

INFINITY® TRUST™ TELEMTRY

5. INFINITY® MICRO₂+®

5.1 SPO₂

MASIMO® SENSORS AND ACCESSORIES



For Masimo accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO® LNOP REUSABLE SENSORS

A	SpO ₂ finger sensor Masimo® LNOP DCI, reusable, adult	7270312
B	SpO ₂ finger sensor Masimo® LNOP DCIP, reusable, child	7270304
C	SpO ₂ multisite sensor Masimo® LNOP YI, reusable	7497014
D	SpO ₂ ear sensor Masimo® LNOP TI, reusable	7497006

MASIMO® LNOP DISPOSABLE SENSORS


E	SpO ₂ adhesive sensor Masimo® LNOP Adt, disposable, adult, 20 pcs.	7496990
F	SpO ₂ adhesive sensor Masimo® LNOP Pt, disposable, child, 20 pcs.	7496982



INFINITY® MICRO₂+®

MASIMO® ACCESSORIES

A SpO ₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496917
SpO ₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496909
B SpO ₂ adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO ₂ sensor, 12 pcs.	7496933
C SpO ₂ adhesive wrap Masimo®, for NeoPt SpO ₂ sensor, 100 pcs.	7496925
D SpO ₂ adhesive square Masimo®, 12 pcs.	7496875



INFINITY® MICRO₂+®



NELLCOR® SENSORS AND ACCESSORIES

NELLCOR® REUSABLE SENSORS

A	SpO ₂ finger sensor Nellcor® DURA DS 100A	7262764
B	SpO ₂ multisite sensor Nellcor® Dura-Y™, reusable	MX01004
C	Ear clip for Nellcor® Dura-Y	MX01005

NELLCOR® DISPOSABLE SENSORS

D	SpO ₂ adhesive sensor Nellcor® Oximax® Max-A, disp., adult, cable 46 cm, 24 pcs.	MX50065
E	SpO ₂ adhesive sensor Nellcor® Oximax® Max-AL, disp., adult, cable 91 cm, 24 pcs.	MX50071
F	SpO ₂ adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
G	SpO ₂ adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066



INFINITY® MICRO₂+®

5.2 POUCH

A Telemetry transmitter pouch, waterproof, for M300, 10 pcs.	MS18630
B Telemetry transmitter pouch, disposable, 100 pcs.	MS22905

5.3 POWER SOURCES

C Lithium battery, for Infinity® Telemetry Transmitter, Micro ₂ and Micro ₂ +, 6 pcs.	3361164
---	---------





VISTA 120

6. VISTA 120

6.1 ELECTROCARDIOGRAPHY (ECG)

Not all articles are available worldwide.

A	<u>ECG trunk cable, 5-lead, IEC/AHA colour code</u>	<u>2606496</u>
	<u>ECG trunk cable, 3-lead, IEC/AHA colour code</u>	<u>2606495</u>
B	<u>ECG trunk cable, 3-lead, for neonates, IEC & AHA</u>	<u>2606492</u>
C	<u>ECG limb wires, 5-lead, Grabber, IEC colour code</u>	<u>2606494</u>
	<u>ECG limb wires, 3-lead, Grabber, IEC colour code</u>	<u>2606493</u>
	<u>ECG limb wires, 5-lead, Grabber, AHA colour code</u>	<u>2606498</u>
	<u>ECG limb wires, 3-lead, Grabber, AHA colour code</u>	<u>2606497</u>
D	<u>ECG electrodes, adult, disposable, 100 pcs.</u>	<u>2606200</u>
	<u>ECG electrodes, child, disposable, 50 pcs.</u>	<u>2606246</u>
	<u>ECG electrodes, single-patient use, neonate, 300 pcs.</u>	<u>5195024</u>



VISTA 120

6.2 PULSE OXIMETRY (SPO₂)

A	SpO ₂ extension cable, 2 m, reusable	2606487
B	SpO ₂ silicone Soft-tip sensor, adult, 1 m, reusable	2606485
	SpO ₂ silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486
C	SpO ₂ sensor, adult, 0.5 m, disposable, 25 pcs.	2606208
D	SpO ₂ sensor, pediatric, 0.5 m, disposable, 25 pcs.	2606209
E	SpO ₂ sensor, infant, 0.5 m, disposable, 25 pcs.	2606210
F	SpO ₂ sensor, neonate, 0.5 m, disposable, 25 pcs.	2606211
G	SpO ₂ finger sensor, adult, 2.5 m, reusable	2606483
	SpO ₂ finger sensor, adult, 1 m, reusable	2606484



VISTA 120

6.3 NON-INVASIVE BLOOD PRESSURE (NIBP)

A	NIBP tube, 3 m	2606218
	NIBP tube for neonatal cuff, 3 m	2606219
B	NIBP cuff, adult, 25 cm – 35 cm, reusable	2606212
	NIBP cuff, larger adult, 33 cm – 47 cm, reusable	2606213
	NIBP cuff, child, 18 cm – 26 cm, reusable	2606214
C	NIBP cuff, infant, 10 cm – 19 cm, reusable	2606215
	NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs.	2606271
	NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs.	2606272
	NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs.	2606273
	NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs.	2606274
D	NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs.	2606275



VISTA 120

6.4 TEMPERATURE

A	Temperature probe skin, adult, 3 m, reusable	2606220
B	Temperature probe, rectal/oral, adult, 3 m, reusable	2606221
	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616

6.5 INVASIVE BLOOD PRESSURE (IBP)



C	IBP pressure transducer kit, BD/Argon, disposable, 5 kits	2606225
D	IBP cable Becton Dickinson/Argon	2606488
	IBP cable Edwards	2606489
	IBP cable Abbott, Medex	2606490
	IBP cable Utah	2606491

6.6 CO₂

E	etCO ₂ module Capnostat 5, reusable	2606226
F	CO ₂ airway adapter, adult, disposable, 10 pcs.	2606227
	CO ₂ airway adapter, neonatal (infant/pediatric), 10 pcs.	2606228

6.7 DEVICE ACCESSORIES

	Vista 120 rechargeable Lithium-Ion battery	2606229
G	Vista 120 printing paper, 4 rolls	2606231





D-112729-2009

Ward equipment

SOMETHING YOU CAN COUNT ON:

- Dräger has been developing and manufacturing high-quality ward accessories for decades
- Ongoing expansion of the portfolio with innovative products such as the Dräger VarioAir® suction ejector or the Dräger compact flowmeter
- Intelligent workstation concepts through safe interaction of accessory products with hospital installations

5

CONTENT

WARD EQUIPMENT

1. Oxygen therapy	225
1.1 Flowmeter	225
1.2 Pressure reducer	237
1.3 Humidifier, adapter and application	245
2. Aerosol therapy	247
3. Medical aspiration	253
3.1 Bronchial aspiration	253
3.2 OR aspiration	269
3.3 Continuous drainages	273

4. Central supply hoses	283
--------------------------------	------------

FLOWMETER

1. OXYGEN THERAPY

1.1 FLOWMETER

These O₂ Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates of up to 32 L/min can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm
 (6.3 × 1.6 × 5.1 in)

Material: Housing: Aluminium
 Pressure dome: Polycarbonate
 Flow indicator: Glass

Weight: Approx. 500 g (1.1 lb)

A	O₂ flowmeter, 4 L/min, CS, 5 bar, DIN, ISO and neutral color, M34×1.5 f. accessories	2M86517
B	O₂ flowmeter, 16 L/min, CS, 5 bar, DIN, ISO and neutr. color, M34×1.5 f. accessories	2M86553
C	O₂ flowmeter, 16 L/min, CS 6 cm, 5 bar, DIN, ISO and neutr. color, M34×1.5 for acc.	2M86563
D	O₂ flowmeter, 16 L/min, CS, 5 bar, DIN, ISO and neutral color, 9/16" for sterile water	2M86562



FLOWMETER

A O ₂ flowmeter, 16 L/min, CS, 5 bar, British Standard, ISO, M34×1.5, adapter 9/16"	MP01260
B O ₂ flowmeter, 16 L/min, CS, 5 bar, French Standard, ISO, M34×1.5, adapter 9/16"	MP01261
C O ₂ flowmeter, 10 L/min, CS, 4 bar, CARBA, including adapter to 9/16" for sterile water	MP03391
D O ₂ flowmeter, 16 L/min, CS, 4 bar, CARBA, including adapter to 9/16" for sterile water	MP03393
E O ₂ flowmeter, 32 L/min, CS, 5 bar, DIN, ISO and neutral color, M34×1.5 for accessories	2M86567



FLOWMETER

TWIN FLOWMETER

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 150 × 190 mm
 (6.3 × 5.9 × 7.15 in)
 Material: Housing: Aluminium
 Pressure dome: Polycarbonate
 Flow indicator: Glass
 Weight: Approx. 900 g (1.98 lb)

A O ₂ twin flowmeter, CS, 2 × 16 L/min, CS, 5 bar, DIN, M34×1.5 ISO, neutral color	2M86561
B O ₂ twin flowmeter, CS, 2 × 16 L/min, CS, 5 bar, DIN, 9/16", ISO, neutral color	2M86564
C O ₂ twin flowmeter, 2 × 10 L/min, CS, 4 bar, CARBA, 2 × M34×1.5, including adapter to 9/16" for sterile water	MP03398
D O ₂ twin flowmeter, 2 × 10 L/min, rail fitting with NIST gas inlet, 4 bar, 2 × M34×1.5, adapter 9/16"	MP03399
O ₂ twin flowmeter, 2 × 16 L/min, rail fitting with NIST gas inlet, 5 bar, 2 × M34×1.5, adapter 9/16"	MP01188



FLOWMETER

These O₂ flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4, 16 or 32 L/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. A 2 m (6.6 ft) connecting hose is attached to the easily operated clamp.

Accuracy of flow rate at (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm
 (6.3 × 1.6 × 5.1 in)

Material: Housing: Aluminium
 Pressure dome: Polycarbonate
 Flow indicator: Glass


Weight: Approx. 950 g (2.09 lbs)

A	O₂ flowmeter, 4 L/min, rail with hose 2m, 5 bar, ISO, DIN, M34×1.5 for accessories	2M86516
B	O₂ flowmeter, 4 L/min, rail w/ hose 2m, 5 bar, neutr. color, DIN, M34×1.5 f. accessories	MP01191
C	O₂ flowmeter, 16 L/min, rail with hose 2m, 5 bar, ISO, DIN, M34×1.5 for accessories	2M86551
D	O₂ flowmeter, 16 L/min, rail w/ hose 2m, 5 bar, neutr. color, DIN, M34×1.5 for acc.	MP01192
E	O₂ flowmeter, 32 L/min, rail with hose 2m, 5 bar, ISO, DIN, M34×1.5 for accessories	2M86568
F	O₂ flowmeter, 32 L/min, rail w/ hose 2m, 5 bar, neutr.color, DIN, M34×1.5 f. accessories	MP01194



FLOWMETER

A	O₂ flowmeter, 4 L/min, rail, 90°, with hose 2m, ISO, DIN, 5 bar, M34×1.5 for accessories	2M86575
B	O₂ flowmeter, 4 L/min, rail, 90° with hose 2m, neutral color, DIN, 5 bar, M34×1.5 f. accessories	MP01197
C	O₂ flowmeter, 16 L/min, rail, 90° with hose 2m, ISO, DIN, 5 bar, M34×1.5 f. accessories	2M86571
D	O₂ flowmeter, 16 L/min, rail, 90° with hose 2m, neutral color, DIN, 5 bar, M34×1.5 f. accessories	MP01196
E	O₂ flowmeter for anesth., 16 L/min, rail, w/ hose 1m, NIST screw, 5 bar, ISO, M34×1.5	2M86248
F	O₂ flowmeter for anesth., 16 L/min, rail, w/ hose 1m, NIST, 5 bar, neutr.color, M34×1.5	MP01198



FLOWMETER

A	O₂ flowmeter for anesth., 16 L/min, 90° rail w/ hose 1m, NIST screw, 5 bar, ISO, M34×1.5	2M86249
B	O₂ flowmeter for anesth., 16 L/min, 90°, rail,w/ hose 1m, NIST, 5 bar, neutr. color, M34×1.5	MP01199
C	O₂ flowmeter, 16 L/min, rail, NIST, gas inlet, 5 bar, ISO and neutral color, M34×1.5, adapter 9/16"	MP01201
D	O₂ flowmeter, 10 L/min, rail fitting with NIST gas inlet, 4 bar, M34×1.5, adapter 9/16"	MP03392
E	O₂ flowmeter, 16 L/min, rail fitting with NIST gas inlet, 4 bar, M34×1.5, adapter 9/16"	MP03394
	CS hoses	8601697
	Several hoses to connect e.g. flowmeter with the central supply.	



FLOWMETER

These flowmeters are plugged directly into a wall terminal unit for medical air and are used to control the flow of medical air for aerosoltherapy. Flow rates of up to 16 or 32 L/min can be set with a high degree of accuracy. The large rotary knob makes setting easier. With integrated sintered filter.

Accuracy of flow rate at (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm
 (6.3 × 1.6 × 5.1 in)
 Material: Housing: Aluminium
 Pressure dome: Polycarbonate
 Flow indicator: Glass
 Weight: Approx. 500 g (1.1 lb)

A	AIR flowmeter, 16 L/min, CS, 5 bar, DIN, M32×1.5, ISO and neutral color	2M86554
B	AIR flowmeter, 16 L/min, CS 6 cm, 5 bar, DIN, M32×1.5, ISO and neutral color	2M86565
C	AIR flowmeter, 16 L/min, CS, 4 bar, CARBA, M32×1.5, ISO	MP03395
D	AIR flowmeter, 32 L/min, CS, 5 bar, DIN, M32×1.5, ISO and neutral color	2M86569



FLOWMETER

These Flowmeters for rail attachment can be used to control the flow of medical air for aerosol therapy. Flow rates of up to 16 or 32 L/min can be set with a high degree of accuracy. The large setting knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to standard rail profiles. A 2 m (6.6 ft) connecting hose is attached to the easily operated clamp mechanism.

Accuracy of flow rate at (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)



** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm
 (6.3 × 1.6 × 5.1 in)

Material: Housing: Aluminium
 Pressure dome: Polycarbonate
 Flow indicator: Glass

Weight: Approx. 950 g (2.09 lbs)

A	AIR flowmeter, 16 L/min, rail, with hose 2 m, 5 bar, DIN, M32×1.5, ISO	2M86552
B	AIR flowmeter, 16 L/min, rail, with hose 2 m, 5 bar, DIN, M32×1.5, neutral color	MP01193
C	AIR flowmeter, 32 L/min, rail, with hose 2 m, 5 bar, DIN, M32×1.5, ISO	2M86570
D	AIR flowmeter, 32 L/min, rail, with hose 2 m, 5 bar, DIN, M32×1.5, neutral color	MP01195
E	AIR flowmeter, 16 L/min, rail, NIST gas inlet, 5 bar, M32×1.5, neutral color, ISO	MP01202
F	AIR flowmeter, 16 L/min, rail, NIST gas inlet, 4 bar, M32×1.5, ISO	MP03396
	CS hoses	8601697
	Several hoses to connect e.g. flowmeter with the central supply.	



FLOWMETER

COMPACT FLOWMETER

The compact flowmeter configurator gives you the option of arranging the compact flowmeter according to your requirements.

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	0 – 15 L/min (0; 1; 2; 3; 4; 6; 8; 12; 15) 0 – 1 L/min (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.8; 1) 0 – 5 L/min (0; 0.5; 1; 1.5; 2; 2.5; 3; 4; 5)
Accuracy:	0 – 5 L/min and 0 – 15 L/min: ± 20% 0 – 1 L/min ± 30%
Gas inlet:	CS plug O ₂ or AIR; NIST (rail)
Gas outlet:	6 mm nozzle, thread 9/16"
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter 40 mm, length 90 mm

*1 bar = 1 kPa × 100

A	Selectable options for configuration:	MP01200
	Gas type: O ₂ ; AIR	
	Mounting: CS; rail with NIST gas inlet	
	CS connection: DIN; UNI (Italy); AGA (SSS, Sweden); Carbueros (Spain); Carbamed; JIS (Japan); DISS (USA); BS (England); NF (France)	
	Version: single compact flowmeter; double compact flowmeter	
	Flow: 0.1 – 1 L/min; 0.5 – 5 L/min; 1 – 15 L/min	
	Gas outlet: 6 mm nozzle, thread 9/16" for sterile water	
B	O₂ compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 6 mm nozzle	2M86793
C	O₂ compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 9/16"	MP01204

Accessories for Flowmeter in chapter 1.3 (Humidifier, adapter and application).



FLOWMETER

DIGIFLOW

Flowmeter for oxygen or compressed air with digital display of the set flow for direct insertion into the central gas supply or as rail-mounted version with NIST gas inlet.

DigiFlow has a very high level of accuracy and the flow is easy to read. Additional functions like preset of therapy time, consumption of oxygen and expired time of use are integrated. The version until 3 L/min is particularly suitable for low flows in the neonatal and pediatric fields.

Input pressure: 270 to 600 kPa (2.7 to 6 bar)

Display resolution: 0.3 to 3.0 L/min: 0.1 L/min
higher: 0.5 L/min

Measurement accuracy: $\pm 5\%$ of displayed value

Display accuracy: ± 1 digit

Dimensions (W × H × D): With direct probe:
56 × 144 × 140 mm
(2.2 × 5.67 × 5.51 in)
With universal holder:
56 × 144 × 105 mm
(2.2 × 5.67 × 4.13 in)

Weight: With direct probe:
340 g (0.74 lbs)
With universal holder:
740 g (1.63 lbs)

A	Electronic O₂ flowmeter DigiFlow, 3 L/min, CS, DIN, 9/16", for sterile water	MP01210
	Electronic O₂ flowmeter DigiFlow, 3 L/min, CS, British Standard, 9/16"	MP01218
	Electronic O₂ flowmeter DigiFlow, 3 L/min, CS, French Standard, 9/16"	MP01222
B	Electronic O₂ flowmeter DigiFlow, 3 L/min, CS, DIN, M34×1.5 for accessories	MP01211



FLOWMETER

A	Electronic O₂ flowmeter DigiFlow, 16 L/min, CS, DIN, 9/16", for sterile water	MP01226
	Electronic O₂ flowmeter DigiFlow, 16 L/min, CS, British Standard, 9/16"	MP01219
	Electronic O₂ flowmeter DigiFlow, 16 L/min, CS, French Standard, 9/16"	MP01223
	Electronic O₂ flowmeter DigiFlow, 16 L/min, CS, CARBA, 9/16"	MP01270
B	Electronic O₂ flowmeter DigiFlow, 16 L/min, CS, DIN, M34×1.5 for accessories	MP01227
C	Electronic O₂ flowmeter DigiFlow, 3 L/min, rail, NIST, 9/16" for sterile water	MP01212
D	Electronic O₂ flowmeter DigiFlow, 3 L/min, rail, NIST, M34×1.5 for accessories	MP01213
E	Electronic O₂ flowmeter DigiFlow, 16 L/min, rail, NIST, 9/16" for sterile water	MP01228
F	Electronic O₂ flowmeter DigiFlow, 16 L/min, rail, NIST, M34×1.5 for accessories	MP01229



FLOWMETER

A	Electronic AIR flowmeter DigiFlow, 3 L/min, CS, 9/16", DIN, ISO, neutral color	MP01214
	Electronic AIR flowmeter DigiFlow, 3 L/min, CS, 9/16", British Standard, ISO	MP01220
	Electronic AIR flowmeter DigiFlow, 3 L/min, CS, 9/16", French Standard, ISO	MP01224
A	Electronic AIR flowmeter DigiFlow, 16 L/min, CS, 9/16", DIN, ISO, neutral color	MP01216
	Electronic AIR flowmeter DigiFlow, 16 L/min, CS, 9/16", British Standard, ISO	MP01221
	Electronic AIR flowmeter DigiFlow, 16 L/min, CS, 9/16", French Standard, ISO	MP01225
B	Electronic AIR flowmeter DigiFlow, 3 L/min, rail, NIST, 9/16", ISO, neutral color	MP01215
C	Electronic AIR flowmeter DigiFlow, 3 L/min, rail, NIST, M32×1.5, ISO, neutr.color	MP01235
B	Electronic AIR flowmeter DigiFlow, 16 L/min, rail, NIST, 9/16" ISO, neutral color	MP01217
C	Electronic AIR flowmeter DigiFlow, 16 L/min, rail, NIST, M32×1.5, ISO, neutr.col.	MP01255
	CS hoses	8601697
	Several hoses to connect e.g. flowmeter with the central supply.	
D	Mixing block, with mixing chart, for O₂ and AIR flowmeter or DigiFlow with M34×1.5 and M32×1.5	2M85728



PRESSURE REDUCER

1.2 PRESSURE REDUCER

A Pressure reducer OxyLine, customized configuration of pressure reducers

MP00100

OxyLine's modular design means you can accurately choose the pressure reducer you need from the following components:


- O₂ or AIR pressure reducer with 200 or 300 bar
- Manometer, vertical or horizontal
- Flow regulator settings (1, 2, 3, 4, 6, 8, 12 and 15 L/min) and 9/16" sterile water connector
- Flowmeter for up to 16 L/min with connector for Dräger reusable humidifier, sterile water connector and 6 mm (0.2 in) nozzle for an oxygen mask
- Self-closing NIST connector
- Centralized gas supply coupling, e.g. to connect up a mains-operated ventilation device
- Ejector for short-time suction of eg. secret

Type:	Single-stage pre-set pressure reducer
Permissible inlet pressure range:	11 to 300 kPa × 100
Nominal outlet pressure (p2):	non-adjustable, output pressure as per rating plate
Weight:	1.2 kg to 2 kg (depending on connector type)
Material:	Brass with chemical nickel surface



MT-1358-2003

PRESSURE REDUCER



* At least one outlet must be selected.
 ** Please check former selection (left/right).
 *** Only possible if no NIST O₂ (4.4) or NIST AIR (4.5).

5 Accessories	
Adapter NIST to DIN CS-Coupling O ₂	M35056
Adapter NIST to DIN CS-Coupling AIR	M35058
Adapter, with 6 mm nozzle, 9/16" connection	MP00416
Humidifier-bubbler, for oxygen humidification	2M85834
Humidifier-nebulizer, for oxygen humidification	2M85835
Inhalation set	2M85912


PRESSURE REDUCER

A Oxett head OxyLine, press. reducer G$\frac{3}{4}$", 200 bar, NIST,flowmeter,DIN-CS,ejector	MP01101
B Oxett head OxyLine, press.redcr G$\frac{3}{4}$", 200 bar, flow regulator,NIST,DIN-CS,ejector	MP01102
C Oxator head OxyLine, pressure reducer G$\frac{3}{4}$", 200 bar, NIST, 2 × DIN-CS, ejector	MP01103
D Press. reducer w/ flowm. OxyLine, G$\frac{3}{4}$", 200 bar, 16 L/min, M34×1.5, 9/16, nozzle	MP01104
E Pressure reducer with NIST OxyLine, G$\frac{3}{4}$", for 200 bar, NIST	MP01105



PRESSURE REDUCER

A Oxett	<p>Oxett is a portable oxygen supply unit for mobile use. Oxett ensures consistent treatment, because the device can be mounted to bed, rail and stretcher. All devices for inhalation, insufflation and suction are available on a solid aluminum plate. Precise O₂ delivery is handled through the pressure compensated flow meter or the compact flowmeter. Manual or automatic short-term ventilation is even possible, because the Oxylog® can be connected via the O₂ standard coupling. The portable Oxett unit meets the requirements of daily hospital and emergency medical practice in a simple way. It removes all well-practiced temporary supply solutions.</p>	
B Oxett carrying frame,for Oxett head+O₂ cylinder up to 2.5L, with secretion jar		2M86204
C Oxett head, configurable via OxyLine®		MP00100
Oxett head OxyLine, press. reducer G ^{3/4} ", 200 bar, NIST,flowmeter,DIN-CS,ejector		MP01101
Oxett head OxyLine, press.redcr G ^{3/4} ", 200 bar, flow regulator,NIST,DIN-CS,ejector		MP01102
D Oxett adapter plate, to mount Oxett on bed in higher position		2M86205



PRESSURE REDUCER

A Small Oxator	
Space-saving solution for transportation of large gas-cylinder. The stable trolley can be used flexible. Set up from components below:	
B Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038
C Stable 4-wheeled cylinder trolley, for one gas cylinders up to a volume of 11 L	2M86029
Cylinder holder, necessary for fixing gas cylinders on cylinder trolley 2M86029	2M86174
D Oxator head, configurable via OxyLine®	MP00100
Oxator head OxyLine, pressure reducer G $\frac{3}{4}$ ", 200 bar, NIST, 2 × DIN-CS, ejector	MP01103
E Compact rail, for 38 mm tube, standard rail profile 10 × 25 mm, each side 10 cm	2M85337
Weight: 0.9 kg, max. load: 30 kg.	
F Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose	2M85056
Maximum capacity up to the overflow safeguard 2 × 1000 mL. Scale in steps of 10 mL up to max. 700 mL. Weight: 1000 g (empty). Dimensions (W/H/D) in mm: 300 × 340 × 100.	
G Rail clamp lever type, for attachment of devices to 25x10 mm standard rail	M26842
For compact suction unit and secretion jar set.	



PRESSURE REDUCER

A Oxator 2

The Oxator 2 oxygen supply unit is a portable multipurpose device which can be fitted with different modules to suit requirements.

The unit offers six types of therapy: inhalation, insufflation, aerosoltherapy, bronchial aspiration, manual short term ventilation, automatic short-term ventilation.

B Oxett head, configurable via OxyLine®

Oxator head OxyLine, pressure reducer G $\frac{3}{4}$ ", 200 bar, NIST, 2 × DIN-CS, ejector

C Cylinder jacket, plastic, to protect 10 L gas cylinder

For CS hoses please refer to chapter Central supply hoses.



PRESSURE REDUCER

A	Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038
B	Stable 4-wheeled cylinder trolley, for one gas cylinders up to a volume of 11 L	2M86029
	Cylinder holder, necessary for fixing gas cylinders on cylinder trolley 2M86029	2M86174
C	Rail holder, for 38 mm tube, standard rail profile 10 × 25 mm, 40 cm Length: 40 cm, weight: 0.9 kg, max. load: 5 kg.	2M86185
D	Cylinder jacket, plastic, to protect 10 L gas cylinder	2M86410
E	Adapter NIST to DIN CS-Coupling O₂	M35056
F	Adapter NIST to DIN CS-Coupling AIR	M35058



HUMIDIFIER, ADAPTER AND APPLICATION

1.3 HUMIDIFIER, ADAPTER AND APPLICATION

A	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 L/min	2M85834
B	Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 L/min	2M85835
C	Adapter, to connect tube to O₂ flowmeter, M34×1.5 to 6 mm nozzle	M06258
D	Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	2M85853
E	Adapter, to connect a tube to AIR flowmeter, M32×1.5 to 5 mm nozzle	2M85575



HUMIDIFIER, ADAPTER AND APPLICATION

A Adapter, for disposable sterilized water systems to O₂ flowmeters, M34×1.5 to 9/16"	2M86680
B Adapter, with 6 mm nozzle, e.g., for disp. breathing masks, 9/16" connection	MP00416
C O₂ distributor with 3 DIN terminal units, with rail clamp NIST gas inlet for O ₂ hose, for rail fixation.	2M18810
AIR distributor with 3 DIN terminal units, with rail clamp NIST gas inlet for AIR hose, for rail fixation.	2M19090

Oxygen and aerosol therapy masks, venturi mask kids, nasal cannulas and accessories in chapter 5.3, breathing accessories



AEROSOL THERAPY

2. AEROSOL THERAPY

A Medication nebulizer for Babylog® 8000 with quick connector	8411030
B Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000
C Connector set for med. nebulizer, for neonatal breathing circuit	8411031
Nebulizer hose	8412985




AEROSOL THERAPY

Pneumatically operated medicament nebulizer for clinical use.


Operating pressure:	5 bar
Gas consumption:	Flowmeter: 1 to 15 L/min Toggle switch valve: 10 L/min
Nebulizer output:	At 6 L/min: > 2 ml/10 min At 12 L/min: > 3 ml/10 min
Weight:	Nebulizer housing with mask: about 110 g Flowmeter with hose: about 700 g Flowmeter Central supply system: about 270 g Adjusting valve: about 350 g
Materials:	Mask and nebulizer housing: Polyamide Atomiser and medicament container: Polysulphone

A	Medication nebulizer Inhalette S, with toggle switch valve, O₂/AIR, DIN	2M85674
B	Medication nebulizer Inhalette Vario CS, with O₂/AIR flowmeter, CS, DIN plug	2M85692
C	Medication nebulizer Inhalette Vario rail, with O₂/AIR flowmeter, 2 m hose with DIN plug	2M85693



AEROSOL THERAPY

A	Connector for Inhalette, O₂ flowmeter to O₂/AIR connection hose, M34×1.5/M15×1	2M16843
B	O₂/AIR connection hose, for Inhalette, 1.5 m, black, 2 × M15×1	M17716
C	O₂/AIR connection hose, for Inhalette, 3 m, black, 2 × M15×1	M17717
D	O₂/AIR spiral hose for Inhalette, 3 m working length, 2 × M15×1	MP03322
E	Nebulizer element for Inhalette, spare part	2M85571
F	Inhalation mask for Inhalette, autoclavable	M11015
G	Mouthpiece for Inhalette, autoclavable	M12394



Not all articles are available worldwide.

AEROSOL THERAPY

A Ultrasonic nebulizer Tropic plus, basic unit with all accessories MP01205

Includes:

- Short and long disposable hose
- Bacterial filter
- Power cable
- Nebulizer chamber
- Oscillating crystal
- Cap



Ultrasonic nebulizer for effective humidification of the ambient air surrounding the patient, completely independently of any Central Gas Supply System. The nebulizer is driven by a quartz oscillator, with the result that only electrical energy is needed for operation. The use of highly effective bacterial filters at the point at which the air enters the system, together with the possibility of nebulizing from sterilized water systems, largely prevents the spread of bacteria, viruses and germs. It is possible to nebulize distilled water both with or without a feeder system for long-term operation. The integrated timer allows presetting a defined therapy time. Medication can be applied in aerosol form using the disposable medicament containers (Tropic plus nebulizer set). For use with 110/127/230 V.

Power consumption:	Ultrasonic nebulizer 50 VA Hose heating 15 VA
Ultrasonic frequency:	1.68 MHz \pm 5%
Sound pressure level:	Approx. 35 dB(A)
Protection against moisture:	IP X0
Method of operation:	Continuous operation
Nebuliser output:	Max. 3 mL/min
Output with sterile water system:	Up to 2.5 mL/min
Size of droplets:	0.2 to 4 μ m approx. 86% is smaller than 4 μ m
AIR flow:	6 to 10 L/min when using Filter SafeStar® 55 10 to 15 L/min when using Filter CareStar® 30
Classification:	Class I

B Table set for Tropic plus, stand, hinged arm, clamp, bottle holder MP01209

C Trolley Tropic plus, w/ stand, hinged arm, clamp, bottle holder MP01206

D Rail set for Tropic plus, stand, hinged arm, clamp, bottle holder MP01207



AEROSOL THERAPY

A	Heatable hose Tropic plus, 1.1 m, for aerosol heating, cable, plug	2M85759
B	Corrugated hose Tropic plus, reusable, 1.2 m, autoclavable, for nebulizers	8403896
C	Corrugated hose Tropic plus, reusable, 0.3 m, autoclavable, for nebulizers	2M85813
D	Automatic refilling set Tropic plus, for large sterile water containers	MP01208
E	Nebulizer set for Tropic plus, disposable, for medication nebulization, 48 pcs.	MP00006
F	Mechanical filter SafeStar® 55, disp., 55 mL deadspace, 50 pcs.	MP01790
G	Electrostatic filter CareStar® 30, disp., 30 mL deadspace, 50 pcs.	MP01770



AEROSOL THERAPY

A <u>Quartz oscillator for Tropic plus, reusable, autoclavable</u>	<u>2M85794</u>
B <u>Lid for nebulizer chamber Tropic plus, autoclavable</u>	<u>2M85795</u>
C <u>Hose for Tropic plus, disposable, patient side, for Tropic plus, 1 m, 15 pcs.</u>	<u>MX22793</u>
C <u>Hose for Tropic plus, disposable, connects fan/chamber, for Tropic plus, 40 cm, 20 pcs.</u>	<u>MX22790</u>
D <u>Nebulizer chamber for Tropic plus, spare part</u>	<u>2M85796</u>



MEDICAL ASPIRATION


3.1 Bronchial aspiration

Dräger Medical offers an extensive line of bronchial aspirators, while also providing individual solutions to meet your specific needs in the ICU and OR.

Generally you have the choice between vacuum, medical air or oxygen as the drive gas. We differ by the driving units between the ejectors and the vacuum regulators.

In addition, we can supply the attachments and hose brackets you need to ensure an ergonomically efficient workplace.

You could also choose the connection you require and the fitting jar system. We offer reusable solutions as well as disposables.



1	MP00501	VarioVac® B DIN
	MP00502	VarioVac® B BS
	MP00503	VarioVac® B NF
	MP00504	VarioVac® B AGA
2	MP00514	VarioVac® B CARBA
	MP00505	VarioVac® B/OR Rail
	MP00660	VarioVac® P Rail
3	MP00516	Dual VarioVac® B/OR Rail
	MP00506	VarioVac® B compact
4	MP00661	VarioVac® P compact
	MP00530	VarioAir® B DIN
5	MP00531	VarioAir® B BS
	MP00532	VarioAir® B NF
	MP00533	VarioAir® B AGA
	MP00534	VarioAir® B UNI
	MP00548	VarioAir® B CARBA
	MP00535	VarioAir® B/OR Rail
6	MP00545	VarioAir® P Rail
	MP00550	VarioO2® B DIN
	MP00551	VarioO2® B CARBA

7	MP00552	VarioO2® B/OR Rail
8	MP00536	VarioAir® B compact
	MP00547	VarioAir® P compact
10	MP00555	Bacterial and viral filter system VarioSafe
	2M85056	Secretion jar set, with secretion jars
12	2M85607	Secretion jar set, with protection jar and secretion jars
13	M26859	Wall holder
14	M26842	Rail clamp lever type
15	2M85119	Ceiling holder
16	2M86207	Secretion jar, 300 mL
	2M85594	Secretion jar, 700 mL
17	2M86758	Protection jar
18	2M85446	CS connection hose holder
19	2M85239	Suction hose holder
20	MX23023	Secretion jar VacuSmart®, 700 mL
	MX23025	Secretion jar VacuSmart® Gel, 700 mL
21	MX23026	Suction tube VacuSmart® Tube
22	MP00570	Shut-off valve for VarioVac®
23	6723976	Bacterial filter 767, for ejectors (until 2010)

BRONCHIAL ASPIRATION

3. MEDICAL ASPIRATION

3.1 BRONCHIAL ASPIRATION

The vacuum regulator is connected directly to a central vacuum supply system or to rails. The vacuum is infinitely variable up to max. -90 kPa (-900 mbar) and is shown on a turnable, manually adjustable pressure gauge. All plastic parts, which may become contaminate (except for the frame with pressure gauge) can be autoclaved at up to 134 °C. All VarioVac® vacuum regulators offer a dual color coding according to EN ISO 32 (yellow) and neutral colour standard (black).

Shut-off valve is included.

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	55 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)

A	Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC	MP00501
B	Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC	MP00502
C	Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC	MP00503
D	Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC	MP00504
E	Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC	MP00514
F	Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00505
G	Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00516
	Weight:	1,700 g
	Dimensions (W/H/D) in mm:	200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)

For CS hoses please refer to chapter Central supply hoses.

Not all articles are available worldwide.



BRONCHIAL ASPIRATION

A Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection VAC MP00660

For connecting via CS vacuum connecting hose.
This rail version can be connected to all standard wall rails (8 – 10 mm width and 25 – 35 mm height). The gas supply is ensured by VAC connection hose.

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 L/min
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe)
	80 × 340 × 160 (with VarioSafe)
Maximum sound level:	55 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)



VACUUM SUCTION

For connecting via CS vacuum connecting hose.
This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). The gas supply is ensured by VAC connection hose.
You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination.
Two bacterial filters are included within the scope of delivery.

Technical data:

Maximum vacuum:	-95 to 0 kPa (-950 to 0 mbar)
Maximum suction flow:	50 L/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999% (with filter)
Viral retention:	99.999% (with filter)

B Vacuum suction NIST for bronchial suction, gas connection VAC MK01422

B Vacuum suction DISS for bronchial suction, gas connection VAC MK03140

B Vacuum suction DISS Canada for bronchial suction, gas connection VAC MK03320

For CS hoses please refer to chapter Central supply hoses.

BRONCHIAL ASPIRATION

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -90 kPa (-900 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

The vacuum adjusting knob is also the on/off switch to interrupt the suction without reset the values.

All VarioAir® ejectors offer a dual color coding according to EN ISO 32 (yellow) and neutral colour standard (black).

A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	57 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)

A	Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR	MP00530
B	Ejector VarioAir® B BS, for bronchial suction, gas connection AIR	MP00531
C	Ejector VarioAir® B NF, for bronchial suction, gas connection AIR	MP00532
D	Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR	MP00533
E	Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR	MP00534
F	Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR	MP00548
G	Ejector VarioAir® B/OR Rail, for bronchial-+OR suction, gas connection AIR	MP00535

For CS hoses please refer to chapter Central supply hoses.

Not all articles are available worldwide.



BRONCHIAL ASPIRATION

A	Ejector VarioO2® B DIN, for bronchial suction, gas connection O2	MP00550
A	Ejector VarioO2® B CARBA, for bronchial suction, gas connection O2	MP00551
B	Ejector VarioO2® B/OR Rail, for bronchial+OR suction, gas connection O2	MP00552
B	Ejector VarioAir® P Rail, for bronchial suction, gas connection AIR	MP00545

For connecting via CS vacuum connecting hose.
This rail version can be connected to all standard wall rails (8 – 10 mm width and 25 – 35 mm height).
The gas supply is ensured by AIR connection hose.
A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination.

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 L/min
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)

For CS hoses please refer to chapter Central supply hoses.



BRONCHIAL ASPIRATION

EJECTOR SUCTION

For connecting via CS vacuum connecting hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). The gas supply is ensured by AIR connection hose.

You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination. Two bacterial filters are included within the scope of delivery.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	30 L/min
Pressure range:	2.7 to 6.9 bar
Maximal gas consumption:	60 L/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB (A)
Pressure relief valve:	ex 1 kPa (10 mbar)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999% (with filter)
Viral retention:	99.999% (with filter)

- A** Ejector suction NIST AIR O₂ for bronchial suction, gas connection AIR/O₂ **MK01418**
- A** Ejector suction NIST for bronchial suction, gas connection AIR **MK01420**

For CS hoses please refer to chapter Central supply hoses.



BRONCHIAL ASPIRATION

Drive unit (VarioVac® or VarioAir®) and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly.

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Color coding:	ISO 32 (yellow for vacuum setting to the patient) and neutral color standard (black)



A Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection VAC **MP00506**

Complete system including secretion jar set and integrated vacuum regulator.

You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 L/min
Maximum sound level:	55 dB (A)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)

A Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection VAC **MP00661**

Complete system including secretion jar set and integrated vacuum regulator.

You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.

Technical data:

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 L/min
Maximum sound level:	55 dB (A)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)

For CS hoses please refer to chapter Central supply hoses.

BRONCHIAL ASPIRATION

A Ejector VarioAir® B compact, for bronchial suction, gas connection AIR

MP00536

Complete system including secretion jar set and integrated ejector.

A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 L/min
Maximum sound level:	57 dB (A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)

A Ejector VarioAir® P compact, for bronchial suction, gas connection AIR

MP00547

Complete system including secretion jar set and integrated ejector.

A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination.

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 L/min
Maximum sound level:	50 dB (A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)

For CS hoses please refer to chapter Central supply hoses.



BRONCHIAL ASPIRATION

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be fully autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lives makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

A **Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose**

2M85056

Maximum capacity up to the overflow safeguard 2 × 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.
Weight: 1000 g (empty).
Dimensions (W/H/D) in mm: 300 × 340 × 100.

B **Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.)**

2M85607

Maximum capacity up to the overflow safeguard 2 × 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.
With additional protection jar 300 mL.
Weight: 1000 g (empty).
Dimensions (W/H/D) in mm: 300 × 440 × 100.



BRONCHIAL ASPIRATION

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

A Wall holder, with fixing screws, f. compact suction unit and secretion jar set	M26859
B Rail clamp lever type, for attachment of devices to 25x10 mm standard rail For compact suction unit and secretion jar set.	M26842
C Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119
Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.	
D CS connection hose holder	2M85446
E Suction hose holder, suitable for various diameters	2M85239



BRONCHIAL ASPIRATION

A Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 mL, 25 pcs. MX23023

The VacuSmart® is a disposable cartridge and has been specially designed and thoroughly tested to for compatibility with the Dräger Medical endotracheal suction unit using 700 mL secretion jars, so there is no need to modify the suction unit. It is adaptable within few seconds. An overflow safeguard reliably protects the aspirator and the environment against contamination.


Technical data:
 Maximum capacity: 700 mL
 Maximum capacity up to the overflow safeguard: 1000 mL
 Overflow safeguard: Integrated, hydrophobic filter
 Recommended duration of use: 24 h



B Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs. MX23025

The VacuSmart® Gel is a disposable cartridge with an integrated gelling agent for all Dräger Medical endotracheal suction units using 700 mL secretion jars. The gelling agent coagulates the bronchial secretion and prevent thereby the leakage e.g. in case of disposal in a waste press. The integrated sodium polyacrylate is additionally packed in a water soluble bag in order to avoid skin contact.

Technical data:
 Maximum capacity: 700 mL
 Maximum capacity up to the overflow safeguard: 1000 mL
 Gelling agent: Sodium polyacrylate
 Overflow safeguard: Integrated, hydrophobic filter
 Recommended duration of use: 24 h



C Suction tube VacuSmart® Tube, Polyethylene, disp., 2 m, w/ finger tip, 25 pcs. MX23026

You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:

D Suction set, disp., VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each MP00061

BRONCHIAL ASPIRATION



A	Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.	6723976
A	Bacterial filter 767, disposable, for ejectors (model range until 2010)	CH00102
	The filter 767 reliably protects the ejector and the patient environment against contamination.	
	Technical data:	
	Bacterial retention:	99.992%*
	Viral retention:	99.99%*
	Material:	PS (polystyrol)
	Recommended duration of use:	14 days
	Filtration method:	Mechanical (HEPA)*
B	Bacterial filter, disp., for endotr. Suction for Primus®, Fabius®, Zeus®, 20 pcs.	MK00514
	Technical data:	
	Bacterial retention:	99.999%*
	Viral retention:	99.999%*
	Material:	Acryl
	Recommended duration of use:	7 days
	Filtration method:	Hydrophobic (HEPA)*
C	Bacterial and viral filter system VarioSafe, for VarioAir® & VarioVac®, disp., 10 pcs.	MP00555
	Technical data:	
	Maximum capacity:	90 mL
	Bacterial retention:	99.99998%*
	Viral retention:	99.9998%*
	Material:	PS (polystyrol)
	Recommended duration of use:	7 days
	Filtration method:	Mechanical and hydrophobic (HEPA)

*According to EN 1822-1:1998
Filter for suspended particles (HEPA and ULPA).



BRONCHIAL ASPIRATION

A	Protection jar, PSU (polysulfone), reus., w/ rail clamp, autoclav. up to 134 °C	2M86758
B	Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780
C	Connection hose, silicone, reus., ID 5 mm, wall thickness 2 mm, by meter	1203606
D	Cap, for 700 mL secretion jar, with overflow safeguard	2M85011
E	Cap, for secretion jar, for fistula indicator for continuous + thoracic drainage	2M85013
F	Cap, for secretion jar, w/ overflow safeguard+ pressure relief valve (≥ 0.1 kPa)	2M85012





BRONCHIAL ASPIRATION

A	Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C	<u>2M86207</u>
B	Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C	<u>2M85594</u>
C	Elbow, angled hose connection for secretion jar caps	<u>2M19063</u>
D	Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	<u>MP00570</u>



BRONCHIAL ASPIRATION

A	Cap for VarioVac® + VarioAir® B/OR, neutral color, 10 pcs.	MP00496
B	Cap for VarioVac® + VarioAir® B/OR, ISO, 10 pcs.	MP00494
C	Cap for VarioVac® P + VarioAir®, neutral color, 10 pcs.	MP00657
D	Cap for VarioVac® P + VarioAir®, ISO, 10 pcs.	MP00656
E	Pressure gauge f. VarioVac®+VarioAir®, double scale kPa/mmHg, -100kPa (-1000mbar)	MP00578
F	Pressure gauge f. VarioVac®+VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580



BRONCHIAL ASPIRATION

A Universal holder profil 30 × 5 mm for wall rails 25 × 8 to 35 × 10 mm	MP00634
B Universal holder for wall rails 25 × 8 to 35 × 10 mm w. M5 drill hole 15 mm distance	MP00635
C Universal holder for wall rails 25 × 8 to 35 × 10 mm w. M5 drill hole 22 mm distance	MP00636
D Universal holder flex 15 f. wall rails 25 × 8 to 35 × 10 mm w. bottle screw	MP00637




MEDICAL ASPIRATION

3.2 OR aspiration

During surgical, endoscopic and minimally invasive procedures you do not have to abandon the easy use of these products. A modular design facilitates the easy replacement of components and allows the system to be upgraded with any of Dräger Medical's rail-mounted accessories. The negative pressure can be generated either by a vacuum regulator or an ejector.

An overflow safeguard in the secretion jar and an additional protection jar reduce the risk of contamination of the drive element and the pressure or vacuum generating system.

The OR aspirators can be connected either to the central vacuum system or, when used with an ejector drive unit, to the piped oxygen or medical air supply system.



1	MP00505	VarioVac® B/OR Rail
	MP00516	Dual VarioVac® B/OR Rail
2	MP00535	VarioAir® B/OR Rail
3	MP00552	VarioO2® B/OR Rail
4	MP00555	Bacterial and viral filter system VarioSafe
5	2M85441	Trolley, for OR suction unit
6	2M86752	OR aspirator Evac 40, 230 V
7	MP00560	OR aspirator Evac 40, 110 V

8	2M85442	Secretion jar, 4 L
9	2M85443	Reserve secretion jar, 4 L
10	2M86757	Universal holder with groove 25x5
11	2M86758	Protection jar
12	2M85446	CS connection hose holder
13	2M85239	Suction hose holder
14	MX37021	Bacterial filter, disposable, for Evac 40
15	2M85594	Secretion jar, 700 mL

OR ASPIRATION

3.2 OR ASPIRATION

A	Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00505
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Maximum suction flow:	55 L/min	
Weight:	600 to 800 g (800 g for rail versions)	
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)	
Maximum sound level:	55 dB (A)	
Hose nozzle:	Ø 6 mm	
Color coding:	ISO 32 and neutral color standard (black)	
Bacterial retention:	99.99998% (with VarioSafe)	
Viral retention:	99.99998% (with VarioSafe)	
B	Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00516
Weight:	1,700 g	
Dimensions (W/H/D) in mm:	200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)	
C	Ejector VarioAir® B/OR Rail, for bronchial+OR suction, gas connection AIR	MP00535
C	Ejector VarioO2® B/OR Rail, for bronchial+OR suction, gas connection O2	MP00552
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Minimum suction flow:	40 L/min	
Inlet pressure range:	4 to 5.5 bar	
Maximum gas consumption:	55 L/min	
Weight:	800 g	
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)	
Maximum sound level:	57 dB (A)	
Hose nozzle:	Ø 6 mm	
Color coding:	ISO 32 and neutral color standard (black)	
Pressure relief valve:	Ex 0.1 kPa (1 mbar)	
Bacterial retention:	99.99998% (with VarioSafe)	
Viral retention:	99.99998% (with VarioSafe)	

For CS hoses please refer to chapter Central supply hoses.



OR ASPIRATION

A Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441
Evac 40	
<p>The portable electrical aspirator Evac 40 is used for the aspiration and collection of secretions, body fluids, tissue parts and lavage fluids during surgical, endoscopic or minimally invasive procedures. The vacuum pump with membrane technology is designed for continuous operation and distinguishes itself by its quiet running properties. With the foot switch the aspiration can be easily started or stopped.</p>	
Technical data:	
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	40 L/min
Secretion jars:	2 × 4 l optional
Weight:	18 kg
Dimensions (W/H/D) in mm:	435 × 999 × 436
Maximum sound level:	60 dB (A)
B OR aspirator Evac 40, mains plug DIN, rated voltage 230 V, 50/60 Hz	2M86752
B OR aspirator Evac 40, mains plug NEMA, rated voltage 110 V, 50/60 Hz	MP00560
C Secretion jar, PSU (polysulfone), reusable, 4 L, autoclavable up to 134 °C	2M85442
D Reserve secretion jar, PSU (polysulfone), reusable, 4 L, with basket	2M85443



OR ASPIRATION

A Protection jar, PSU (polysulfone), reus., w/ rail clamp, autoclav. up to 134 °C	2M86758
B Universal holder with groove 25x5 Rail holder with clamp for compact suction system and secretion jar set.	2M86757
C Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021
D CS connection hose holder	2M85446
E Suction hose holder, suitable for various diameters	2M85239
F Secretion jar, PSU (polysulfone), reusable, 4 L, autoclavable up to 134 °C	M25742




MEDICAL ASPIRATION

3.3 Continuous drainages

Continuous drainages are used for drainage of secretion, blood and/or air from body cavities over long periods, following operations, particularly after open-thorax surgery.

All of Dräger Medical's continuous drainages are made from high-quality materials and are designed with space in mind.

Individual solutions allows you to choose between pneumatic or electrical driven drainages, while also assisting you in optimizing your specific needs and requirements.



1	MP00507	VarioVac® D DIN
	MP00508	VarioVac® D BS
	MP00509	VarioVac® D NF
	MP00510	VarioVac® D AGA
	MP00515	VarioVac® D CARBA
	MP00664	VarioVac® T DIN
2	MP00511	VarioVac® D Rail
	MP00663	VarioVac® T Rail
3	MP00512	VarioVac® T Rail WV
4	MP00537	VarioAir® D DIN
	MP00538	VarioAir® D BS
	MP00539	VarioAir® D NF
	MP00540	VarioAir® D AGA
	MP00541	VarioAir® D UNI
	MP00549	VarioAir® D CARBA
5	MP00542	VarioAir® D Rail
6	MP00544	VarioAir® T Rail WV

7	MP00555	Bacterial and viral filter system VarioSafe
8	2M85153	Continuous drainage 3
9	2M85151	Continuous drainage 1
10	2M85056	Secretion jar set, with secretion jars
11	2M85607	Secretion jar set, with protection jar and secretion jars
12	2M85163	Secretion jar set, with rail holder and secretion jar 700 mL
13	MP00518	Water vacuum gauge
14	M26859	Wall holder
15	M26842	Rail clamp lever type
16	2M85119	Ceiling holder
17	2M85446	CS connection hose holder
18	2M85239	Suction hose holder
19	6723976	Bacterial filter 767, for ejectors (until 2010)

CONTINUOUS DRAINAGES

3.3 CONTINUOUS DRAINAGES

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides. All plastic parts (with the exception of the manometer) are autoclavable up to 134 °C. All VarioVac® vacuum regulators offer dual color coding according to ISO 32 (yellow) and the color-neutral gas code (black).

All vacuum regulators include a shut-off valve.

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.99998% (with VarioSafe)

A	Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC	MP00507
B	Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC	MP00508
C	Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC	MP00509
D	Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connect. VAC	MP00510
E	Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connect. VAC	MP00515
F	Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connect. VAC	MP00511

For CS hoses please refer to chapter Central supply hoses.



CONTINUOUS DRAINAGES

A Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC MP00512

Water vacuum gauge included.
For connecting via CS vacuum connection hose.
This rail version can be connected to all standard wall rails (8 – 10 mm width and 25 – 35 mm height). Double-scaled immersion pipe (kPa and cmH₂O).
Dual color coding according to ISO 32 (yellow) and neutral (black).

Technical data:	
Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 L/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm



B Vacuum regulator VarioVac® T Rail, for thoracic drainage, gas connection VAC MP00663

For connecting via CS vacuum connecting hose.
This rail version can be connected to all standard wall rails (8 – 10 mm width and 25 – 35 mm height). The gas supply is ensured by VAC connection hose.

Technical data:	
Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.99998% (with VarioSafe)

C Vacuum regulator VarioVac® T DIN, for thoracic drainage, gas connection VAC MP00664

For connecting to the central vacuum supply

Technical data:	
Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.99998% (with VarioSafe)

For CS hoses please refer to chapter Central supply hoses.

CONTINUOUS DRAINAGES

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

All VarioAir® ejectors offer a dual color coding according to EN ISO 32 (yellow) and neutral colour standard (black). A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)

Maximum sound level:	45 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)

A	Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR	MP00537
B	Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR	MP00538
C	Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR	MP00539
D	Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR	MP00540
E	Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR	MP00541
F	Ejector VarioAir® D CARBA, for continuous and wound drainage, gas connection AIR	MP00549

For CS hoses please refer to chapter Central supply hoses.



CONTINUOUS DRAINAGES

A **Ejector VarioAir® D Rail, for continuous+wound drainage, gas connect. AIR** MP00542

This rail version can be connected to all standard wall rails (8 – 10 mm width and 25 – 35 mm height). For gas supply via CS vacuum connection hose. Connection thread: NIST.*

B **Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge** MP00544

This rail version can be connected to all common wall rails (8 – 10 mm width and 25 – 35 mm height). For gas supply via CS vacuum connection hose. Connection thread: NIST.*
 Double-scaled immersion pipe (kPa and cmH₂O).
 Dual color coding according to ISO 32 (yellow) and neutral (black).

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 L/min
Maximum gas consumption:	30 L/min
Weight:	1100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160

*For CS hoses please refer to chapter Central supply hoses.



CONTINUOUS DRAINAGES

The vacuum can either be generated by an ejector or via a vacuum regulator. When used with the ejector, a bacterial filter reliably protects against contamination of the environment. All these pneumatic continuous drainages can be used in potentially explosive areas. The secretion is sucked into a collection jar. When the secretion jar is full, an overflow safeguard and the protection jar ensure that secretion cannot enter the drive unit, thus protecting the hospital's central vacuum system from contamination. All parts which may become contaminated can be autoclaved at up to 134 °C.

The continuous drainage systems 1 and 3 can be used for continuous- and wound drainage as well as for thoracic drainage in the combination with a regulator from the VarioVac® D and VarioAir® D series. An additional precision regulator makes it easy to adjust lowest vacuum levels.



A **Continuous drainage 1, for continuous and wound drainage** **2M85151**

Precision regulator, fistula indicator and bacterial filter 767 included.
Capacity 700 mL, maximum capacity up to the overflow safeguard 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.

Technical data:

Maximum vacuum: -10 to 0 kPa (-100 to 0 mbar)
Maximum suction flow: 14 L/min
Weight: 3 kg (empty)
Dimensions (W/H/D) in mm: 285 × 340 × 160

Continuous drainage 3, for continuous, wound, and thoracic drainage **2M85153**

Precision regulator, water vacuummeter, fistula indicator and bacterial filter 767 included.
Capacity 700 mL, maximum capacity up to the overflow safeguard 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.

Technical data:

Maximum vacuum: -5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow: 14 L/min
Weight: 5.5 kg (empty)
Dimensions (W/H/D) in mm: 260 × 800 × 180

CONTINUOUS DRAINAGES

A Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC MP00512

Water vacuum gauge included.
For connecting via CS vacuum connection hose.
This rail version can be connected to all standard wall rails (8 – 10 mm width and 25 – 35 mm height). Double-scaled immersion pipe (kPa and cmH₂O).
Dual color coding according to ISO 32 (yellow) and neutral (black).

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 L/min
Weight:	1100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm

For CS hoses please refer to chapter Central supply hoses.

B Water vacuum gauge, f. thor. drainage, combination w/ VarioVac® D + VarioAir® D MP00518

This rail version can be connected to all common wall rails (8 – 10 mm width and 25 – 35 mm height). Double-scaled immersion pipe (kPa and cmH₂O).

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	10 L/min
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Hose nozzle:	2 × Ø 6 mm
Weight:	1 kg (empty)
Dimensions (W/H/D) in mm:	80 × 860 × 160

C Secretion jar set, with rail holder and secretion jar 700 mL 2M85163

Secretion jar set, with rail holder and secretion jar 700 mL, e.g. for continuous drainage units.

Consisting of:

- 1 × autoclavable secretion jar (up to 134 °C), material: PSU (polysulfone)
- 1 × rail bracket
- 1 × cap with safety valve for positive pressure (from 0.1 kPa on; 1 mbar)
- 1 × suction hose with secretion sight glass



CONTINUOUS DRAINAGES

A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs. 6723976

A Bacterial filter 767, disposable, for ejectors (model range until 2010) CH00102

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:

Bacterial retention:	99.992%*
Viral retention:	99.99%*
Material:	PS (polystyrol)
Recommended duration of use:	14 days
Filtration method:	Mechanical (HEPA)*

B Bacterial and viral filter system VarioSafe, for VarioAir® & VarioVac®, disp., 10 pcs. MP00555

Technical data:



Maximum capacity:	90 mL
Bacterial retention:	99.99998%*
Viral retention:	99.9998%*
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical and hydrophobic (HEPA)

*According to EN 1822-1:1998
Filter for suspended particles (HEPA and ULPA).




CONTINUOUS DRAINAGES

A	Immersion tube, for continuous drainages, not scaled	M16395
	Rubber plug, for immersion tube of water vacuum gauge	2M85139
B	Water container, for continuous drainage system 2-4, w/o screw thread	M20668
C	Cap for VarioVac® + VarioAir® D, neutral color, 10 pcs.	MP00497
D	Cap for VarioVac® + VarioAir® D, ISO, 10 pcs.	MP00495
E	Pressure gauge for VarioVac®+VarioAir®, double scale kPa/mmHg,-16 kPa (-160 mbar)	MP00579
F	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar)	MP03597



CONTINUOUS DRAINAGES

A Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569
B Locking screw, for immersion tube, with gaskets For VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518).	MP00596
C Water container with screw thread + gaskets, for VarioVac® T and VarioAir® T Water container with screw thread and gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518).	MP00565
D Cap for water vacuum gauge For VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518). Including gaskets.	MP00595
E Plug nozzle water vacuum gauge For VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518).	MP00566



CENTRAL SUPPLY HOSES

4. CENTRAL SUPPLY HOSES

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489
	O₂ CS hose 3 m (9.8 ft) NIST EN DIN	M35490
	O₂ CS hose 5 m (16.4 ft) NIST EN DIN	M35491
	Central pressure supply hose for O ₂ , German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
B	AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	M35495
	AIR CS hose 3 m (9.8 ft) NIST EN DIN	M35496
	AIR CS hose 5 m (16.4 ft) NIST EN DIN	M35497
	Central pressure supply hose for AIR, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (black & white).	
C	VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498
	VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499
	VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000
	Central pressure supply hose for VAC, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (yellow).	
D	AIR/O₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M36001
	AIR/O₂ CS hose 3 m (9.8 ft) NIST EN DIN	M36002
	AIR/O₂ CS hose 5 m (16.4 ft) NIST EN DIN	M36003
	Central pressure supply hose for AIR/O ₂ , German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white & black).	



CENTRAL SUPPLY HOSES

A	O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004
	O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005
	O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006
	Central pressure supply hose for O ₂ , German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
B	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012
	Central pressure supply hose for AIR, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
C	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015
	Central pressure supply hose for VAC, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
D	AIR/O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016
	AIR/O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017
	AIR/O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018
	Central pressure supply hose for AIR/O ₂ , German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	



CENTRAL SUPPLY HOSES

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN NF	M35416
	O₂ CS hose 3 m (9.8 ft) NIST EN NF	M35417
	O₂ CS hose 5 m (16.4 ft) NIST EN NF	M35330
	Central pressure supply hose for O ₂ , French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
B	AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420
	AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421
	AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332
	Central pressure supply hose for AIR, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (black & white).	
C	VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422
	VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423
	VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424
	Central pressure supply hose for VAC, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (yellow).	
D	O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434
	O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435
	O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436
	Central pressure supply hose for O ₂ , French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
E	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454
	Central pressure supply hose for AIR, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
F	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457
	Central pressure supply hose for VAC, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	



CENTRAL SUPPLY HOSES

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN BS	M35389
	O₂ CS hose 3 m (9.8 ft) NIST EN BS	M35390
	O₂ CS hose 5 m (16.4 ft) NIST EN BS	M35333
	Central pressure supply hose for O ₂ with 90 ° angular connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
B	AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393
	AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394
	AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335
	Central pressure supply hose for AIR with 90 ° angular connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (black & white).	
C	VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395
	VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396
	VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397
	Central pressure supply hose for VAC with 90 ° angular connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (yellow).	
D	O₂ CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398
	O₂ CS hose 3 m (9.8 ft) NIST EN BS straight	M35399
	O₂ CS hose 5 m (16.4 ft) NIST EN BS straight	M35339
	Central pressure supply hose for O ₂ with straight coupling connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
E	AIR CS hose 1.5 m (4.9 ft) NIST BS straight	M35402
	AIR CS hose 3 m (9.8 ft) NIST BS straight	M35403
	AIR CS hose 5 m (16.4 ft) NIST BS straight	M35340
	Central pressure supply hose for AIR with straight coupling connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black & white).	
F	VAC CS hose 1.5 m (4.9 ft) NIST BS straight	M35404
	VAC CS hose 3 m (9.8 ft) NIST BS straight	M35405
	VAC CS hose 5 m (16.4 ft) NIST BS straight	M35406
	Central pressure supply hose for VAC with straight coupling connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black & white).	



CENTRAL SUPPLY HOSES

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35375
	O₂ CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35376
	O₂ CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35377
	Central pressure supply hose for O ₂ , with straight coupling connector, AGA standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (white).	
B	AIR CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35383
	AIR CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35384
	AIR CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35385
	Central pressure supply hose for AIR, with straight coupling connector, AGA standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black & white).	
C	VAC CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35386
	VAC CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35387
	VAC CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35388
	Central pressure supply hose for VAC, with straight coupling connector, AGA standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (yellow).	
	System workplace for CS hoses	8601697
	Please have a look into that system workplace for other CS hoses.	





D-50601-2012

Rail accessories and examination light

SOMETHING YOU CAN COUNT ON:

- Dräger's solutions provide excellent illumination and working conditions with ideally suited lighting
- Optimal patient care due to easy handling with Quickstop Hinged Arms
- Intelligent workstation concepts through safe interaction of accessory products with hospital installations

6

CONTENT

RAIL ACCESSORIES AND EXAMINATION LIGHT

1. Rail accessories	291
2. Examination light	296
3. Hinged arms	298

RAIL ACCESSORIES AND EXAMINATION LIGHT


1. RAIL ACCESSORIES

<p>A Monitor shelf 5035, 50 × 35.5 cm, max. load 20 kg, weight 5 kg</p> <p>Without drawer, for safe mounting of monitoring equipment. The monitor shelf is suitable for different wall distances through adjustment screws on the vertical struts. To protect from injury, the corners of the monitor shelf are covered with rubber inserts which can be removed for cleaning.</p>	<p>2M85003</p>
<p>B Monitor shelf 5450, 50 × 35.5 cm, max. load 20 kg, weight 8.7 kg</p> <p>With drawer, for safe mounting of monitoring equipment. The spacious drawer can be used for storage, for example of monitoring accessories. The monitor shelf is suitable for different wall distances through adjustment screws on the vertical struts.</p>	<p>M24692</p>
<p>C Shelf 3020, 30 × 20 cm, max. load 5 kg, weight 1.2 kg</p> <p>For depositing instruments, bandages, plasters, O₂ measuring devices and the like. To protect from injury, the corners of the tray are covered with rubber inserts which can be removed for cleaning.</p>	<p>M24678</p>
<p>D Distance tube for monitor shelves</p>	<p>M26391</p>



RAIL ACCESSORIES AND EXAMINATION LIGHT

<p>A Rail clamp, for attachment to poles of different diameters</p> <p>Rotable by 90° to left and right. Length of standard rail (profile 10 × 25 mm): 20 cm.</p>	<p>2M85274</p>
<p>B Rail clamp lever type, for attachment of devices to 25x10 mm standard rail</p> <p>For rapid attachment of devices to 25 × 10 mm standard rail Drilling distance 2.2 cm, for M5 screws.</p>	<p>M25739</p>
<p>C Rail clamp lever type, for the attachment of devices to standard rail</p> <p>The clamp can be fixed permantly with the device via the included set of screws (M5 thread).</p>	<p>2M85049</p>
<p>D Rail clamp, for 25 × 10 mm standard rail, drilling distance 22 mm, for M5 screws</p>	<p>M20650</p>
<p>E Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail</p> <p>For compact suction unit and secretion jar set.</p>	<p>M26842</p>
<p>F CS connection hose holder</p>	<p>2M85446</p>
<p>G Suction hose holder, suitable for various diameters</p>	<p>2M85239</p>



RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119
Wire baskets		
The wire baskets are used for storage of disposable catheters or disposable gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).		
B	Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146
B	Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145
B	Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121
Catheter receptacle		
These receptacles are for storage of sterile insufflation catheters. The catheter receptacle is provided with a rail clamp and can be attached to intensive care rails. The diameter of the receptacle is 50 mm. Catheter receptacle 510 is designed for catheters up to 600 mm (23.6 in) long, and catheter receptacle 510 for catheters up to 400 mm (15.7 in) long.		
C	Rail holder, for catheter receptacle, 12.5 × 8.4 × 18 cm	MP00652
D	Catheter receptacle, large, 12.2 × 25.2 × 12.2 cm (top) and Ø 85 mm (bottom)	MP00650
E	Catheter receptacle, small, 12.2 × 16.6 × 12.2 cm (top) + Ø 60 mm (bottom)	MP00651





RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Dish, stainless steel, Ø 20.5 cm, with rail clamp	2M85233
B	Telescopic arm, with curtains (2 pcs.), for visually separating patient beds	MP00498
	Maximum extension: 160 cm, minimum retraction: 74 cm, minimum retraction when folded in: 11 cm. The scope of delivery includes two antibacterial, washable, boil-proof curtains (dimensions 85 cm × 195 cm) including clips and a universal rail bracket for a range of 10 mm × 25 mm to 8 mm × 35 mm for all standard wall rails.	
C	Curtain clip, for fixing a curtain to telescopic arm	M21112
D	Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695
	Litter bags, disposable, for litter bag holder, 100 pcs.	M26240
E	Infusion bottle holder, for standard rail, variable height, 3 hooks	M20719
F	Trolley for rail accessories, stainless steel, 2 rails (50 cm each), 55 × 82 × 47 cm	MP00090



RAIL ACCESSORIES AND EXAMINATION LIGHT

A Cable holder for rail, 10 pcs. Cable holder set for guiding cables and hoses along standard rails (10 × 25 mm), consisting of 10 plastic rail clips.	G15225
A Cable holder for support pole, 4 pcs. Cable holder set for guiding cables and hoses along support tubes with a diameter of 38 mm (1.5 in), consisting of 4 two-part plastic clamps and screws.	G13171
B Compact rail, for 38 mm tube, standard rail profile 10 × 25 mm, each side 10 cm Weight: 0.9 kg, max. load: 30 kg.	2M85337
C Extension arm set for cables and hoses, with cable/hose guide channels	G13040
D Rail set, attaches to standard rail 10 × 25 mm Provides additional mounting area for all types of rail-mounted accessories and small equipment. Consisting of: 1 × Standard rail 10 × 25 mm with end caps 1 × Double clamp for attachment to rail profile Length: 300 mm (11.8 in) Weight: 0.9 kg Net carrying capacity: 5.0 kg	G13768
E Infusion bottle holder set, attaches to standard rail 10 × 25 mm Suitable to accommodate up to 6 infusion bottles. Consisting of: 1 × Height adjustable extension rod with bottle holders 1 × Fixation clamp for horizontal standard rail. Weight: 2.0 kg Width: 600 mm (23.6 in) Height adjustment range: 380 mm (14.96 in)	G12985



RAIL ACCESSORIES AND EXAMINATION LIGHT

2. EXAMINATION LIGHT

A Medical examination light VarioLux® with LED technology

The Dräger VarioLux offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatal intensive care settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.


Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity E _c at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d ₁₀ at 0.5 m:	20 cm (7.9 in)
Light field diameter d ₅₀ at 0.5 m:	9 cm (3.5 in)
Color temperature adjustable:	Cool white (blue) 4,700 K, Neutral white (white) 4,100 K, Warm white (red) 3,500 K
Min. service life of bulb (LEDs):	> 35,000 h
Color reproduction index:	R _a = 96 (at 3,500 K) R ₉ = 89 (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m ²

VarioLux® EU	MP00601
VarioLux® US	MP00602
VarioLux® GB	MP00603
VarioLux® CHN	MP00604
VarioLux® BR	MP00605
VarioLux® AUS	MP00606
VarioLux® ZA	MP00607
VarioLux® JPN	MP00608
Power cable EU 1.8 m 2 pin	MP00591
Power cable US / JPN 1.8 m 2 pin	MP00592
Power cable GB 1.8 m 2 pin	MP00593
Power cable BR 1.8 m 2 pin	MP00625
Power cable AUS 1.8 m 2 pin	MP00626
Power cable ZA 1.8 m 2 pin	MP00597



RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Rail claw for lamp	MP00615
B	Turn knob, compl.	MP00587
C	Control panel	MP00589
D	Rail clamp, for attachment to poles of different diameters	2M85274
	Rotable by 90° to left and right. Length of standard rail (profile 10 × 25 mm): 20 cm.	
E	Compact rail, for 38 mm tube, standard rail profile 10 × 25 mm, each side 10 cm	2M85337
	Weight: 0.9 kg, max. load: 30 kg.	



RAIL ACCESSORIES AND EXAMINATION LIGHT

3. HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints of the Quickstop hinged arm can be fixed into place and released with just one quick hand – movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

<p>A Hinged arm Quickstop 1, Length 106.7 cm, max. load 2 kg</p> <p>Contains: 3 × hose clamps (2 pcs.) 1 × hose clamp, coaxial Length: 1063 mm Load capacity: max. 2 kg</p>	<p>2M85705</p>
<p>B Hinged arm Quickstop 2, w/ universal ball holder system for optional accessories</p> <p>Contains: 2 × hose clamps (2 pcs.) 1 × hose clamp, coaxial 1 × hose clamp with ball Length: 1078 mm Load capacity: max. 2 kg</p>	<p>2M85706</p>
<p>C Hinged arm Quickstop short, with universal tube holder plate</p> <p>For various cable and tube dimensions and coaxial hoses. Specifically designed for OR tables.</p> <p>Contains: 1 × Universal tube holder plate for various cable and tube dimensions Length: 403 mm Load capacity: max. 4 kg</p>	<p>2M86463</p>
<p>D Hinged arm Quickstop, for attaching and positioning Dräger pods</p>	<p>2M86464</p>



RAIL ACCESSORIES AND EXAMINATION LIGHT

A Hinged arm 240°, 3 hinges, fixable, ball holder system, with hose clamps 8409609

B Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses MP00690

Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses. This arm can be fixed into place without a hand movement through a patent registered friction torque-breaking system.

Including:

1 × universal hose clip

1 × double hose clip, grey

Load capacity: max. 0.5 kg



RAIL ACCESSORIES AND EXAMINATION LIGHT

A Hose clip, adult, neo., for ball mounting, for standard breathing hoses Applicable for quickstop hinged arm 2 (2M85706) and hinged arm 240° (8409609).	8409841
B Hose clip double, for standard breathing hoses, adult, neo., 2 pcs. Applicable for quickstop hinged arm 1 (2M85705), quickstop hinged arm 2 (2M85706) and hinged arm 240° (8409609).	8406138
C Hose clip, for coaxial breathing hoses, adult, for quickstop 2 (2M85706), 2 pcs.	MP00493
D Holder for Y-piece, with ball mounting Applicable for Quickstop 2 (2M85706), hinged arm 240° (8409609) and hinged arm Infinity ACS (MP00690).	8409746
E Hose holder plate, for ball mounting, for all cable and hose dimensions As well as for coaxial and pediatric hoses. Applicable for quickstop hinged arm 2 (2M85706), hinged arm 240° (8409609) and hinged arm Infinity ACS (MP00690).	2M86465



RAIL ACCESSORIES AND EXAMINATION LIGHT

- | | | |
|----------|---|----------------|
| A | Extension set, for Quickstop hinged arm 2M86464 | MP00653 |
| B | Universal hose clip,
for hinged arm Infinity ACS (MP00690) | MP00692 |
| | For all standard cable and hose dimensions
as well as for coaxial and pediatric hoses. | |
| C | Hose clip double, gray,
for hinged arm Infinity® ACS (MP00690) | MP00693 |





Neonatal care and thermoregulation

SOMETHING YOU CAN COUNT ON:

- Wide range of products to meet the most diverse needs of the neonate
- Only high quality materials to ensure optimal care
- Effective support for therapy and cost effectiveness

7

CONTENT

NEONATAL CARE AND THERMOREGULATIONS

1. Warming therapy	305	2. Ventilation accessories	332
Caleo®	305	3. Sensors	367
Air-Shields® Isolette® C2000/8000	307	4. Monitoring accessories	369
Air-Shields® Isolette® C450	309	5. Ward equipment	379
BabyTherm® 8000 WB/8004/8010/4200	311	6. Rail accessories and examination light	397
Air-Shields® Resuscitaire®	314		
Air-Shields® IICS-90	317		
Globe-Trotter GT5400	319		
Transport incubator TI 5400	324		
Air-Shields® TI 500			
Globe-Trotter	325		
Air-Shields® Isolette® TI 500	327		
Photo Therapy	329		
Developmental Care	330		
Miscellaneous	331		

CALEO®**1. WARMING THERAPY**

A	Skin temperature probe ThermoTrace, disposable, yellow, near to core, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Mattress SoftBed, for Caleo®, reusable*	MX17012
D	Starter package for Caleo®, reusable, incubator cover and positioning aids	MP01426
E	Incubator cover for Caleo®, reusable**	MP01423
F	Tubing grommet for Caleo®, reusable, angle	2M50385
G	Tubing grommet for Caleo®, reusable, flap	2M50412


*Lining: 100% polyurethane, fabric: 100% polyester.

**Outer fabric: 100% cotton, inner fabric: 100% polyester.



CALEO®

A	Ventilation hose holder, reusable, 40 cm	8411075
B	O₂ sensor OxyTrace, for Caleo®, reusable	MX01050
C	Air intake filter for Caleo®, reusable, 20 pcs.	MX17015
D	Water transfer hose for Caleo®, disposable, 20 pcs.	MX17018
	Water tank and water transfer hose, for Caleo®, reusable	2M50040
E	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
F	Swivel table, reusable, for poles with Ø 38 mm	2M21186



AIR-SHIELDS® ISOLETTE® C2000/8000


A	Skin temperature probe 4, disposable, 10 pcs.	MU12525
B	Adapter cable for skin temperature probe 4, reusable	MU12520
C	Skin temperature probe 5, reusable	MU12533
D	Skin temperature probe 5 for kangaroo care, disposable, 1.5 m, 10 pcs.	MU12551
E	Mattress SoftBed, for Isolette® C2000 and 8000, reusable*	MP01401
F	Mattress for Isolette® C2000 and 8000, reusable	MU12249
	Starter package for Isolette® C2000/C8000, reus., cover and positioning aids	MP01427

*Lining: 100% polyurethane, fabric: 100% polyester.



AIR-SHIELDS® ISOLETTE® C2000/8000

	<u>Tubing grommet for Isolette® C2000 and 8000, reusable</u>	<u>MU12609</u>
A	<u>O₂ sensor for Isolette® C2000 and 8000, reusable, 2 pcs.</u>	<u>MU24903</u>
B	<u>Air intake filter for Isolette® C2000 and 8000, reusable, 4 pcs.</u>	<u>MU12504</u>
C	<u>Humidifier chamber for Isolette® C2000, reusable</u>	<u>MU13202</u>
	<u>Humidifier chamber for Isolette® C2000, reusable</u>	<u>MU17191</u>
	<u>Condensate management hoses for Isolette® 8000, disposable, 20 pcs.</u>	<u>MU21120</u>
D	<u>Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.</u>	<u>MU10918</u>
E	<u>Iris port sleeve, disposable, 100 pcs.</u>	<u>MU03876</u>
F	<u>Hand port cuff, disposable, oval, 100 pcs.</u>	<u>MU06570</u>
G	<u>Hand port cuff, reusable, 10 pcs.</u>	<u>MU12702</u>






AIR-SHIELDS® ISOLETTE® C450

A	Skin temperature probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe 1, reusable	MU06951
C	Air temperature probe for Isolette® C450, reusable	MU06955
	Mattress for Isolette® C450, disposable, 10 pcs.	MU10833
D	Air intake filter for Isolette® C450, reusable	MU03891
E	Iris port sleeve, disposable, 100 pcs.	MU03876
F	Hand port cuff, disposable, oval, 100 pcs.	MU06570
	Battery for Isolette® C400 and C450, 8.4 V, rechargeable	MU07266



AIR-SHIELDS® ISOLETTE® C450

A	Humidifier chamber for Dew-ette® 2, disposable, with nipple fill, 40 pcs.	MU06664
B	Humidifier chamber for Dew-ette® 2, disposable, with pour spout, 40 pcs.	MU06665
C	Humidifier chamber for Dew-ette® 2, reusable, with nipple fill	MU06666
D	Humidifier chamber for Dew-ette® 2, reusable, with pour spout, cap required	MU06667
E	Humidifier filter for Dew-ette® 2, disposable, 4 pcs.	MU06662
F	Filter for Dew-ette® 2, disposable, for humidity sensor, 5 pcs.	MU06732
G	Sealing cap for humidifier chamber MU06667, disposable, 100 pcs.	MU06668



BABYTHERM® 8000 WB/8004/8010/4200

A	Skin temperature probe ThermoTrace, disposable, yellow, near to core, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Gel mattress for BabyTherm® 8000 / 8010, reusable	2M20827
D	Mattress SoftBed, for BabyTherm®, reusable*	2M21012
E	Bed with tilt mechanism for BabyTherm® 8004 and 8010	2M30263

*Lining: 100% polyurethane, fabric: 100% polyester.




BABYTHERM® 8000 WB/8004/8010/4200

	<u>Tubing grommet, reusable</u>	<u>2M20434</u>
A	<u>O₂ hood, reusable</u>	<u>2M19250</u>
B	<u>O₂ injector, reusable, 30/40/50 % Vol. O₂, 23 cm side walls required</u>	<u>2M14190</u>
C	<u>O₂ distributor with 3 DIN terminal units, with rail clamp</u>	<u>2M18810</u>
D	<u>Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm</u>	<u>2M21514</u>
E	<u>Halogen light, 12 V, 50 W</u>	<u>2M30084</u>
F	<u>Light for BabyTherm® 8004 and 8010, 230 V, 7 W</u>	<u>2M30078</u>
G	<u>Light for BabyTherm® 8004 and 8010, 230 V, 20 W</u>	<u>2M30079</u>
	<u>Light for BabyTherm® 8004 and 8010, 120 V, 23 W</u>	<u>2M30160</u>
	<u>Light for BabyTherm® 8004 and 8010, 120 V, 9 W</u>	<u>2M30161</u>
	<u>Multiple socket for BabyTherm® 8000, 220/240 V</u>	<u>2M20914</u>



BABYTHERM® 8000 WB/8004/8010/4200


A	Holder for hinged hood for Babytherm 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342
B	Deposit plate for BT 8000	2M21158
C	Handle, cpl. for BT 8000	2M21161
D	Breathing hose holder for Babytherm, neonatal, for 10 mm breathing hose, mounts to Babytherm side access panels	2M21191
E	Infusion bottle holder for Babytherm, reusable, neonatal	2M16520
F	Swivel table, reusable, for poles with Ø 38 mm	2M21186



AIR-SHIELDS® RESUSCITAIRE®


A	Skin temperature probe 3, reusable	MU11225
B	Skin temperature probe 3, disposable, 10 pcs.	MU11228
C	Mattress SoftBed, for Resuscitaire®, reusable, with scale*	MP01404
C	Mattress SoftBed, for Resuscitaire®, reusable, without scale*	MP01402
D	Mattress, reusable, standard, with scale, with panel	MU09579
D	Mattress, reusable, standard, without scale, with panel	MU09577

*Lining: 100% polyurethane, fabric: 100% polyester.



AIR-SHIELDS® RESUSCITAIRE®

A	Breathing hose for Resuscitaire® with AutoBreath, disposable, 25 pcs.	MU10841
B	Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900
C	Breathing circuit for Resuscitaire VentStar®, latex-free, disp., N, 1 m, 25 pcs.	MP00310
D	Breath. circ. f. Resuscitaire VentStar®, ltx-fr, disp, N, press. meas. line, 1m, 25 pcs.	MP00311
E	Silicone face mask, reusable, size 00, premature baby	MP02900
F	Silicone face mask, reusable, size 0, small neonate	MP01910
G	Silicone face mask, reusable, size 1, large neonate	MP01911



AIR-SHIELDS® RESUSCITAIRE®


A	T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902
B	Suction bottle with holder, disposable, 40 mL	MU10916
C	Suction bottle, disposable, 40 mL, 10 pcs.	MU10917
D	Filter for suction bottle, disposable, 10 pcs.	MU10915
E	Filter and tube for suction bottle, disposable, 25 pcs.	MU10923
F	Suction bottle with filter and tube, disposable, 800 mL, 20 pcs.	MU10918



AIR-SHIELDS® IICS-90

A	Skin temperature probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe 1, reusable	MU06951
C	Mattress SoftBed, for IICS-90, reusable, large, with scale*	MP01405
C	Mattress SoftBed, for IICS-90, reusable, large, without scale*	MP01403
D	Mattress for IICS-90, reus., standard, w/o scale, neoprene cover, w/o panel	MU09390
E	Mattress for IICS-90, reusable, large, with scale, with panel	MU09580
F	Mattress for IICS-90, reusable, large, without scale, with panel	MU09578

*Lining: 100% polyurethane, fabric: 100% polyester.



AIR-SHIELDS® IICS-90

- | | | |
|----------|--|----------------|
| A | Nebulizer, reusable, with DISS connector | MU10384 |
| B | Suction bottle for DU-O-VAC, disposable, 200 mL | MU10175 |





GLOBE-TROTTER GT5400

A	Skin temperature probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe 1, reusable	MU06951
C	Mattress, reusable, 10 pcs.	MU06009
D	Restraining strap, disposable, 10 pcs.	MU06011
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
E	Iris port sleeve, disposable, 100 pcs.	MU03876
F	Hand port cuff, disposable, oval, 100 pcs.	MU06570




GLOBE-TROTTER GT5400

A	Air intake filter for TI 500 and TI 500 Globe-Trotter, reusable, 6 pcs.	MU04472
B	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008
	Water nozzle for humidity pad, disposable, 25 pcs.	MU25426
C	Breathing circuit for active humidification, latex-free, disposable, neonate, 20 pcs.	MU24409
D	Breathing circuit, latex-free, disposable, infant, 20 pcs.	MU24400
E	Flow sensor for Crossvent 2i+, disposable, infant, 10 pcs.	MU24401
F	Test lung NeoTestLung, N, latex-free, bellows	8409742
G	O₂ sensor for Crossvent 2i+	MU24402



GLOBE-TROTTER GT5400

A	<u>etCO₂ airway adapter Microstream[®], neonate/infant, 25 pcs.</u>	<u>MU24408</u>
B	<u>① NIBP cuff, disposable, neonate, size 1, 3.3 – 5.6 cm, 10 pcs.</u>	<u>MU24403</u>
	<u>② NIBP cuff, disposable, neonate, size 2, 4.2 – 7.1 cm, 10 pcs.</u>	<u>MU24404</u>
	<u>③ NIBP cuff, disposable, neonate, size 3, 5.4 – 9.1 cm, 10 pcs.</u>	<u>MU24405</u>
	<u>④ NIBP cuff, disposable, neonate, size 4, 6.9 – 11.7 cm, 10 pcs.</u>	<u>MU24406</u>
	<u>⑤ NIBP cuff, disposable, neonate, size 5, 8.9 – 15.0 cm, 10 pcs.</u>	<u>MU24407</u>
C	<u>NIBP hose, neonate/infant, 2.4 m</u>	<u>MU24685</u>



GLOBE-TROTTER GT5400

A	SpO₂ sensor cable Nellcor®, 2.4 m	MU24686
B	SpO₂ multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult	8201013
C	SpO₂ sensor cable Masimo® LNCS, 3 m	MU24688
D	SpO₂ adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
E	SpO₂ adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794



GLOBE-TROTTER GT5400

A	ECG cable, 3-lead, 2.4 m, AAMI, reusable	MU25381
B	ECG lead wire set, 3-lead, 0.6 m, neonatal pinch connector, AAMI, reusable	MU25383
C	ECG cable, 3-lead, 2.4 m, IEC, reusable	MU25382
D	ECG lead wire set, 3-lead, 0.6 m, neonatal pinch connector, IEC, reusable	MU25384



TRANSPORT INCUBATOR TI 5400


	Mattress SoftBed, for TI 5400, reusable*	2M21023
A	Vacuum mattress, reusable	2M17909
	Adapter cable kit for TI 5400	2M18420
	Iris port sleeve for TI 5400, reusable, 2 pcs.	2M21021
	Battery for TI 5400, 12 V, rechargeable	1828932

*Lining: 100% polyurethane, fabric: 100% polyester.



AIR-SHIELDS® TI 500 GLOBE-TROTTER

A	Skin temperature probe 1, reusable	MU06951
B	Mattress, reusable, 10 pcs.	MU06009
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
C	Breathing hose for Biomed MVP-10, reusable	MU04767
	Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771
D	Filter and HME for air compressor, disposable	MU04991
	Expiratory valve for TI 500 Globe-Trotter, disposable, 50 pcs.	MU04772
	O₂ sensor for TI 500 Globe-Trotter, reusable	MU04804
E	Air intake filter for TI 500 and TI 500 Globe-Trotter, reusable, 6 pcs.	MU04472
F	Iris port sleeve, disposable, 100 pcs.	MU03876
G	Hand port cuff, disposable, oval, 100 pcs.	MU06570



Not all articles are available worldwide.

AIR-SHIELDS® TI 500 GLOBE-TROTTER

A	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008
B	Restraining strap, disposable, 10 pcs.	MU06011
C	Battery, 12 V, rechargeable	MU16052



AIR-SHIELDS® ISOLETTE® TI 500

A	Skin temperature probe 1, reusable	MU06951
B	Mattress, reusable, 10 pcs.	MU06009
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
C	Air intake filter for TI 500 and TI 500 Globe-Trotter, reusable, 6 pcs.	MU04472
D	Iris port sleeve, disposable, 100 pcs.	MU03876
E	Hand port cuff, disposable, oval, 100 pcs.	MU06570



AIR-SHIELDS® ISOLETTE® TI 500

A	<u>Humidity pad, disposable, antibacterial, 25 pcs.</u>	<u>MU06008</u>
B	<u>Restraining strap, disposable, 10 pcs.</u>	<u>MU06011</u>
C	<u>Battery, 12 V, rechargeable</u>	<u>MU16052</u>



PHOTO THERAPY

A	Light for Photo Therapy 4000, fluorescent bulb, white	<u>2M21009</u>
A	Light for Photo Therapy 4000, fluorescent bulb, blue	<u>2M21010</u>
	Light for Photo Therapy 1400	<u>MU03927</u>
	Light for Photo Therapy 533, fluorescent bulb, 20 W, white	<u>MU03681</u>
	Light for Photo Therapy 533, fluorescent bulb, 20 W, blue	<u>MU03677</u>



DEVELOPMENTAL CARE

A	Towel doll Cally, reusable, light blue or pink	2M30462
B	Positioning aid Hug it, reusable, size S, for patients up to 800 g*	MP01415
B	Positioning aid Hug it, reusable, size M, for patients up to 1500 g*	MP01416
C	Positioning aid Nesting, reusable, for patients up to 1200 g**	MP01417
D	Positioning aid Set, reusable, 4 small pillows, for patients up to 1000 g**	MP01418
E	Incubator cover for Caleo®, reusable*	MP01423
	Incubator cover for Isolette® C2000 and 8000, reusable*	MP01424
F	Starter package for Caleo®, reusable, incubator cover and positioning aids	MP01426
	Starter package for Isolette® C2000/C8000, reus., cover and positioning aids	MP01427


*Outer fabric: 100% cotton, inner fabric: 100% polyester.

**Outer fabric: 100% cotton, inner fabric: 100% cotton, filling: 100% polystyrene.



MISCELLANEOUS

A	Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.	MP01414
	Connection cable Babylink	8306488
B	Cover for skin temperature probe ThermoPad, Hydrogel, disposable, 50 pcs.	MX11002
C	Cover for skin temperature probe Critter Cover, foam, disposable, 100 pcs.	MU06942
C	Cover for skin temperature probe Critter Cover, foam, disposable, 600 pcs.	MU06941
D	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disp., sm., 100 pcs.	MU06944
E	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disp., lrg., 100 pcs.	MU06943
F	Cable mounting clip, reusable, Ø 9,6 mm, adhesive, 10 pcs.	MU06558
G	Cable mounting clip, reusable, Ø 2,54 cm, adhesive, 10 pcs.	MU06560
	Air temperature sensor for Isolette® C500 and C550, reusable	MU06956



VENTILATION ACCESSORIES

2. VENTILATION ACCESSORIES

A	O ₂ analyzer MX 300-i	MP01440
A	O ₂ analyzer MX 300	MP01441
B	O ₂ sensor for MX 300 and MX 300-i, reusable	MP01442
C	Holder for MX 300 and MX 300-i	MP01443
D	Connection cable for MX 300 and MX 300-i	MP01444
E	T-piece adapter for MX 300 and MX 300-i, reusable	MP01445



VENTILATION ACCESSORIES

The nasal CPAP solution for Dräger ventilators. BabyFlow is the lightweight, noiseless patient interface for which a wide range of nasal prongs and masks is available.

A	Nasal CPAP system BabyFlow, disposable, 20 pcs.	8418583
	Nasal CPAP system BabyFlow, disposable, US/CA only	8418582
B	Soft Connector for BabyFlow, disposable, 10 pcs.	MP01339
C	Demo package CPAP system BabyFlow, disposable, with prongs, masks, caps	8418550
	Demo package CPAP system BabyFlow, disp., with prongs, masks, caps, US/CA only	8418584





VENTILATION ACCESSORIES

Soft anatomically formed nasale silicone prongs, disposable.

A	1 Prong BabyFlow, disposable, size XS, 10 pcs.	8418415
	2 Prong BabyFlow, disposable, size S, 10 pcs.	8418605
	3 Prong BabyFlow, disposable, size M, 10 pcs.	8418416
	4 Prong BabyFlow, disposable, size L, 10 pcs.	8418531
	5 Prong BabyFlow, disposable, size XL, 10 pcs.	8418417
	Prong BabyFlow, disposable, size XXL, 10 pcs.	8418617
	Prong BabyFlow, disposable, size 3, 10 pcs.	8418603
	Prong BabyFlow, disposable, size 4, 10 pcs.	8418607
	Prong BabyFlow, disposable, size 5, 10 pcs.	8418609
	Prong BabyFlow, disposable, size 6, 10 pcs.	8418611

The masks design offers greater comfort to your patients and gives the caregiver the chance to alternate between mask and prongs.

B	1 Mask BabyFlow, disposable, size S, 10 pcs.	8418491
	2 Mask BabyFlow, disposable, size M, 10 pcs.	8418490
	2 Mask BabyFlow, disposable, size L, 10 pcs.	8418619



VENTILATION ACCESSORIES

Disposable caps for BabyFlow in 6 different sizes (S-XXL plus), the material is 95% cotton and 5% elasthan.

A	1 Cap BabyFlow, disposable, size XS, white, 5 pcs.	8418533
	2 Cap BabyFlow, disposable, size S, yellow, 5 pcs.	8418534
	3 Cap BabyFlow, disposable, size M, red, 5 pcs.	8418535
	4 Cap BabyFlow, disposable, size L, green, 5 pcs.	8418536
	5 Cap BabyFlow, disposable, size XL, orange, 5 pcs.	8418537
	6 Cap BabyFlow, disposable, size XXL, blue, 5 pcs.	8418538
	7 Cap BabyFlow, disposable, size XXL+, black, 5 pcs.	8418539

Headbands for comfortable fixation of BabyFlow. Handmade of soft microfibre. Washable at 60°C.

B	1 Headband BabyFlow, reusable, size XS, white	8418418
	2 Headband BabyFlow, reusable, size S, yellow	8418419
	3 Headband BabyFlow, reusable, size M, red	8418420
	4 Headband BabyFlow, reusable, size L, green	8418421
	5 Headband BabyFlow, reusable, size XL, orange	8418422
	6 Headband BabyFlow, reusable, size XXL, blue	8418423
	7 Headband BabyFlow, reusable, size XXL plus, black	8418540

Fixation strap BabyFlow, reusable, size XS, white, 10 pcs. **8418471**

Fixation strap BabyFlow, reusable, size S, yellow, 10 pcs. **8418472**

Fixation strap BabyFlow, reusable, size M, red, 10 pcs. **8418473**

Fixation strap BabyFlow, reusable, size L, green, 10 pcs. **8418474**


Fixation strap BabyFlow, reusable, size XL, orange, 10 pcs. **8418475**

Fixation strap BabyFlow, reusable, size XXL, blue, 10 pcs. **8418476**



VENTILATION ACCESSORIES

A Breathing circuit VentStar®, latex-free, disposable, N, basic, 1.8 m, 25 pcs.	MP00353
B Breathing circuit VentStar®, latex-free, disp., N, water trap, 1.8 m, 25 pcs.	MP00363
C Breathing circuit VentStar®, latex-free, disposable, N, MRI, 3 m, 10 pcs.	MP00329
D Breathing bag set VentStar®, latex-free, disp., N, 0.5 L, 1.1 m, 25 pcs.	MP00383
E Anesthesia set VentStar®, latex-free, disposable, N, 1.8 m/1.1 m, 25 pcs.	MP00333




VENTILATION ACCESSORIES

A	Breathing circuit VentStar® , latex-free, disp., N, heated, 1.2 m, 10 pcs.	MP00308
B	Breathing circuit VentStar® , ltx-fr., disp., N, heated, w/o chamber, 1.2 m, 10 pcs.	MP00309
C	Humidifier chamber VentStar® , disposable, 10 pcs.	MP00234
D	Breathing circuit for Resuscitaire VentStar® , latex-free, disp., N, 1 m, 25 pcs.	MP00310
E	Breath. circ. f. Resuscitaire VentStar® , ltx-fr, disp, N, press. meas. line, 1m, 25 pcs.	MP00311
F	Breathing bag set Infinity® ID , latex-free, disp., N, 0.5 L, 1.1 m, 25 pcs.	MP01329
G	Breathing circuit Infinity® ID , latex-free, disp., N, heated, 1.2 m, 10 pcs.	MP00343

TRADEWARE


	Breathing circuit Fisher & Paykel RT225 , disp., N, insp. heated, 10 pcs.	8414994
--	--	----------------



VENTILATION ACCESSORIES

BLUESET VENTILATION

A	BlueSet Ventilation (N/P)	8412344
	Consists of:	
	1 Y-piece, reusable, P, angled, with suction opening	8403075
	2 Corrugated hose, P, 14 cm, catheter mount	8403333
	3 Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056
	4 Water trap, reusable, P	8404760
	5 Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm	2165848
	6 Water trap, reusable, N	8409627
	7 Cap, reusable, 7 mm	8401645
	8 Connector, aluminum, reusable, 22 mm/11 mm	8405752
	9 Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	2165856
	10 Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821




VENTILATION ACCESSORIES

Breathing hose Set for Babylog® 2000 (N), for ward use	8411352
Consists of:	
Cap, reusable, 7 mm	8401645
Connector set for endotracheal tube, reusable, size 1.5 mm – 5.5 mm, 9 pcs.	8403684
Test lung, silicone, N	8403208
Connector for endotracheal tube, reusable, size 9 mm	M19347
Y-piece, reusable, P, angled	8403077
Hose, silicone, reusable, N	1198343
Diaphragm	8403377
Expiratory valve housing	8409898
Bolt, 2 pcs.	8403944
Pressure measurement connection set for Babylog® 2000	8411354
Connector for endotracheal tube, reusable, angled	M25567
Replacement parts:	
Connector set for endotracheal tube, reusable, size 1.5 mm – 5.5 mm, 9 pcs.	8403684
Breathing hose Set for Babylog® 2000 (N), for TI 5400	8411353
Breathing hose set for Babylog® 2000/ Aquapor EL (N)	8411471
Breathing hose set for Babylog® 2000/F&P MR730, F&P MR730 (N)	8411472

VENTILATION ACCESSORIES


BLUESSET HEATED

A	BlueSet heated (N/P)	8414987
	Consists of:	
1	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	2165651
2	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm	2165848
3	Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634
4	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	2165856
5	Water trap, reusable, N	8409627
6	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993
7	Cap, reusable, 7 mm	8401645
8	Y-piece, reusable, P, angled, with suction opening	8403075
9	Connector for endotracheal tube, reusable, size 11 mm	M19351
10	T-piece connector, reusable	8411044
11	Double connector, outer diameter 11 mm	8409897
12	Test lung NeoTestLung, N, latex-free, bellows	8409742
13	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821




VENTILATION ACCESSORIES

A	BlueSet heated HFV (N)	8411153
	Consists of:	
1	Breathing hose, Hytrel, 70 cm	8418404
2	Breathing hose, Hytrel, 65 cm	8410814
3	Test lung NeoTestLung, N, latex-free, bellows	8409742
4	Hose heater for F&P MR 700/730, 70 cm	8411154
4	Connector 900 MR 830, for HFV breathing circuit by F&P	8418455
5	Connector 900 MR 533, for HFV breathing circuit by F&P	8418407
6	Connector for endotracheal tube, reusable, size 11 mm	M19351
7	Water trap, reusable, N	8409627
8	Elbow, reusable	8418289
9	Breathing hose, Hytrel, 40 cm	8410816
10	T-piece connector, reusable, for F&P temperature probe	8418405




VENTILATION ACCESSORIES

A	BlueSet heated LowFlow (N/P)	8412081
	Consists of:	
1	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	2165651
2	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm	2165848
3	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821
4	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	2165856
5	Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634
6	Hose heater, A, 1.1 m	8411045
7	Test lung NeoTestLung, N, latex-free, bellows	8409742
8	Y-piece, reusable, P, angled, with suction opening	8403075
9	Connector for endotracheal tube, reusable, size 11 mm	M19351
10	Double connector, outer diameter 11 mm	8409897
11	T-piece connector, reusable	8411044
12	Water trap, reusable, N	8409627
13	Cap, reusable, 7 mm	8401645



VENTILATION ACCESSORIES


A	BlueSet heated Incubator (N)	8411041
	Consists of:	
1	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	2165651
2	Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm	8403080
3	Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm	8403070
4	Test lung NeoTestLung, N, latex-free, bellows	8409742
5	Water trap, reusable, N	8409627
6	Elbow, reusable	8418289
7	Double connector, outer diameter 11 mm	8409897
8	Connector for endotracheal tube, reusable, size 11 mm	M19351
9	T-piece connector, reusable	8411044
10	Hose heater, A, 1.1 m	8411045
11	Corrugated hose, silicone, N, 20 cm, catheter mount	8410709
12	Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm	8418458



VENTILATION ACCESSORIES


BLUESET ANAESTHESIA

A	BlueSet Anesthesia (N/P)	M33681
	Consists of:	
①	Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
②	Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
③	Breathing bag, silicone, reusable, 0.5 L	2166054
④	ISO double connector, reusable, 22 mm/22 mm	M25647
⑤	Y-piece, reusable, P, angled, with suction opening	8403075
⑤	Luer Lock elbow, N	M34568
⑥	Y-connector, 5 mm	2M12754
⑦	Test lung, silicone, N, with hose	8410079
⑧	Cap set, reusable, 7 mm, 5 pcs.	8402953
⑨	Connector for endotracheal tube, plastic, reusable, 3 mm	M19335
⑨	Connector for endotracheal tube, plastic, reusable, 3.5 mm	M19336
⑨	Connector for endotracheal tube, plastic, reusable, 4.5 mm	M19338
⑩	Sample line, silicone, 4 × 1.5	1190520




VENTILATION ACCESSORIES

A	BlueSet Anesthesia Zeus (N)	MK02935
Consists of:		
1	Breathing hose for breathing hose set Zeus®, reus., N, 1.5m, connector 15mm/22mm	AM00354
2	Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	ISO double connector, reusable, 22 mm/22 mm	M25647
4	Y-piece, disposable, P, 15 mm, 10 pcs.	AM00209
5	Connector with Luer Lock port, reusable, part of breathing hose set Zeus®	AM00202
6	Elbow with Luer Lock	AM00201
7	Breathing bag, chloroprene, reusable, 0.5 L	MX50045




VENTILATION ACCESSORIES

A	BlueSet Anesthesia Zeus (P)	MK04249
Consists of:		
1	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm	2165848
2	Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821
4	ISO double connector, reusable, 22 mm/22 mm	M25647
5	Water trap, reusable, N	8409627
6	Breathing bag, chloroprene, reusable, 0.5 L	MX50045
7	Y-piece, reusable, P, straight	M27077
8	Connector with Luer Lock port, reusable, 15 mm/22 mm	8290285



VENTILATION ACCESSORIES

A	BlueSet Anaesthesia Circlesystem (N/P)	M27542
	Consists of:	
①	Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
②	Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
③	Breathing bag, silicone, reusable, 0.5 L	2166054
④	ISO double connector, reusable, 22 mm/22 mm	M25647
⑤	Y-piece, reusable, P, angled, with suction opening	8403075
⑤	Luer Lock elbow, N	M34568
⑤	Cap Luer Lock	M34461
⑥	Y-piece, reusable, P, straight	M27077
⑦	Cap set, reusable, 7 mm, 5 pcs.	8402953



VENTILATION ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

A Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm **2165848**

B Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/10 mm **2165600**




Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

C Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm **2165856**

D Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm **2165821**


E Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm **2165651**

F Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm **2165961**





VENTILATION ACCESSORIES

A	<u>Y-piece, reusable, P, angled, with suction opening</u>	<u>8403075</u>
	<u>Y-piece, reusable, P, straight</u>	<u>M27077</u>
	<u>Y-piece, reusable, P, angled</u>	<u>8403077</u>
B	<u>Luer Lock elbow, N</u>	<u>M34568</u>



VENTILATION ACCESSORIES

A	Transparent breathing bags of silicone elastomer, latex free	
1	Breathing bag, silicone, reusable, 0.5 L	2166054
2	Breathing bag, silicone, reusable, 1.5 L	2166127
B	Latex breathing bags	
1	Breathing bag, latex, reusable, 0.5 L	2165686
	Breathing bag, latex, reusable, 1.5 L	2165953
C	Latex breathing bags with a hole. For anesthetic set Kuhn type.	
1	Breathing bag with hole, latex, reusable, 0.5 L, for Kuhn set	2165763
	Breathing bag with hole, latex, reusable, 1.5 L, for Kuhn set	2165775
D	Chloroprene breathing bags for use as reservoir e.g. on anesthesia devices. Note: Chloroprene breathing bags are the only breathing bags which may be used at the anesthesia workplace system Zeus®.	
1	Breathing bag, chloroprene, reusable, 0.5 L	MX50045
2	Breathing bag, chloroprene, reusable, 1 L	MX50046
	Breathing bag Medbag, latex-free, disposable, 0.25 L, 30 pcs.	MX50030
	Breathing bag Rainbow bag, latex-free, disposable, 0.5 L, colored, 30 pcs.	MX50031
	Breathing bag Rainbow bag, latex-free, disposable, 1 L, colored, 30 pcs.	MX50032



VENTILATION ACCESSORIES

A	Demo lung to simulate neonatal lungs, with suitcase	8418077
B	Test lung NeoTestLung, N, latex-free, bellows	8409742
	Test lung, silicone, N, with hose	8410079
	Test lung, silicone, N	8403208



VENTILATION ACCESSORIES

The TwinStar® filter/HME from Dräger Medical is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

A	Electrostatic filter and HME TwinStar® 10A, disp., 10 mL deadspace, angled, 50 pcs.	MP01825
B	Electrostatic filter and HME TwinStar® 8, disp., 8 mL deadspace, 50 pcs.	MP01820

HumidStar® heat and moisture exchangers from Dräger Medical partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components


C	HME HumidStar® 10A, disp., 10 mL deadspace, angled, 50 pcs.	MP01740
D	HME HumidStar® 2, disp., 2 mL deadspace, 50 pcs.	MP01745



VENTILATION ACCESSORIES

CO₂ cuvettes are designed for the monitoring of CO₂ concentration during patient ventilation.

A	CO₂ cuvette disposable, pediatric, 10 pcs.	MP01063
B	CO₂ cuvette reusable, pediatric, for CO₂ sensors 6871500, 6870300, 6871950	6870280
C	CO₂ mainstream sensor, for Evita 2 dura®, Evita® 4 Edition and Evita® XL	6871500
D	CO₂ mainstream sensor, for Evita® Infinity® V500, Babylog VN500, Infinity® M540 and Oxylog® 3000 plus	6871950



VENTILATION ACCESSORIES

A Anesthesia face mask LiteStar®, disp., w/o hook ring,
size 1, prenat., 30 pcs. MP01501

B Anesthesia face mask LiteStar®, disp., w/o hook ring,
size 2, baby, 30 pcs. MP01502

Additional disposable hook rings and disposable headgears for fixation are available (cf. Mask accessories).



VENTILATION ACCESSORIES

A	Anesth. face mask ComfortStar® , disp., hook rg, std., size 0, premat., 20 pcs.	MP01510
B	Anesth. face mask ComfortStar® , disp., hook rg, std., size 1, neo., 20 pcs.	MP01511
C	Anesth. face mask ComfortStar® , disp., hook rg, std., size 2, baby, 20 pcs.	MP01512
D	Anesth. face mask ComfortStar® , disp., hook rg, strawb., size 1, neo., 20 pcs.	MP01521
E	Anesth. face mask ComfortStar® , disp., hook rg, strawb., size 2, baby, 20 pcs.	MP01522
F	Anesth. face mask ComfortStar® , disp., hook rg, bubblg., size 1, neo., 20 pcs.	MP01531
G	Anesth. face mask ComfortStar® , disp., hook rg, bubblg., size 2, baby, 20 pcs.	MP01532

Pumpball as well as different headgears for fixation are available (cf. Mask accessories).



VENTILATION ACCESSORIES




A	① Face mask All-round, reusable, size 1, small	2165732
	② Face mask All-round, reusable, size 2, medium	2165740
B	Rendell-Baker face mask, reusable, size 0, premature baby	M22764
	Rendell-Baker face mask, reusable, size 1, neonate	M14631
	Rendell-Baker face mask, reusable, size 2, baby	M14632
C	Silicone face mask, reusable, size 00, premature baby	MP02900
D	Silicone face mask, reusable, size 0, small neonate	MP01910
E	Silicone face mask, reusable, size 1, large neonate	MP01911

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. Mask accessories).







VENTILATION ACCESSORIES

A	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921
B	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925
C	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929
D	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933




VENTILATION ACCESSORIES

A	Headgear, reusable, silicone, small	MP01557
B	Headgear, disposable, soft fabric, small	MP01559
C	Headgear, disposable, soft rubber, small	MP01561
D	Hook ring for LiteStar® anesth. face masks, disp., 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551
E	Hook ring for silicone face masks, reus., 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
	Hook ring for All-round face masks	M11044
F	Elbow for CPAP masks, disposable	8409683
G	Two-sided pump ball for air management	MP01590



VENTILATION ACCESSORIES

- | | | |
|----------|---|----------------|
| A | Bacterial filter connection set,
for inspiratory port of Babylog, without filter | 8410230 |
| B | Analog cable for Babylog® 8000, 3 pcs. | 8306487 |



VENTILATION ACCESSORIES

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282
A	Humidifier chamber for F&P MR 290, disposable, 40 pcs.	8418283
B	Humidifier chamber F&P MR 340, reusable, N/P, with 100 pcs. filter paper	8411047
C	Filter paper for F&P MR 340, 100 pcs.	8411073
D	Rail clamp for F&P humidifier	8411074
E	Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002
F	Hose heater for F&P MR 700/730, 70 cm	8411154
G	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993



VENTILATION ACCESSORIES

A	Dual temperature probe for F&P MR 700/730, 1.1 m	8411048
B	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m	8414989
B	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966
C	Hose heater adapter for F&P MR 700/730, for reusable breathing circuit	8411097
D	Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968
E	Hose heater adapter for F&P MR 850, for third-party breathing circuit	MP01001
F	Hose heater adapter for F&P MR 730, for third-party breathing circuit	8418433
G	Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050



VENTILATION ACCESSORIES

A	Medication nebulizer for Babylog® 8000 with quick connector	8411030
B	Connector set for med. nebulizer, for neonatal breathing circuit	8411031
	Nebulizer hose	8412985
AERONEB® PRO		
C	Medication nebulizer Aeroneb Pro	MP01010
D	Nebulizer unit with filler cap for Aeroneb Pro	MP01030
E	T-piece set with plug for Aeroneb Pro, P, 15 mm, w/ adapter 10 mm f. neo., 5 pcs.	MP01032
F	T-connector for Aeroneb Pro, 12 mm, with plug, 5 pcs.	MP01037
	Sealing plug for Y-piece, 5 pcs.	8411024



VENTILATION ACCESSORIES

INTUBATION KITS



The practical design of the laryngoscope family* ensures optimum hygiene and reliable functioning in every situation. Its ergonomic design guarantees problem free handling.
*Made by Kirchner&Wilhelm, Asperg, Germany.

WARM LIGHT (WL) LARYNGOSCOPES

	Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302
A	Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303
B	Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307
	Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308
C	Laryngoscope set, pediatric, reusable (Battery grip pediatric; blade size 0 (Miller); blade size 1 (Miller), blade size 2 (Mac))	MX03312
D	Battery grip, pediatric, 2.5 V, 19 mm Ø	MX03314
E	Battery, pediatric, 2.5 V	MX03315
F	Vacuum lamp for blade (size 00 – 1)	MX03316

FIBER OPTIC (F.O.) LARYNGOSCOPES


	F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319
G	F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320
	F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052
	F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324
	F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325
	F.O. laryngoscope set, pediatric, reusable (Battery grip pediatric; F.O. blade size 0 (Miller); F.O. blade size 1 (Miller); F.O. blade size 2 (Mac))	MX03329



Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	F.O. battery grip, pediatric, 2.5 V, 19 mm Ø	MX03331
	Xenon lamps for battery grip, 2.5 V	MX03328
	Battery, pediatric, 2.5 V	MX03315
B	Universal charging station MedCharge 4000 "ALL in ONE"	MX50028



VENTILATION ACCESSORIES

A	Man. breathing bag MR-100, reus., ltx-fr., P, w/ press. valve, relief $>40\pm 5$ mbar*	5702321
B	Man. breathing bag MR-100, reus., ltx-fr., N, w/ press. valve, relief $>40\pm 5$ mbar*	5702322
C	O ₂ -Reservoir MR-100, 2,500 ml*	5703701
D	O ₂ -Reservoir MR-100, 600 ml*	5703702
E	Patient valve for adults, 60 mbar, volume of dead space 18 ml*	5703706
F	Patient valve for child/baby, 40 mbar, volume of dead space 18 ml*	5703707

*Made by GaleMed Corporation, Taiwan.



VENTILATION ACCESSORIES

A	O₂-Reservoir valve MR-100*	5703703
B	Intake valve MR-100*	5703704
C	Disposable PEEP valve 0 – 20 cmH₂O	5703471
D	PEEP valve diverter, reusable*	5703708
E	Adapter for Resutator 2000/MR100	2120461


*Made by GaleMed Corporation, Taiwan.



SENSORS

3. SENSORS

A Neonatal flow sensor with Y-piece, PSU, disinfectable and sterilizable	8410185
B Neonatal flow sensor ISO 15, PSU, disinfectable and sterilizable	8411130
C Insert for neonatal flow sensor, PSU, disinfectable and sterilizable	8410179
D Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626



SENSORS

A	<u>O₂ sensor capsule, for mainstream measurement</u>	<u>6850645</u>
B	<u>O₂ sensor housing Oxydig, for O₂ sensor capsule, with spiral cable</u>	<u>6850250</u>
C	<u>O₂ sensor housing Anemone, for O₂ sensor capsule, with smooth cable</u>	<u>6850720</u>



MONITORING ACCESSORIES



4. MONITORING ACCESSORIES

Infinity® Monitoring: Gamma, Gamma XL, Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

ELECTROCARDIOGRAPHY (ECG)

A	Multiparameter cable NeoMed Pod, for ECG, resp., SpO₂, temp., and FiO₂, 2.5 m	5590539
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024
C	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779
D	ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162

INFINITY®
MONITORING



MONITORING ACCESSORIES

PULSE OXIMETRY (SPO₂)




MASIMO® LNOP SENSORS

For Masimo accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

A SpO ₂ multisite sensor Masimo® LNOP YI, reusable	7497014
B SpO ₂ adhesive sensor Masimo® LNOP Neo, disposable, neonate, 20 pcs.	7496974
C SpO ₂ adhesive sensor Masimo® LNOP NeoPt, disposable, premature baby, 20 pcs.	7496966
D SpO ₂ adhesive sensor Masimo® LNOP NeoPt-L, disp., premature baby, long, 20 pcs.	5702878

MASIMO® LNCS SENSORS

E SpO ₂ adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
F SpO ₂ adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794
SpO ₂ Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789



MONITORING ACCESSORIES

**MASIMO® LNCS TRAUMA
DISPOSABLE SENSORS**

Masimo LNCS Trauma sensors are for use with Masimo SET technology only.

A Masimo Trauma sensor LNCS, neonate, 20 pcs. MP03192

MASIMO® M-LNCS SENSORS

B SpO₂ adhesive sensor Masimo® LNCS Inf-3, disposable, infant, 20 pcs. MP02978

C SpO₂ adhesive sensor Masimo® LNCS Neo-3, disposable, neonate, 20 pcs. MP02979

D SpO₂ adhesive sensor Masimo® LNCS NeoPt-3, disposable, premature baby, 20 pcs. MP02980





E SpO₂ Masimo® sensor M-LNCS-YI Multi, reusable, neonate/pedi/adult MP02984

**MASIMO® M-LNCS TRAUMA
DISPOSABLE SENSORS**

Masimo M-LNCS Trauma sensors are for use with Masimo SET technology only

F Masimo® M-LNCS Trauma sensor, neonate, 20 pcs. MP03204

INFINITY®
MONITORING





MONITORING ACCESSORIES

INFINITY®
MONITORING
MICRO₂+

MASIMO® ACCESSORIES

A	SpO₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496917
	SpO₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496909
B	SpO₂ foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO₂ sensor, 12 pcs.	7496891
C	SpO₂ adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO₂ sensor, 12 pcs.	7496933
D	SpO₂ adhesive wrap Masimo®, for NeoPt SpO₂ sensor, 100 pcs.	7496925



MONITORING ACCESSORIES

NELLCOR® SENSORS

A	SpO₂ adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
B	SpO₂ adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068
C	SpO₂ multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult	8201013

NELLCOR® ACCESSORIES

D	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	8201012
----------	--	----------------

DRÄGER DISPOSABLE SENSORS

E	SpO₂ adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447
F	SpO₂ adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446

INFINITY
MONITORING
MICRO₂+





Not all articles are available worldwide.

MONITORING ACCESSORIES

INFINITY®
MONITORING
MICRO₂+

CABLES

A	SpO₂ sensor cable Masimo® ProCal, for MultiMed 5/6 and NeoMed pods, 2 m	7492601
	SpO₂ sensor cable Masimo® ProCal, for MultiMed 5/6 and NeoMed pods, 1.5 m	MS13926
B	SpO₂ intermediate cable Masimo® LNOP, 1.2 m	MS18680
	SpO₂ intermediate cable Masimo® LNOP, 3 m	MS17041
	SpO₂ intermediate cables for connection to Infinity® M300 and Masimo® SET Pod.	
C	SpO₂ intermediate cable Masimo® LNCS, 3 m	MS17522
C	SpO₂ intermediate cable Masimo® LNCS, 1.2 m	MS24303
D	Adaptercable M-LNCS to LNC	MP02994
	For connection of M-LNCS sensors to Infinity® M300 Masimo® SET Pod via LNCS intermediate cable MS24303 or MS17522.	
E	Adaptercable M-LNCS to MultiMed®	MP03195
	For connection of M-LNCS sensors to Multimed 5/6/12, NeoMed Pods and Multimed Plus/Plus OR via the according intermediate cables 368433/3375834 or MS18683/MS17330	



MONITORING ACCESSORIES

INFINITY®
MONITORING
MICRO₂+

<p>A SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 1 m</p>	<p>3368433</p>
<p>SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 2 m</p>	<p>3375834</p>
<p>B SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m</p>	<p>MS18683</p>
<p>C SpO₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m</p>	<p>MS17330</p>



MONITORING ACCESSORIES

TEMPERATURE

SINGLE-PATIENT USE TEMPERATURE PROBES

A	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
B	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998

REUSABLE TEMPERATURE PROBES

C	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
C	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669



MONITORING ACCESSORIES

NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)

A	NIBP hose, neonate, 2.4 m	2870298
B	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
C	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
D	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
E	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
F	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173

INFINITY MONITORING



MONITORING ACCESSORIES**ETCO₂ AND RESPIRATORY MECHANICS**

For Gamma X XL, Delta, Delta XL, Kappa.

A	etCO₂ airway adapter Microstream[®], neonate/child, max. 72 h, 25 pcs.	7869550
B	etCO₂ nasal cannula Microstream[®], child, max. 12 h, 25 pcs.	7869469
	etCO₂ nasal cannula Microstream[®], child, max. 24 h, 25 pcs.	7869600
	etCO₂ nasal cannula Microstream[®], + O₂, child, max. 24 h, 25 pcs.	7869485
C	etCO₂ nasal/mouth cannula Microstream[®], + O₂, child, max. 12 h, 25 pcs.	7869584
D	etCO₂ nasal cannula Microstream[®], neonate/child, max. 24 h, 25 pcs.	7869618
	For Delta, Delta XL, Kappa, Kappa XLT.	
	Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.	5957100
	Sensor for respiratory mechanics, flow and CO₂, disposable, neonate, 10 pcs.	5957118
	For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.	
E	etCO₂ airway adapter, reusable, neonate	4721788

TRANSCUTANEOUS MONITORING (TPO₂/TPCO₂)



For Delta, Delta XL, Kappa.

F	tpO₂/tpCO₂ solid-state electrode	4529988
	Membrane replacement set for tcpO₂/tcpCO₂ electrodes	MP00715
	Fixation set for tpO₂ and tpCO₂ electrodes	MP00716
	Calibration gas, for tpO₂/tcpCO₂, 20,9% O₂ and 5% CO₂, 12 pcs.	MP00717

RECORDER PAPER

G	Recording paper for Infinity[®] R 50, 50 mm, approx. 30 m, 10 rolls	4711201
----------	---	----------------

Not all articles are available worldwide.



WARD EQUIPMENT

5. WARD EQUIPMENT

See also chapter 5 Ward equipment“ from page 222.

FLOWMETER

These O₂ Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates of up to 32 L/min can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)
 ** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm
 (6.3 × 1.6 × 5.1 in)
 Material: Housing: Aluminium
 Pressure dome: Polycarbonate
 Flow indicator: Glass
 Weight: Approx. 500 g (1.1 lb)



- A** O₂ flowmeter, 4 L/min, CS, 5 bar,
 DIN, ISO and neutral color, M34×1.5 f. accessories **2M86517**

WARD EQUIPMENT

TWIN FLOWMETER


The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 150 × 190 mm
 (6.3 × 5.9 × 7.15 in)
 Material: Housing: Aluminium
 Pressure dome: Polycarbonate
 Flow indicator: Glass
 Weight: Approx. 900 g (1.98 lb)

A	O₂ twin flowmeter, CS, 2 × 16 L/min, CS, 5 bar, DIN, M34×1.5, ISO, neutral color	2M86561
B	O₂ twin flowmeter, CS, 2 × 16 L/min, CS, 5 bar, DIN, 9/16", ISO, neutral color	2M86564
C	O₂ twin flowmeter, 2 × 16 L/min, rail fitting with NIST gas inlet, 5 bar, 2 × M34×1.5, adapter 9/16"	MP01188



WARD EQUIPMENT

These O₂ flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4, 16 or 32 L/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. A 2 m (6.6 ft) connecting hose is attached to the easily operated clamp.

Accuracy of flow rate at (1,013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm
 (6.3 × 1.6 × 5.1 in)


Material: Housing: Aluminium
 Pressure dome: Polycarbonate
 Flow indicator: Glass

Weight: Approx. 950 g (2.09 lbs)

A	O₂ flowmeter, 4 L/min, rail with hose 2m, 5 bar, ISO, DIN, M34×1.5 for accessories	2M86516
B	O₂ flowmeter, 4 L/min, rail w/ hose 2m, 5 bar, neutr. color, DIN, M34×1.5 f. accessories	MP01191
C	O₂ flowmeter, 4 L/min, rail, 90°, with hose 2m, ISO, DIN, 5 bar, M34×1.5 for accessories	2M86575
D	O₂ flowmeter, 4 L/min, rail, 90° with hose 2m, neutral color, DIN, 5 bar, M34×1.5 f. accessories	MP01197
E	O₂ flowmeter, 16 L/min, rail, NIST, gas inlet, 5 bar, ISO and neutral color, M34×1.5, adapter 9/16"	MP01201

CS hoses **8601697**

Several hoses to connect e.g. flowmeter with the central supply.



WARD EQUIPMENT

COMPACT FLOWMETER

The compact flowmeter configurator gives you the option of arranging the compact flowmeter according to your requirements.

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	0 – 15 L/min (0; 1; 2; 3; 4; 6; 8; 12; 15) 0 – 1 L/min (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.8; 1) 0 – 5 L/min (0; 0.5; 1; 1.5; 2; 2.5; 3; 4; 5)
Accuracy:	0 – 5 L/min and 0 – 15 L/min: ± 20% 0 – 1 L/min ± 30%
Gas inlet:	CS plug O ₂ or AIR; NIST (rail)
Gas outlet:	6 mm nozzle, thread 9/16"
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter 40 mm, length 90 mm

*1 bar = 1 kPa × 100

A	Selectable options for configuration:	MP01200
	Gas type: O ₂ ; AIR	
	Mounting: CS; rail with NIST gas inlet	
	CS connection: DIN; UNI (Italy); AGA (SSS, Sweden); Carburos (Spain); Carbamed; JIS (Japan); DISS (USA); BS (England); NF (France)	
	Version: single compact flowmeter; double compact flowmeter	
	Flow: 0.1 – 1 L/min; 0.5 – 5 L/min; 1 – 15 L/min	
	Gas outlet: 6 mm nozzle, thread 9/16" for sterile water	
B	O₂ compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 6 mm nozzle	2M86793
C	O₂ compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 9/16"	MP01204

Accessories for flowmeter: See section Ward Equipment, chapter 1.3 (humidifier, adapter and application).



WARD EQUIPMENT

DIGIFLOW

Flowmeter for oxygen or compressed air with digital display of the set flow for direct insertion into the central gas supply or as rail-mounted version with NIST gas inlet. DigiFlow has a very high level of accuracy and the flow is easy to read. Additional functions like preset of therapy time, consumption of oxygen and expired time of use are integrated. The version until 3 L/min is particularly suitable for low flows in the neonatal and pediatric fields.

Input pressure:	270 to 600 kPa (2.7 to 6 bar)
Display resolution:	0.3 to 3.0 L/min: 0.1 L/min higher: 0.5 L/min
Measurement accuracy:	± 5% of displayed value
Display accuracy:	± 1 digit
Dimensions (W × H × D):	With direct probe: 56 × 144 × 140 mm (2.2 × 5.67 × 5.51 in) With universal holder: 56 × 144 × 105 mm (2.2 × 5.67 × 4.13 in)
Weight:	With direct probe: 340 g (0.74 lbs) With universal holder: 740 g (1.63 lbs)



A	Electronic O ₂ flowmeter DigiFlow, 3 L/min, CS, DIN, 9/16", for sterile water	<u>MP01210</u>
	Electronic O ₂ flowmeter DigiFlow, 3 L/min, CS, British Standard, 9/16"	<u>MP01218</u>
	Electronic O ₂ flowmeter DigiFlow, 3 L/min, CS, French Standard, 9/16"	<u>MP01222</u>
B	Electronic O ₂ flowmeter DigiFlow, 3 L/min, CS, DIN, M34×1.5 for accessories	<u>MP01211</u>

WARD EQUIPMENT

A	Electronic O₂ flowmeter DigiFlow, 3 L/min, rail, NIST, 9/16" for sterile water	MP01212
B	Electronic O₂ flowmeter DigiFlow, 3 L/min, rail, NIST, M34×1.5 for accessories	MP01213
C	Electronic AIR flowmeter DigiFlow, 3 L/min, CS, 9/16", DIN, ISO, neutral color	MP01214
	Electronic AIR flowmeter DigiFlow, 3 L/min, CS, 9/16", British Standard, ISO	MP01220
	Electronic AIR flowmeter DigiFlow, 3 L/min, CS, 9/16", French Standard, ISO	MP01224
D	Electronic AIR flowmeter DigiFlow, 3 L/min, rail, NIST, 9/16", ISO, neutral color	MP01215
E	Electronic AIR flowmeter DigiFlow, 3 L/min, rail, NIST, M32×1.5, ISO, neutr.color	MP01235



WARD EQUIPMENT

A Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 L/min	<u>2M85834</u>
B Adapter, to connect tube to O ₂ flowmeter, M34×1.5 to 6 mm nozzle	<u>M06258</u>
C Adapter, for disposable sterilized water systems to O ₂ flowmeters, M34×1.5 to 9/16"	<u>2M86680</u>
D Adapter, with 6 mm nozzle, e.g., for disp. breathing masks, 9/16" connection	<u>MP00416</u>



WARD EQUIPMENT

A Ultrasonic nebulizer Tropic plus, basic unit with all accessories MP01205

Includes:

- Short and long disposable hose
- Bacterial filter
- Power cable
- Nebulizer chamber
- Oscillating crystal
- Cap


Ultrasonic nebulizer for effective humidification of the ambient air surrounding the patient, completely independently of any Central Gas Supply System. The nebulizer is driven by a quartz oscillator, with the result that only electrical energy is needed for operation. The use of highly effective bacterial filters at the point at which the air enters the system, together with the possibility of nebulizing from sterilized water systems, largely prevents the spread of bacteria, viruses and germs. It is possible to nebulize distilled water both with or without a feeder system for long-term operation. The integrated timer allows presetting a defined therapy time. Medication can be applied in aerosol form using the disposable medicament containers (Tropic plus nebulizer set). For use with 110/127/230 V.

Power consumption:	Ultrasonic nebulizer 50 VA Hose heating 15 VA
Ultrasonic frequency:	1.68 MHz \pm 5%
Sound pressure level:	Approx. 35 dB(A)
Protection against moisture:	IP X0
Method of operation:	Continuous operation
Nebuliser output:	Max. 3 mL/min
Output with sterile water system:	Up to 2.5 mL/min
Size of droplets:	0.2 to 4 μ m approx. 86% is smaller than 4 μ m
Air flow:	6 to 10 L/min when using Filter SafeStar® 55 10 to 15 L/min when using Filter CareStar® 30
Classification:	Class I

B Table set for Tropic plus, stand, hinged arm, clamp, bottle holder MP01209

C Trolley Tropic plus, w/ stand, hinged arm, clamp, bottle holder MP01206

D Rail set for Tropic plus, stand, hinged arm, clamp, bottle holder MP01207



WARD EQUIPMENT

A Heatable hose Tropic plus, 1.1 m, for aerosol heating, cable, plug	<u>2M85759</u>
B Corrugated hose Tropic plus, reusable, 1.2 m, autoclavable, for nebulizers	<u>8403896</u>
C Corrugated hose Tropic plus, reusable, 0.3 m, autoclavable, for nebulizers	<u>2M85813</u>
D Automatic refilling set Tropic plus, for large sterile water containers	<u>MP01208</u>
E Nebulizer set for Tropic plus, disposable, for medication nebulization, 48 pcs.	<u>MP00006</u>



WARD EQUIPMENT

A	Quartz oscillator for Tropic plus, reusable, autoclavable	2M85794
B	Lid for nebulizer chamber Tropic plus, autoclavable	2M85795
C	Hose for Tropic plus, disposable, patient side, for Tropic plus, 1 m, 15 pcs.	MX22793
C	Hose for Tropic plus, disposable, connects fan/chamber, for Tropic plus, 40 cm, 20 pcs.	MX22790
D	Nebulizer chamber for Tropic plus, spare part	2M85796



WARD EQUIPMENT

MEDICAL ASPIRATION

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides. All plastic parts (with the exception of the manometer) are autoclavable up to 134 °C. All **VarioVac®** vacuum regulators offer dual color coding according to ISO 32 (yellow) and the color-neutral gas code (black).

All vacuum regulators include a shut-off valve.

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)



**A Vacuum regulator VarioVac® D Rail,
for continuous and wound drainage, gas connect. VAC** **MP00511**

For CS hoses please refer to chapter Central supply hoses.

WARD EQUIPMENT

A Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection VAC

MP00660

For connecting via CS vacuum connecting hose.
This rail version can be connected to all standard wall rails (8-10 mm width and 25-35 mm height). The gas supply is ensured by VAC connection hose.
You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 L/min
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	55 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.99998% (with VarioSafe)

B Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection VAC

MP00661

Complete system including secretion jar set and integrated vacuum regulator.
You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.

Technical data:

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 L/min
Dimensions (W/H/D) in mm:	300 × 440 × 160
Maximum sound level:	55 dB (A)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.99998% (with VarioSafe)

For CS hoses please refer to chapter Central supply hoses.



WARD EQUIPMENT

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

All VarioAir® ejectors offer a dual color coding according to EN ISO 32 (yellow) and neutral colour standard (black). A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.99998% (with VarioSafe)



A Ejector VarioAir® D Rail, for continuous+wound drainage, gas connect. AIR MP00542

This rail version can be connected to all standard wall rails (8 – 10 mm width and 25 – 35 mm height). For gas supply via CS vacuum connection hose. Connection thread: NIST.

For CS hoses please refer to chapter Central supply hoses.

WARD EQUIPMENT

A Ejector VarioAir® P Rail, for bronchial suction, gas connection AIR MP00545

For connecting via CS vacuum connecting hose.
This rail version can be connected to all standard wall rails (8 – 10 mm width and 25 – 35 mm height).
The gas supply is ensured by AIR connection hose.
A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination.

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 L/min
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)

B Ejector VarioAir® P compact, for bronchial suction, gas connection AIR MP00547

Complete system including secretion jar set and integrated ejector.
A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination.

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 L/min
Dimensions (W/H/D) in mm:	300 × 440 × 160
Maximum sound level:	50 dB (A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)
Viral retention:	99.9998% (with VarioSafe)

For CS hoses please refer to chapter Central supply hoses.



WARD EQUIPMENT

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be fully autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lives makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

A Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose

2M85056

Maximum capacity up to the overflow safeguard 2 × 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.
Weight: 1000 g (empty).
Dimensions (W/H/D) in mm: 300 × 340 × 100.

B Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.)

2M85607

Maximum capacity up to the overflow safeguard 2 × 1000 mL.
Scale in steps of 10 mL up to max. 700 mL.
With additional protection jar 300 mL.
Weight: 1000 g (empty).
Dimensions (W/H/D) in mm: 300 × 440 × 100.



WARD EQUIPMENT

A Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 mL, 25 pcs. MX23023

The VacuSmart® is a disposable cartridge and has been specially designed and thoroughly tested for compatibility with the Dräger Medical endotracheal suction unit using 700 mL secretion jars, so there is no need to modify the suction unit. It is adaptable within few seconds. An overflow safeguard reliably protects the aspirator and the environment against contamination.

Technical data:

Maximum capacity:	700 mL
Maximum capacity up to the overflow safeguard:	1000 mL
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h




B Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs. MX23025

The VacuSmart® Gel is a disposable cartridge with an integrated gelling agent for all Dräger Medical endotracheal suction units using 700 mL secretion jars. The gelling agent coagulates the bronchial secretion and prevent thereby the leakage e.g. in case of disposal in a waste press. The integrated sodium polyacrylate is additionally packed in a water soluble bag in order to avoid skin contact.

Technical data:

Maximum capacity:	700 mL
Maximum capacity up to the overflow safeguard:	1000 mL
Gelling agent:	Sodium polyacrylate
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h



C Suction tube VacuSmart® Tube, Polyethylene, disp., 2 m, w/ finger tip, 25 pcs. MX23026

You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:

D Suction set, disp., VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each MP00061

WARD EQUIPMENT

- A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs. 6723976**

- B Bacterial and viral filter system VarioSafe, for VarioAir® & VarioVac®, disp., 10 pcs. MP00555**
 The new VarioSafe® disposable filter system reliably protects the VarioAir® & VarioVac series and the patient environment against contamination.

 Technical data:
 Maximum capacity: 90 mL
 Bacterial retention: 99.99998%*
 Viral retention: 99.9998%*
 Material: PS (polystyrol)
 Recommended duration of use: 7 days
 Filtration method: Mechanical and hydrophobic (HEPA)

- C Suction hose, silicone, reusable, 1.5 m, for medical suction M25780**



- D Connection hose, silicone, reus., ID 5 mm, wall thickness 2 mm, by meter 1203606**

- E Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C 2M86207**

- F Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C 2M85594**

- G Elbow, angled hose connection for secretion jar caps 2M19063**


*According to EN 1822-1:1998
 Filter for suspended particles (HEPA and ULPA).



WARD EQUIPMENT

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

A Wall holder, with fixing screws, f. compact suction unit and secretion jar set	M26859
B Rail clamp lever type, for attachment of devices to 25x10 mm standard rail For compact suction unit and secretion jar set.	M26842
C Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119
Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.	
D CS connection hose holder	2M85446
E Suction hose holder, suitable for various diameters	2M85239



RAIL ACCESSORIES AND EXAMINATION LIGHT

6. RAIL ACCESSORIES AND EXAMINATION LIGHT

RAIL ACCESSORIES

Wire baskets

The wire baskets are used for storage of disposable catheters or dispoables gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).

A	Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146
A	Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145
A	Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121

Catheter receptacle

These receptacles are for storage of sterile insufflation catheters. The catheter receptacle is provided with a rail clamp and can be attached to intensive care rails. The diameter of the receptacle is 50 mm. Catheter receptacle 710 is designed for catheters up to 600 mm (23.6 in) long, and catheter receptacle 510 for catheters up to 400 mm (15.7 in) long.

B	Rail holder, for catheter receptacle, 12.5 × 8.4 × 18 cm	MP00652
C	Catheter receptacle, large, 12.2 × 25.2 × 12.2 cm (top) and Ø 85 mm (bottom)	MP00650
D	Catheter receptacle, small, 12.2 × 16.6 × 12.2 cm (top) + Ø 60 mm (bottom)	MP00651
E	Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695
	Litter bags, disposable, for litter bag holder, 100 pcs.	M26240
F	Infusion bottle holder, for standard rail, variable height, 3 hooks	M20719
G	Dish, stainless steel, Ø 20.5 cm, with rail clamp	2M85233



RAIL ACCESSORIES AND EXAMINATION LIGHT

EXAMINATION LIGHTS

A Medical examination light VarioLux® with LED technology

The Dräger VarioLux offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatal intensive care settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.

Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity E _c at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d ₁₀ at 0.5 m:	20 cm (7.9 in)
Light field diameter d ₅₀ at 0.5 m:	9 cm (3.5 in)
Color temperature adjustable:	Cool white (blue) 4,700 K, Neutral white (white) 4,100 K, Warm white (red) 3,500 K
Min. service life of bulb (LEDs):	> 35,000 h
Color reproduction index:	R _a = 96 (at 3,500 K) R ₉ = 89 (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m ²



VarioLux® EU	MP00601
VarioLux® US	MP00602
VarioLux® GB	MP00603
VarioLux® CHN	MP00604
VarioLux® BR	MP00605
VarioLux® AUS	MP00606
VarioLux® ZA	MP00607
VarioLux® JPN	MP00608

Power cable EU 1.8 m 2 pin	MP00591
Power cable US / JPN 1.8 m 2 pin	MP00592
Power cable GB 1.8 m 2 pin	MP00593
Power cable BR 1.8 m 2 pin	MP00625
Power cable AUS 1.8 m 2 pin	MP00626
Power cable ZA 1.8 m 2 pin	MP00597



RAIL ACCESSORIES AND EXAMINATION LIGHTS

A	Rail claw for lamp	MP00615
B	Turn knob, compl.	MP00587
C	Control panel	MP00589
D	Rail clamp, for attachment to poles of different diameters	2M85274
	Rotable by 90° to left and right. Length of standard rail (profile 10 × 25 mm): 20 cm.	
E	Compact rail, for 38 mm tube, standard rail profile 10 × 25 mm, each side 10 cm	2M85337
	Weight: 0.9 kg, max. load: 30 kg.	



RAIL ACCESSORIES AND EXAMINATION LIGHTS

HINGED ARMS


Keeping everything close at hand. To leave your hands free to care for the patient, all the joints of the Quickstop hinged arm can be fixed into place and released with just one quick hand – movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

<p>A Hinged arm Quickstop 2, w/ universal ball holder system for optional accessories</p> <p>Contains: 2 × hose clamps (2 pcs.) 1 × hose clamp, coaxial 1 × hose clamp with ball Length: 1078 mm. Load capacity: max. 2 kg</p>	<p>2M85706</p>
<p>B Hinged arm Quickstop short, with universal tube holder plate</p> <p>For various cable and tube dimensions and coaxial hoses. Specifically designed for OR tables. Contains: 1 × Universal tube holder plate for various cable and tube dimensions. Length: 403 mm. Load capacity: max. 4 kg</p>	<p>2M86463</p>
<p>C Hose clip, adult, neo., for ball mounting, for standard breathing hoses</p> <p>Applicable for quickstop hinged arm 2 (2M85706) and hinged arm 240° (8409609).</p>	<p>8409841</p>
<p>D Hose clip double, for standard breathing hoses, adult, neo., 2 pcs.</p> <p>Applicable for quickstop hinged arm 1 (2M85705), quickstop hinged arm 2 (2M85706) and hinged arm 240° (8409609).</p>	<p>8406138</p>
<p>E Hose clip, for coaxial breathing hoses, adult, for quickstop 2 (2M85706), 2 pcs.</p>	<p>MP00493</p>



RAIL ACCESSORIES AND EXAMINATION LIGHTS

A Holder for Y-piece, with ball mounting Applicable for Quickstop 2 (2M85706), hinged arm 240° (8409609) and hinged arm Infinity ACS (MP00690).	8409746
B Hose holder plate, for ball mounting, for all cable and hose dimensions As well as for coaxial and pediatric hoses. Applicable for quickstop hinged arm 2 (2M85706), hinged arm 240° (8409609) and hinged arm Infinity ACS (MP00690).	2M86465



INDEX

1	1190520	38, 344	2606226	221	4714437	164	
	1198343	339	2606227	221	4721408	153	
	1203606	265, 395	2606228	221	4721416	153	
	1828932	324	2606229	221	4721424	153	
			2606231	221	4721614	153	
2	2111764	99	2606246	218	4721788	164, 378	
	2112760	45	2606271	220	4721796	164	
	2120461	99, 366	2606272	220			
	2120488	99	2606273	220	5	5191221	115
	2120496	99	2606274	220		5192112	153
	2165600	47, 348	2606275	220		5194779	123, 369
	2165619	30, 32, 46	2606483	219		5195024	123, 175, 218, 369
	2165627	30, 32, 41, 46	2606484	219		5195180	155
	2165651	33, 35, 36, 48, 340, 342, 343, 348	2606485	219		5195198	116
	2165678	38, 40, 42, 43, 47, 344, 345, 346, 347	2606486	219		5196980	152
	2165686	53, 350	2606487	219		5196998	152
	2165694	53	2606488	221		5198333	143
	2165708	53	2606489	221		5202747	116
	2165716	53	2606490	221		5204644	144, 190
	2165724	53	2606491	221		5204651	144, 190
	2165732	72, 356	2606492	218		5204669	144, 190, 376
	2165740	72, 356	2606493	218		5206581	156
	2165759	72	2606494	218		5206607	154
	2165763	53, 350	2606495	218		5207415	168
	2165775	53, 350	2606496	218		5588095	154
	2165783	53	2606497	218		5588822	150
	2165821	29, 33, 35, 42, 48, 338, 340, 342, 346, 348	2606498	218		5589663	115
	2165848	29, 33, 35, 42, 47, 338, 340, 342, 346, 348	2870173	148, 194, 377		5590539	115, 369
	2165856	29, 33, 35, 48, 338, 340, 342, 348	2870181	148, 194, 377		5591925	150
	2165902	47	2870199	148, 194, 377		5591933	150
	2165953	53, 350	2870207	148, 194, 377		5592097	170
	2165961	38, 43, 48, 344, 347, 348	2870215	148, 194, 377		5592147	154
	2166038	32, 37, 39, 41, 46	2870298	145, 191, 377		5592154	143, 189
	2166046	31, 37, 39, 44, 45, 46	3	3361164	170, 217	5592162	123, 369
	2166054	38, 43, 53, 344, 347, 350		3368383	154	5597377	170
	2166062	37, 39, 41, 53		3368391	115	5598128	116
	2166070	53		3368425	116, 149	5702321	97, 365
	2166127	53, 350		3368433	125, 130, 140, 375	5702322	97, 365
	2170221	140		3368433	125, 130, 140, 375	5702878	370
	2606200	218		3368458	157, 196	5702881	97
	2606208	219		3375834	125, 130, 140, 375	5703041	23
	2606209	219		3375933	156	5703471	98, 366
	2606210	219		3375941	152	5703701	97, 365
	2606211	219		3375958	152, 159	5703702	97, 365
	2606212	220	4	4321563	155	5703703	98, 366
	2606213	220		4322975	164	5703704	98, 366
	2606214	220		4329822	144, 190, 376	5703705	97
	2606215	220		4329848	144, 190	5703706	97, 365
	2606218	220		4329889	144, 190	5703707	97, 365
	2606219	220		4527750	123, 175, 201	5703708	98, 366
	2606220	221		4528741	156	5704593	99
	2606221	221		4529988	169, 378	5704962	24
	2606225	221		4710211	170	5704964	23
				4711201	169, 378	5731281	154
				4714387	164	5732354	170
				4714395	164	5734418	122
				4714429	164	5736744	161
						5741975	157, 196

INDEX

5790124	99	7497014	128, 203, 214, 370	8405031	86
5947226	124	7498947	155	8405371	87
5947697	170	7864155	155	8405435	30, 50
5947804	161	7864908	155	8405752	29, 52, 338
5950196	115	7869469	165, 378	8406138	300, 400
5954859	161	7869477	165	8407475	44, 98
5956359	213	7869485	166, 378	8408647	86
5956367	213	7869493	166	8408950	81
5957100	167, 378	7869501	166	8409609	299
5957118	167, 378	7869535	165	8409625	86
5957126	167	7869543	165	8409626	110, 367
5957134	167	7869550	165, 378	8409627	29, 33, 34, 35, 36, 42, 52, 338, 340, 341, 342, 343, 346
5957142	167	7869584	166, 378	8409634	33, 35, 340, 342
6 6723976	253, 264, 273, 280, 395	7869592	165	8409683	74, 358
6724492	82	7869600	378	8409742	33, 34, 35, 36, 54, 320, 340, 341, 342, 343, 351
6733895	39, 62	7869618	166, 378	8409746	300, 401
6850250	111, 368	7870947	163	8409841	300, 400
6850435	197	7872174	162	8409897	33, 35, 36, 52, 340, 342, 343
6850645	111, 368	8 8201012	140, 373	8409898	339
6850720	111, 368	8201013	322, 373	8410049	30
6850930	111	8290274	30	8410079	38, 54, 344, 351
6870279	63, 197	8290285	42, 52, 346	8410179	109, 367
6870280	63, 197, 353	8290286	39, 168	8410185	109, 367
6870281	197	8305622	110	8410230	62, 359
6871500	63, 353	8306370	110	8410535	87
6871950	63, 197, 353	8306487	359	8410536	87
6871980	39, 109	8306488	331	8410547	99
6872020	168	8401644	32	8410580	80
6872128	168	8401645	29, 33, 35, 50, 338, 339, 340, 342	8410600	86
6872130	168	8402041	30, 32	8410709	36, 343
7 7014616	144, 190, 221	8402868	82	8410814	34, 341
7257988	116	8402918	30	8410816	34, 341
7262764	140, 188, 209, 216	8402953	38, 43, 344, 347	8410929	45
7265155	196	8403056	29, 52, 338	8411024	93, 362
7265163	196	8403070	36, 343	8411030	92, 247, 362
7270304	128, 203, 214	8403075	29, 33, 35, 38, 43, 50, 338, 340, 342, 344, 347, 349	8411031	92, 247, 362
7270312	128, 203, 214	8403076	30, 32, 52	8411041	36, 343
7270460	153	8403077	50, 339, 349	8411044	33, 35, 36, 52, 340, 342, 343
7485621	116, 149, 150	8403080	36, 343	8411045	35, 36, 89, 342, 343
7486140	124	8403201	54	8411047	88, 360
7486876	155	8403208	54, 339, 351	8411048	90, 361
7489417	155	8403333	29, 338	8411050	91, 361
7489433	155	8403345	86	8411073	88, 360
7492601	127, 347	8403377	339	8411074	89, 360
7496875	138, 185, 208, 215	8403566	30, 32	8411075	306
7496891	138, 185, 208, 372	8403684	52, 339	8411097	90, 361
7496909	138, 185, 208, 215, 372	8403685	30, 32, 44	8411130	109, 367
7496917	185, 208, 215	8403735	109	8411153	34, 341
7496917	138, 372	8403896	251, 387	8411154	34, 89, 341, 360
7496925	138, 185, 215, 372	8403944	339	8411352	339
7496933	138, 185, 215, 372	8404760	29, 338	8411353	339
7496966	129, 204, 370	8404985	30, 32, 41, 52	8411354	339
7496974	129, 370	8405000	92, 247	8411471	339
7496982	129, 204, 214	8405029	86		
7496990	129, 204, 214				
7497006	128, 203, 214				

INDEX

8411472	339	8418473	335	2M30079	312
8412001	45	8418474	335	2M30084	312
8412015	80	8418475	335	2M30160	312
8412034	45, 109	8418476	335	2M30161	312
8412068	45	8418490	334	2M30263	311
8412081	35, 342	8418491	334	2M30462	330
8412217	88	8418531	334	2M50040	306
8412218	88	8418533	335	2M50385	305
8412235	45, 51	8418534	335	2M50412	305
8412344	29, 338	8418535	335	2M85003	291
8412710	197	8418536	335	2M85011	265
8412860	31	8418537	335	2M85012	265
8412888	31, 32, 41, 50	8418538	335	2M85013	265
8412913	45	8418539	335	2M85049	292
8412935	92	8418540	335	2M85056	242, 253, 261, 273, 393
8412985	92, 247, 362	8418550	333	2M85119	253, 262, 273, 293, 396
8413125	80	8418582	333	2M85139	281
8413146	30	8418583	333	2M85151	273, 278
8413293	45	8418584	333	2M85153	273, 278
8413660	81	8418603	334	2M85163	273, 279
8414776	80	8418605	334	2M85233	294, 397
8414966	90, 361	8418607	334	2M85239	253, 262, 269, 272, 273, 292, 396
8414968	90, 361	8418609	334	2M85274	292, 297, 399
8414969	89	8418611	334	2M85337	242, 295, 297, 399
8414986	32	8418617	334	2M85441	269, 271
8414987	33, 340	8418619	334	2M85442	269, 271
8414989	90, 361	8419160	157, 196	2M85443	269, 271
8414991	28	8420077	157, 196	2M85446	253, 262, 269, 272, 273, 292, 396
8414992	90	8539983	157, 196	2M85571	249
8414993	32, 33, 89, 340, 360	8601139	39	2M85575	245
8414994	28, 337	8601697	230, 232, 236, 287, 381	2M85594	253, 266, 269, 395
8415270	81			2M85607	253, 261, 273, 393
8416352	197	2M 2M12754	38, 344	2M85674	248
8416600	110	2M13259	87	2M85692	248
8416750	80	2M14190	312	2M85693	248
8417050	81	2M16520	313	2M85705	298
8418077	351	2M16843	249	2M85706	298, 400
8418282	88, 360	2M17909	324	2M85728	236
8418283	88, 360	2M18420	324	2M85759	251, 387
8418289	34, 36, 51, 341, 343	2M18810	246, 312	2M85794	252, 388
8418404	34, 341	2M19063	266, 395	2M85795	252, 388
8418405	34, 341	2M19090	246	2M85796	252, 388
8418407	34, 341	2M19250	312	2M85813	251, 387
8418415	334	2M20434	312	2M85834	239, 245, 385
8418416	334	2M20827	311	2M85835	239, 245
8418417	334	2M20914	312	2M85853	245
8418418	335	2M21009	329	2M85912	239
8418419	335	2M21010	329	2M86029	242, 244
8418420	335	2M21012	311	2M86174	242, 244
8418421	335	2M21021	324	2M86185	244
8418422	335	2M21023	324	2M86204	241
8418423	335	2M21158	313	2M86205	241
8418433	91, 361	2M21161	313	2M86207	253, 266, 395
8418455	34, 341	2M21186	306, 313	2M86248	229
8418458	36, 343	2M21191	313	2M86249	230
8418462	90	2M21342	313	2M86291	99
8418471	335	2M21514	306, 312		
8418472	335	2M30078	312		

INDEX

2M86292	99	M16395	281	M35385	287
2M86293	99	M17716	249	M35386	287
2M86410	243, 244	M17717	249	M35387	287
2M86463	298, 400	M19335	38, 344	M35388	287
2M86464	116, 150, 298	M19336	38, 344	M35389	286
2M86465	300, 401	M19338	38, 344	M35390	286
2M86511	44	M19347	339	M35393	286
2M86516	228, 381	M19351	33, 34, 35, 36, 340, 341, 342, 343	M35394	286
2M86517	225, 379	M20650	292	M35395	286
2M86551	228	M20668	281	M35396	286
2M86552	232	M20719	294, 397	M35397	286
2M86553	225	M21112	294	M35398	286
2M86554	231	M22764	72, 356	M35399	286
2M86561	227, 380	M23840	30, 32	M35402	286
2M86562	225	M24678	291	M35403	286
2M86563	225	M24692	291	M35404	286
2M86564	227, 380	M24695	294, 397	M35405	286
2M86565	231	M25121	293, 397	M35406	286
2M86567	226	M25567	339	M35416	285
2M86568	228	M25647	30, 32, 37, 38, 39, 40, 41, 42, 43, 52, 344, 345, 346, 347	M35417	285
2M86569	231	M25649	32, 41, 51	M35420	285
2M86570	232	M25650	49	M35421	285
2M86571	229	M25682	49	M35422	285
2M86575	229, 381	M25739	292	M35423	285
2M86680	246, 385	M25742	272	M35424	285
2M86752	269, 271	M25780	265, 395	M35434	285
2M86757	269, 272	M26145	293, 397	M35435	285
2M86758	253, 265, 269, 272	M26146	293, 397	M35436	285
2M86793	233, 382	M26240	294, 397	M35452	285
2M86800	44	M26391	291	M35453	285
2M86832	44, 98	M26842	242, 253, 262, 273, 292, 396	M35454	285
2M86837	23	M26859	253, 262, 273, 396	M35455	285
2M86841	23	M27077	42, 43, 49, 346, 347, 349	M35456	285
2M86913	99	M27542	43, 347	M35457	285
AM AM00201	40, 345	M30146	37	M35489	283
AM AM00202	40, 345	M30543	49	M35490	283
AM AM00203	50	M32692	168	M35491	283
AM AM00209	40, 345	M33278	37, 39, 49	M35495	283
AM AM00354	40, 345	M33681	38, 344	M35496	283
CH CH00102	264, 280	M34461	43, 347	M35497	283
G G12985	295	M34568	38, 43, 51, 344, 347, 349	M35498	283
G G13040	295	M35056	239, 244	M35499	283
G G13171	295	M35058	239, 244	M36000	283
G G13768	295	M35330	285	M36001	283
G G15225	295	M35332	285	M36002	283
M M06258	245, 385	M35333	286	M36003	283
M M07152	99	M35335	286	M36004	284
M M11015	93, 249	M35339	286	M36005	284
M M11044	74, 358	M35340	286	M36006	284
M M12394	93, 249	M35375	287	M36010	284
M M14631	72, 356	M35376	287	M36011	284
M M14632	72, 356	M35377	287	M36012	284
M M14633	72	M35383	287	M36013	284
M M14737	74	M35384	287	M36014	284
				M36015	284
				M36016	284
				M36017	284
				M36018	284

INDEX

MK	MK00514	264	MP00356	14	MP00550	253, 257
	MK01418	258	MP00361	13	MP00551	253, 257
	MK01420	258	MP00362	13	MP00552	253, 257, 269, 270
	MK01422	255	MP00363	13, 336	MP00555	253, 264, 269, 273, 280, 395
	MK01900	109	MP00365	19	MP00560	269, 271
	MK02588	105	MP00366	19	MP00565	282
	MK02935	40, 345	MP00371	19	MP00566	282
	MK03140	255	MP00372	19	MP00569	282
	MK03320	255	MP00374	20	MP00570	253, 266
	MK04248	41	MP00375	20	MP00578	267
	MK04249	42, 346	MP00378	14	MP00579	281
			MP00379	14	MP00580	267
MP	MP00006	251, 387	MP00380	16	MP00587	297, 399
	MP00038	242, 244	MP00381	16	MP00589	297, 399
	MP00061	263, 394	MP00383	16, 336	MP00591	296, 398
	MP00090	294	MP00384	16	MP00592	296, 398
	MP00100	237, 238	MP00416	239, 246, 385	MP00593	296, 398
	MP00100	241	MP00493	300, 400	MP00595	282
	MP00100	242, 243	MP00494	267	MP00596	282
	MP00220	81	MP00495	281	MP00597	296, 398
	MP00222	16	MP00496	267	MP00601	296, 398
	MP00224	81	MP00497	281	MP00602	296, 398
	MP00234	21, 337	MP00498	294	MP00603	296, 398
	MP00300	11	MP00501	253, 254	MP00604	296, 398
	MP00301	17	MP00502	253, 254	MP00605	296, 398
	MP00302	17	MP00503	253, 254	MP00606	296, 398
	MP00303	17	MP00504	253, 254	MP00607	296, 398
	MP00304	17	MP00505	254, 269	MP00608	296, 398
	MP00305	15	MP00505	253, 270	MP00615	297, 399
	MP00308	21, 337	MP00506	253, 259	MP00625	296, 398
	MP00309	21, 337	MP00507	273, 274	MP00626	296, 398
	MP00310	24, 315, 337	MP00508	273, 274	MP00634	268
	MP00311	24, 315, 337	MP00509	273, 274	MP00635	268
	MP00312	24	MP00510	273, 274	MP00636	268
	MP00313	24	MP00511	273, 274, 389	MP00637	268
	MP00315	14	MP00512	273, 275, 279	MP00650	293, 397
	MP00316	14	MP00514	253, 254	MP00651	293, 397
	MP00327	15	MP00515	273, 274	MP00652	293, 397
	MP00329	15, 336	MP00516	253, 254, 269, 270	MP00653	116, 150, 301
	MP00330	18	MP00518	273, 279	MP00656	267
	MP00331	18	MP00530	253, 256	MP00657	267
	MP00333	18, 336	MP00531	253, 256	MP00660	253, 255, 390
	MP00334	13	MP00532	253, 256	MP00661	253, 259, 390
	MP00335	23	MP00533	253, 256	MP00663	273, 275
	MP00337	13	MP00534	253, 256	MP00664	273, 275
	MP00338	12	MP00535	253, 256, 269, 270	MP00690	299
	MP00340	25	MP00536	253, 260	MP00692	301
	MP00341	27	MP00537	273, 276	MP00693	301
	MP00342	25	MP00538	273, 276	MP00715	169, 378
	MP00343	28, 337	MP00539	273, 276	MP00716	169, 378
	MP00344	28	MP00540	273, 276	MP00717	169, 378
	MP00345	28	MP00541	273, 276	MP00718	169
	MP00349	11	MP00542	273, 277, 391	MP00721	116
	MP00350	11	MP00544	273, 277	MP00722	169
	MP00351	12	MP00545	253, 257, 392	MP00748	188
	MP00352	12	MP00547	253, 260, 392	MP00788	131, 176, 205
	MP00353	12, 336	MP00548	253, 256	MP00789	131, 176, 205, 370
	MP00355	15	MP00549	273, 276		

INDEX

MP00790	132, 177, 205	MP01063	63, 197, 353	MP01260	226
MP00791	132, 177, 205	MP01071	94	MP01261	226
MP00792	132, 177, 322, 370	MP01072	94	MP01270	235
MP00793	132, 177, 205	MP01073	94	MP01325	26
MP00794	132, 177, 322, 370	MP01074	94	MP01326	25
MP00795	131, 176, 205	MP01075	94	MP01329	27, 337
MP00796	131, 176, 205	MP01076	94	MP01330	27, 333
MP00797	176	MP01078	94	MP01340	25
MP00799	131, 176, 205	MP01079	94	MP01341	25
MP00800	176	MP01085	94	MP01343	27
MP00875	120, 174, 200	MP01086	94	MP01347	26
MP00877	120, 174, 200	MP01087	94	MP01348	25
MP00879	120, 174, 200	MP01101	240, 241	MP01350	25
MP00881	120, 174, 200	MP01102	240, 241	MP01401	307
MP00911	146, 192	MP01103	240, 242, 243	MP01402	314
MP00912	146, 192	MP01104	240	MP01403	317
MP00913	146, 192	MP01105	240	MP01404	314
MP00915	146, 192	MP01188	227, 380	MP01405	317
MP00916	146, 192	MP01191	228, 381	MP01414	331
MP00917	146, 192	MP01192	228	MP01415	330
MP00918	146, 192	MP01193	232	MP01416	330
MP00919	146, 192	MP01194	228	MP01417	330
MP00921	146, 192	MP01195	232	MP01418	330
MP00924	147, 193	MP01196	229	MP01423	305, 330
MP00925	147, 193	MP01197	229, 381	MP01424	330
MP00926	147, 193	MP01198	229	MP01426	305, 330
MP00928	147, 193	MP01199	230	MP01427	307, 330
MP00929	147, 193	MP01200	233, 382	MP01440	332
MP00930	147, 193	MP01201	230, 381	MP01441	332
MP00931	147, 193	MP01202	232	MP01442	332
MP00932	147, 193	MP01204	233, 382	MP01443	332
MP00934	147, 193	MP01205	250, 386	MP01444	332
MP00945	145, 191	MP01206	250, 386	MP01445	332
MP00953	145, 191	MP01207	250, 386	MP01501	69, 354
MP00990	211	MP01208	251, 387	MP01502	69, 354
MP00991	143, 189	MP01209	250, 386	MP01503	69
MP00992	143, 189	MP01210	234, 383	MP01504	69
MP00993	143, 189	MP01211	234, 383	MP01505	69
MP00994	143, 189	MP01212	235, 384	MP01506	69
MP00995	143, 189	MP01213	235, 384	MP01510	70, 355
MP00996	143, 189	MP01214	236, 384	MP01511	70, 355
MP00997	143, 189, 376	MP01215	236, 384	MP01512	70, 355
MP00998	143, 189, 376	MP01216	236	MP01513	70
MP01001	91, 361	MP01217	236	MP01514	70
MP01002	89, 360	MP01218	234, 383	MP01515	70
MP01006	91	MP01219	235	MP01516	70
MP01007	32, 50, 91	MP01220	236, 384	MP01521	71, 355
MP01008	89	MP01221	236	MP01522	71, 355
MP01010	93, 362	MP01222	234, 383	MP01523	71
MP01030	93, 362	MP01223	235	MP01524	71
MP01031	93	MP01224	236, 384	MP01531	71, 355
MP01032	93, 362	MP01225	236	MP01532	71, 355
MP01035	93	MP01226	235	MP01533	71
MP01036	93	MP01227	235	MP01534	71
MP01037	93, 362	MP01228	235	MP01543	71
MP01060	80	MP01229	235	MP01544	71
MP01061	81	MP01235	236, 384	MP01545	71
MP01062	63, 197	MP01255	236	MP01546	71

INDEX

MP01551	74, 358	MP01684	85	MP01945	79
MP01552	74	MP01685	85	MP01946	75
MP01557	74, 358	MP01686	85	MP02400	54
MP01558	74	MP01730	58, 61	MP02401	54
MP01559	74, 358	MP01735	58, 61	MP02405	54
MP01560	74	MP01740	58, 61, 352	MP02600	80
MP01561	74, 358	MP01745	58, 61, 352	MP02605	22
MP01562	74	MP01750	58, 61	MP02606	22
MP01564	67	MP01755	56, 60	MP02607	22
MP01565	67	MP01765	56, 60	MP02720	19
MP01566	67	MP01770	56, 60, 251	MP02721	19
MP01567	67	MP01785	57, 60	MP02900	73, 315, 356
MP01568	67	MP01790	57, 60, 251	MP02920	78, 357
MP01569	67	MP01795	57, 60	MP02921	78, 357
MP01570	65	MP01800	55, 59	MP02922	78
MP01571	65	MP01801	55, 59	MP02923	78
MP01572	65	MP01805	55, 59	MP02924	78, 357
MP01573	65	MP01810	55, 59	MP02925	78, 357
MP01574	65	MP01815	55, 59	MP02926	78
MP01575	65	MP01820	55, 59, 352	MP02927	78
MP01576	67	MP01825	55, 59, 352	MP02928	78, 357
MP01577	67	MP01840	64	MP02929	78, 357
MP01578	67	MP01845	64	MP02930	78
MP01579	67	MP01850	64	MP02931	78
MP01580	67	MP01855	64	MP02932	78, 357
MP01581	67	MP01860	64	MP02933	78, 357
MP01583	68	MP01890	64	MP02934	78
MP01584	68	MP01895	64	MP02935	78
MP01585	68	MP01910	73, 315, 356	MP02959	183
MP01590	68, 74, 358	MP01911	73, 315, 356	MP02960	183
MP01591	68	MP01912	73	MP02961	183
MP01592	68	MP01913	73	MP02962	183
MP01620	66	MP01914	73	MP02971	184
MP01621	66	MP01915	73	MP02972	184
MP01622	66	MP01916	74, 358	MP02974	179
MP01623	66	MP01917	74	MP02975	179
MP01624	66	MP01920	75	MP02976	135, 180, 206
MP01625	66	MP01921	75	MP02977	135, 180, 206
MP01632	68	MP01922	77	MP02978	135, 180, 206, 371
MP01656	83	MP01923	77	MP02979	135, 180, 371
MP01657	83	MP01924	76	MP02980	135, 180, 371
MP01660	84	MP01925	76	MP02981	137, 182, 207
MP01661	84	MP01926	75	MP02982	137, 182, 207
MP01662	84	MP01927	79	MP02983	137, 182, 207
MP01663	84	MP01928	79	MP02984	137, 182, 207, 371
MP01664	84	MP01929	79	MP02985	137, 182, 207
MP01665	84	MP01930	75	MP02986	135, 180
MP01668	84	MP01931	75	MP02988	179
MP01669	84	MP01932	76	MP02989	179
MP01671	84	MP01933	76	MP02991	176
MP01673	84	MP01934	75	MP02992	176
MP01674	84	MP01935	77	MP02993	131, 176, 205
MP01676	83	MP01936	77	MP02994	134, 206, 374
MP01677	83	MP01940	79	MP02997	184
MP01680	85	MP01941	79	MP02998	184
MP01681	85	MP01942	79	MP03120	174
MP01682	85	MP01943	79	MP03121	174
MP01683	85	MP01944	79	MP03122	120, 174, 200

INDEX

MP03123	120, 174, 200	MS14560	117, 171, 198	MS22259	197
MP03191	133, 178	MS14679	124, 175, 201, 213	MS22532	151, 195
MP03192	133, 178, 371	MS14680	124, 175, 201, 213	MS22533	151, 195
MP03193	133, 178	MS14681	124	MS22534	151, 195
MP03194	176	MS14682	117, 171, 198	MS22535	151, 195
MP03195	134, 374	MS14683	117, 171, 198	MS22832	175
MP03196	176	MS14693	172	MS22905	211, 213, 217
MP03197	139, 186	MS14694	172	MS23598	152
MP03198	139, 186	MS14796	161	MS23897	195
MP03199	184	MS15007	162	MS23898	195
MP03200	184	MS15053	162	MS24303	130, 205, 374
MP03201	184	MS15084	162	MS25951	175
MP03202	184	MS15085	162	MS26122	149
MP03203	186	MS15086	162	MS26123	149
MP03204	136, 181, 371	MS15087	162	MS26125	149
MP03205	136, 181	MS15893	149	MS26187	166
MP03206	136, 181	MS15894	149	MS26188	166
MP03207	137, 182, 207	MS15895	149	MS28557	118, 172
MP03208	179	MS15896	149	MS28558	118, 172
MP03322	249	MS16160	119	MS28559	118, 172
MP03391	226	MS16161	119	MS28560	118, 172
MP03392	230	MS16229	119	MS28561	118, 172
MP03393	226	MS16230	119	MS29468	161
MP03394	230	MS16232	119		
MP03395	231	MS16233	119	MU MU03677	329
MP03396	232	MS16256	124, 175, 201	MU03681	329
MP03398	227	MS16444	126, 202	MU03876	308, 309, 319, 325, 327
MP03399	227	MS16445	126, 202	MU03891	309
MP03401	121, 173, 199	MS16446	126, 373	MU03927	329
MP03402	121, 173, 199	MS16447	126, 373	MU04366	319, 325, 327
MP03403	121, 173, 199	MS16448	126, 202	MU04472	320, 325, 327
MP03404	121, 173, 199	MS16449	126, 202	MU04767	325
MP03405	121, 173, 199	MS16492	124	MU04771	325
MP03406	121, 173, 199	MS16916	159	MU04772	325
MP03407	173	MS16918	159	MU04804	325
MP03408	173	MS16919	159	MU04991	325
MP03411	122	MS16920	159	MU06008	320, 326, 328
MP03412	122	MS17041	127, 203, 374	MU06009	319, 325, 327
MP03413	122	MS17075	149	MU06011	319, 326, 328
MP03414	122	MS17185	118, 172	MU06558	331
MP03415	122	MS17330	125, 130, 140, 202, 209, 375	MU06560	331
MP03416	122			MU06570	308, 309, 319, 325, 327
MP03417	122	MS17441	159	MU06662	310
MP03418	122	MS17522	130, 205, 374	MU06664	310
MP03421	199, 213	MS18630	211, 213, 217	MU06665	310
MP03422	199, 213	MS18680	127, 203, 374	MU06666	310
MP03423	199, 213	MS18683	125, 130, 140, 202, 209, 375	MU06667	310
MP03424	199, 213			MU06668	310
MP03425	199, 213	MS20093	115	MU06732	310
MP03426	199, 213	MS20094	115	MU06933	309, 317, 319
MP03597	281	MS20163	127	MU06941	331
		MS20475	172	MU06942	331
MS MS13218	162	MS20476	172	MU06943	331
MS13235	126, 202	MS20725	150, 195	MU06944	331
MS13926	127, 374	MS20783	195	MU06951	309, 317, 319, 325, 327
MS14555	117, 171, 198	MS20979	188	MU06955	309
MS14556	117, 171, 198	MS22147	151, 195	MU06956	331
MS14559	117, 171, 198	MS22148	151, 195	MU07266	309

INDEX

MU09390	317		
MU09577	314		
MU09578	317		
MU09579	314		
MU09580	317		
MU10175	318		
MU10384	318		
MU10833	309		
MU10841	315		
MU10900	315		
MU10902	316		
MU10915	316		
MU10916	316		
MU10917	316		
MU10918	308, 316		
MU10923	316		
MU11225	314		
MU11228	314		
MU12249	307		
MU12504	308		
MU12520	307		
MU12525	307		
MU12533	307		
MU12551	307		
MU12609	308		
MU12702	308		
MU13202	308		
MU16052	326, 328		
MU17191	308		
MU21120	308		
MU24400	320		
MU24401	320		
MU24402	320		
MU24403	321		
MU24404	321		
MU24405	321		
MU24406	321		
MU24407	321		
MU24408	321		
MU24409	320		
MU24685	321		
MU24686	322		
MU24688	322		
MU24903	308		
MU25381	323		
MU25382	323		
MU25383	323		
MU25384	323		
MU25426	320		
MX MX00001	103		
MX00004	103		
MX00013	105		
MX01004	140, 216		
MX01005	140, 216		
MX01049	111		
MX01050	306		
MX03300	95		
MX03301	95		
MX03302	95, 363		
MX03303	95, 363		
MX03304	95		
MX03305	95		
MX03306	95		
MX03307	95, 363		
MX03308	95, 363		
MX03309	95		
MX03311	95		
MX03312	95, 363		
MX03313	95		
MX03314	95, 363		
MX03315	95, 96, 363, 364		
MX03316	95, 363		
MX03317	96		
MX03318	96		
MX03319	96, 363		
MX03320	96, 363		
MX03321	96		
MX03322	96		
MX03323	96		
MX03324	96, 363		
MX03325	96, 363		
MX03326	96		
MX03327	95, 96		
MX03328	96, 364		
MX03329	96, 363		
MX03330	96		
MX03331	96, 364		
MX10209	103		
MX11000	305, 311		
MX11001	305, 311		
MX11002	331		
MX17012	305		
MX17015	306		
MX17018	306		
MX22790	252, 388		
MX22793	252, 388		
MX23023	253, 263, 394		
MX23025	253, 263, 394		
MX23026	253, 263, 394		
MX37021	269, 272		
MX50004	103		
MX50028	96, 364		
MX50030	350		
MX50031	350		
MX50032	350		
MX50045	40, 42, 53, 345, 346, 350		
MX50046	53, 350		
MX50047	53		
MX50048	53		
MX50050	103		
MX50052	96, 363		
MX50053	96		
MX50054	96		
MX50065	141, 188, 210, 216		
MX50066	141, 188, 210, 216		
MX50067	141, 188, 210, 216, 373		
MX50068	141, 188, 210, 373		
MX50069	141		
MX50070	141		
MX50071	141, 188, 210, 216		
MX50090	105		
MX50100	103		
MX50120	103		

INDEX

1	1.5 m spiral hose and M12×1 screw connector	2M86291	99	Aeroneb® Solo Starter Kit, ES, IT, PT, GR, TK	MP01073	94
	1.5 m spiral hose and probe for central supply system	2M86292	99	Aeroneb® Solo Starter Kit, FR, NL, IT, GE	MP01072	94
	3.0 m spiral hose and probe for central supply system	2M86293	99	Aeroneb® Solo Starter Kit, Int.	MP01071	94
A	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090	105	Aeroneb® Solo Starter Kit, SW, NO, FI, DK	MP01074	94
	Absorber intermediate plate, to connect adapter to Cato, Cicero, or Fabius	MX00013	105	Aeroneb® Solo Starter Kit, UK	MP01075	94
	Activated charcoal filter for absorption of anesthetic vapors, disposable, 5 pcs.	6724492	82	Aeroneb® Solo Starter Kit, US	MP01076	94
	Adapter cable for Infinity® PiCCO® SmartPod®, for 10-pin connector	MS16920	159	AIR CS hose 1.5 m (4.9 ft)		
	Adapter cable for skin temperature probe 4, reusable	MU12520	307	NIST BS straight	M35402	286
	Adapter cable kit for TI 5400	2M18420	324	AIR CS hose 1.5 m (4.9 ft)		
	Adapter cable, 7-pin connector for temperature probe with ¼" connector	5198333	143	NIST EN AGASSg straight	M35383	287
	Adapter for Ambu Mark III	2120488	99	AIR CS hose 1.5 m (4.9 ft)		
	Adapter for Combibag	2M86913	99	NIST EN BS	M35393	286
	Adapter for Laerdal	2120496	99	AIR CS hose 1.5 m (4.9 ft)		
	Adapter for Laerdal new	5790124	99	NIST EN DIN	M35495	283
	Adapter for Oxidem for M12×1 (for existing hose systems)	8410547	99	AIR CS hose 1.5 m (4.9 ft)		
	Adapter for Resutator 2000/MR100	2120461	99, 366	NIST EN NF	M35420	285
	Adapter NIST to DIN CS-Coupling AIR	M35058	239, 244	AIR CS hose 1.5 m (4.9 ft)		
	Adapter NIST to DIN CS-Coupling O ₂	M35056	239, 244	NIST EN AGASSg straight	M35384	287
	Adapter WaterLock® 2, set of 6 pcs.	6872128	168	AIR CS hose 3 m (9.8 ft)		
	Adapter, for disposable sterilized water systems to O ₂ flowmeters, M34×1.5 to 9/16"	2M86680	246, 385	NIST BS straight	M35403	286
	Adapter, to connect a tube to AIR flowmeter, M32×1.5 to 5 mm nozzle	2M85575	245	AIR CS hose 3 m (9.8 ft)		
	Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	2M85853	245	NIST EN AGASSg straight	M35384	287
	Adapter, to connect tube to O ₂ flowmeter, M34×1.5 to 6 mm nozzle	M06258	245, 385	AIR CS hose 3 m (9.8 ft)		
	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416	239, 246, 385	NIST EN BS	M35394	286
	Adaptercable M-LNCS to LNC	MP02994	134, 206, 374	NIST EN DIN	M35496	283
	Adaptercable M-LNCS to MultiMed®	MP03195	134, 374	AIR CS hose 3 m (9.8 ft)		
	Adhesive Pad LNOP/LNCS TF-I, 20 pcs.	MP03198	139, 186	NIST NEUTRAL DIN	M36011	284
	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	8201012	140, 373	AIR CS hose 3 m (9.8 ft)		
	Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.	2170221	140	NIST NEUTRAL NF	M35453	285
				AIR CS hose 5 m (16.4 ft)		
				NIST BS straight	M35340	286
				AIR CS hose 5 m (16.4 ft)		
				NIST EN AGASSg straight	M35385	287
				AIR CS hose 5 m (16.4 ft)		
				NIST EN BS	M35335	286
				AIR CS hose 5 m (16.4 ft)		
			NIST EN DIN	M35497	283	
			AIR CS hose 5 m (16.4 ft)			
			NIST EN NF	M35332	285	
			AIR CS hose 5 m (16.4 ft)			
			NIST NEUTRAL DIN	M36012	284	
			AIR CS hose 5 m (16.4 ft)			
			NIST NEUTRAL NF	M35454	285	
			AIR distributor with 3 DIN terminal units, with rail clamp	2M19090	246	
			AIR flowmeter, 16 L/min, CS 6 cm, 5 bar, DIN, M32×1.5, ISO and neutral color	2M86565	231	
			AIR flowmeter, 16 L/min, CS, 4 bar, CARBA, M32×1.5, ISO	MP03395	231	

INDEX

AIR flowmeter, 16 L/min, CS, 5 bar, DIN, M32×1.5, ISO and neutral color	2M86554	231	Anesth. face mask ComfortStar®, disposable, hook rg, bubblg., size 2, baby, 20 pcs.	MP01532	71, 355
AIR flowmeter, 16 L/min, rail, NIST gas inlet, 4 bar, M32×1.5, ISO	MP03396	232	Anesth. face mask ComfortStar®, disposable, hook rg, bubblg., size 3, inf., 20 pcs.	MP01533	71
AIR flowmeter, 16 L/min, rail, NIST gas inlet, 5 bar, M32×1.5, neutral color, ISO	MP01202	232	Anesth. face mask ComfortStar®, disposable, hook rg, bubblg., size 4, adt. S, 20 pcs.	MP01534	71
AIR flowmeter, 16 L/min, rail, with hose 2 m, 5 bar, DIN, M32×1.5, ISO	2M86552	232	Anesth. face mask ComfortStar®, disposable, hook rg, mint, size 4, adult S, 20 pcs.	MP01544	71
AIR flowmeter, 16 L/min, rail, with hose 2 m, 5 bar, DIN, M32×1.5, neutral color	MP01193	232	Anesth. face mask ComfortStar®, disposable, hook rg, mint, size 5, adult M, 20 pcs.	MP01545	71
AIR flowmeter, 32 L/min, CS, 5 bar, DIN, M32×1.5, ISO and neutral color	2M86569	231	Anesth. face mask ComfortStar®, disposable, hook rg, mint, size 6, adult L, 20 pcs.	MP01546	71
AIR flowmeter, 32 L/min, rail, with hose 2 m, 5 bar, DIN, M32×1.5, ISO	2M86570	232	Anesth. face mask ComfortStar®, disposable, hook rg, std., size 0, premat., 20 pcs.	MP01510	70, 355
AIR flowmeter, 32 L/min, rail, with hose 2 m, 5 bar, DIN, M32×1.5, neutral color	MP01195	232	Anesth. face mask ComfortStar®, disposable, hook rg, std., size 1, neo., 20 pcs.	MP01511	70, 355
Air intake filter for Caleo®, reusable, 20 pcs.	MX17015	306	Anesth. face mask ComfortStar®, disposable, hook rg, std., size 2, baby, 20 pcs.	MP01512	70, 355
Air intake filter for Isolette® C2000 and 8000, reusable, 4 pcs.	MU12504	308	Anesth. face mask ComfortStar®, disposable, hook rg, std., size 3, inf., 20 pcs.	MP01513	70
Air intake filter for Isolette® C450, reusable	MU03891	309	Anesth. face mask ComfortStar®, disposable, hook rg, std., size 4, adt. S, 20 pcs.	MP01514	70
Air intake filter for TI 500 and TI 500 Globe-Trotter, reusable, 6 pcs.	MU04472	320, 325, 327	Anesth. face mask ComfortStar®, disposable, hook rg, std., size 5, adt. M, 20 pcs.	MP01515	70
Air temperature probe for Isolette® C450, reusable	MU06955	309	Anesth. face mask ComfortStar®, disposable, hook rg, std., size 6, adt. L, 20 pcs.	MP01516	70
Air temperature sensor for Isolette® C500 and C550, reusable	MU06956	331	Anesth. face mask ComfortStar®, disposable, hook rg, strawb., size 1, neo., 20 pcs.	MP01521	71, 355
AIR/O ₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M36001	283	Anesth. face mask ComfortStar®, disposable, hook rg, strawb., size 2, baby, 20 pcs.	MP01522	71, 355
AIR/O ₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016	284	Anesth. face mask ComfortStar®, disposable, hook rg, strawb., size 3, inf., 20 pcs.	MP01523	71
AIR/O ₂ CS hose 3 m (9.8 ft) NIST EN DIN	M36002	283	Anesth. face mask ComfortStar®, disposable, hook rg, strawb., size 4, adt. S, 20 pcs.	MP01524	71
AIR/O ₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017	284	Anesthesia face mask ComfortStar®, disposable, hook rg, mint, size 3, inf., 20 pcs.	MP01543	71
AIR/O ₂ CS hose 5 m (16.4 ft) NIST EN DIN	M36003	283	Anesthesia face mask LiteStar®, disposable, w/o hook ring, size 1, premat., 30 pcs.	MP01501	69, 354
AIR/O ₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018	284			
Airway connector ErgoStar® AC 90, disposable, double-swivel elbow w/ double cap, 100 pcs.	MP01890	64			
Airway connector ErgoStar® AC 95, disp., w/ Luer Lock sampling port, 1 00 pcs.	MP01895	64			
Analog cable for Babylog® 8000, 3 pcs.	8306487	359			
Anesth. face mask ComfortStar®, disposable, hook rg, bubblg., size 1, neo., 20 pcs.	MP01531	71, 355			

INDEX

Anesthesia face mask LiteStar [®] , disposable, w/o hook ring, size 2, baby, 30 pcs.	MP01502	69, 354		
Anesthesia face mask LiteStar [®] , disposable, w/o hook ring, size 3, infant, 30 pcs.	MP01503	69		
Anesthesia face mask LiteStar [®] , disposable, w/o hook ring, size 4, adult S, 30 pcs.	MP01504	69		
Anesthesia face mask LiteStar [®] , disposable, w/o hook ring, size 5, adult M, 30 pcs.	MP01505	69		
Anesthesia face mask LiteStar [®] , disposable, w/o hook ring, size 6, adult L, 30 pcs.	MP01506	69		
Anesthesia set VentStar [®] , latex-free, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs.	MP00365	19		
Anesthesia set VentStar [®] , latex-free, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs.	MP00366	19		
Anesthesia set VentStar [®] , latex-free, disp., P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs.	MP00331	18		
Anesthesia set VentStar [®] , latex-free, disp., w/o Luer Lock, 1.8 m/0.8 m, 25 pcs.	MP00330	18		
Anesthesia set VentStar [®] , latex-free, disp., WT, w/o LL, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00371	19		
Anesthesia set VentStar [®] , latex-free, disposable, N, 1.8 m/1.1 m, 25 pcs.	MP00333	18, 336		
Anesthesia set VentStar [®] , latex-free, disposable, P, WT, 1 L, 1.8 m/1.1 m, 10 pcs.	MP00374	20		
Anesthesia set VentStar [®] , latex-free, disposable, P, WT, w/o LL, 1L, 1.8 m/1.1 m, 10 pcs.	MP00375	20		
Anesthesia set VentStar [®] , latex-free, disposable, WT, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00372	19		
Anesthesia set VentStar [®] , latex-free, disposable, WT, 2 L, 2.8 m/1.5 m, 10 pcs.	MP02721	19		
Anesthesia set VentStar [®] , latex-free, disposable, WT, w/o LL, 2 L, 2.8 m/1.5 m, 10 pcs.	MP02720	19		
Anesthesia set, latex-free, disposable, basic, 1.5 m/0.8 m, 25 pcs.	MP00301	17		
Anesthesia set, latex-free, disposable, extendable, 1.8 m/0.8 m, 25 pcs.	MP00303	17		
Anesthesia set, latex, disposable, basic, 1.5 m/0.8 m, 25 pcs.	MP00302	17		
Anesthesia set, latex, disposable, extendable, 1.8 m/0.8 m, 25 pcs.	MP00304	17		
Angle Socket ISO	8290274	30		
Automatic refilling set Tropic plus, for large sterile water containers	MP01208	251, 387		
B Bacteria filter IBF absorber, only use with Zeus [®] /Zeus [®] IE. 5 pcs.	MK02588	105		
Bacterial and viral filter system VarioSafe, for VarioAir [®] & VarioVac [®] , disposable, 10 pcs.	MP00555	253, 264, 269, 273, 280, 395		
Bacterial filter 767, disposable, for ejectors (model range until 2010)	CH00102	264, 280		
Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.	6723976	253, 264, 273, 280, 395		
Bacterial filter connection set, for inspiratory port of Babylog, without filter	8410230	62, 359		
Bacterial filter for Dräger patient monitors, reusable	8402868	82		
Bacterial filter, disposable, for endotr. Suction for Primus [®] , Fabius [®] , Zeus [®] , 20 pcs.	MK00514	264		
Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021	269, 272		
Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146	293, 397		
Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145	293, 397		
Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121	293, 397		
Battery charger for Infinity [®] Gamma/Gamma XL	4710211	170		
Battery for Isolette [®] C400 and C450, 8.4 V, rechargeable	MU07266	309		
Battery for TI 5400, 12 V, rechargeable	1828932	324		
Battery grip, adult, 2.5 V, 28 mm Ø	MX03301	95		
Battery grip, pediatric, 2.5 V, 19 mm Ø	MX03314	95, 363		
Battery, 12 V, rechargeable	MU16052	326, 328		
Battery, adult, 2.5 V	MX03327	95, 96		
Battery, pediatric, 2.5 V	MX03315	95, 96, 363, 364		
Bed clip for cables	MS15087	162		
Bed with tilt mechanism for BabyTherm [®] 8004 and 8010	2M30263	311		
Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302	95, 363		
Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307	95, 363		
Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303	95, 363		
Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308	95, 363		
Blade size 2 (Mac), reusable, 112 × 20 mm	MX03304	95		
Blade size 2 (Miller), reusable, 153 × 13 mm	MX03309	95		
Blade size 3 (Mac), reusable, 130 × 23 mm	MX03305	95		

INDEX

Blade size 4 (Mac), reusable, 150 × 25 mm	MX03306	95		
Block for EEG referential lead conversion	5954859	161		
BlueSet Anaesthesia Circlesystem (N/P)	M27542	43, 347		
BlueSet Anaesthesia Watertrap Zeus (P/A)	MK04248	41		
BlueSet Anesthesia (A)	M30146	37		
BlueSet Anesthesia (N/P)	M33681	38, 344		
BlueSet Anesthesia Primus/Pallas (A)	8601139	39		
BlueSet Anesthesia Zeus (N)	MK02935	40, 345		
BlueSet Anesthesia Zeus (P)	MK04249	42, 346		
BlueSet heated (A)	8414986	32		
BlueSet heated (N/P)	8414987	33, 340		
BlueSet heated HFV (N)	8411153	34, 341		
BlueSet heated Incubator (N)	8411041	36, 343		
BlueSet heated LowFlow (N/P)	8412081	35, 342		
BlueSet Ventilation (A)	8413146	30		
BlueSet Ventilation (N/P)	8412344	29, 338		
BlueSet Ventilation HME (A)	8412860	31		
Bolt, 2 pcs.	8403944	339		
Breath. circ. f. Resuscitaire VentStar®, ltx-fr, disposable, N, press. meas. line, 1 m, 25 pcs.	MP00311	24, 315, 337		
Breathing bag Medbag, latex-free, disposable, 0.25 L, 30 pcs.	MX50030	350		
Breathing bag Rainbow bag, latex-free, disposable, 0.5 L, colored, 30 pcs.	MX50031	350		
Breathing bag Rainbow bag, latex-free, disposable, 1 L, colored, 30 pcs.	MX50032	350		
Breathing bag set Infinity® ID, latex-free, disp., 2 L, 1.2 m, 25 pcs.	MP00341	27		
Breathing bag set Infinity® ID, latex-free, disp., 2 L, 1.5 m, 25 pcs.	MP01330	27, 333		
Breathing bag set Infinity® ID, latex-free, disposable, N, 0.5 L, 1.1 m, 25 pcs.	MP01329	27, 337		
Breathing bag set Infinity® ID, latex-free, disposable, P, 1 L, 1.1 m, 25 pcs.	MP01343	27		
Breathing bag set VentStar®, latex-free, disp., 2 L, 0.8 m, 25 pcs.	MP00222	16		
Breathing bag set VentStar®, latex-free, disp., 2 L, 1.2 m, 25 pcs.	MP00380	16		
Breathing bag set VentStar®, latex-free, disp., 2 L, 1.5 m, 25 pcs.	MP00381	16		
Breathing bag set VentStar®, latex-free, disposable, N, 0.5 L, 1.1 m, 25 pcs.	MP00383	16, 336		
Breathing bag set VentStar®, latex-free, disposable, P, 1 L, 1.1 m, 25 pcs.	MP00384	16		
Breathing bag with hole, latex, reusable, 0.5 L, for Kuhn set	2165763	53, 350		
Breathing bag with hole, latex, reusable, 1.5 L, for Kuhn set	2165775	53, 350		
Breathing bag with hole, latex, reusable, 2.3 L, for Kuhn set	2165783	53		
Breathing bag, chloroprene, reusable, 0.5 L	MX50045	40, 42, 53, 345, 346, 350		
Breathing bag, chloroprene, reusable, 1 L	MX50046	53, 350		
Breathing bag, chloroprene, reusable, 2 L	MX50047	53		
Breathing bag, chloroprene, reusable, 3 L	MX50048	53		
Breathing bag, latex, reusable, 0.5 L	2165686	53, 350		
Breathing bag, latex, reusable, 1.5 L	2165953	53, 350		
Breathing bag, latex, reusable, 2 L	2165694	53		
Breathing bag, latex, reusable, 2.3 L	2165708	53		
Breathing bag, latex, reusable, 3 L	2165716	53		
Breathing bag, latex, reusable, 5 L	2165724	53		
Breathing bag, silicone, reusable, 0.5 L	2166054	38, 43, 53, 344, 347, 350		
Breathing bag, silicone, reusable, 1.5 L	2166127	53, 350		
Breathing bag, silicone, reusable, 2.3 L	2166062	37, 39, 41, 53		
Breathing bag, silicone, reusable, 3 L	2166070	53		
Breathing circuit Fisher & Paykel RT212, disp., inspiratory heated, 10 pcs.	8414991	28		
Breathing circuit Fisher & Paykel RT225, disp., N, insp. heated, 10 pcs.	8414994	28, 337		
Breathing circuit for active humidification, latex-free, disposable, neonate, 20 pcs.	MU24409	320		
Breathing circuit for Oxylog 1000 VentStar®, latex-free, disposable, 1.8 m, 25 pcs. set	2M86837	23		
Breathing circuit for Oxylog 2000 VentStar®, latex-free, disposable, 1.8 m, 5 pcs. set	2M86841	23		
Breathing circuit for Oxylog 3000F 2000+ VentStar®, latex-fr., disposable, 3 m, 5 pcs.	MP00335	23		
Breathing circuit for Resuscitaire VentStar®, latex-free, disposable, N, 1 m, 25 pcs.	MP00310	24, 315, 337		
Breathing circuit Infinity® ID, latex-free, disp., dual heated, 1.5 m, 10 pcs.	MP00344	28		
Breathing circuit Infinity® ID, latex-free, disp., extendable, 2.2 m, 25 pcs.	MP01347	26		
Breathing circuit Infinity® ID, latex-free, disp., N, heated, 1.2 m, 10 pcs.	MP00343	28, 337		

INDEX

Breathing circuit Infinity® ID, latex-free, disp., smoothbore, 1.6 m, 25 pcs.	MP00340	25	Breathing circuit VentStar®, latex-free, disposable, coax., water trap, 2.1 m, 10 pcs.	MP00378	14
Breathing circuit Infinity® ID, latex-free, disp., water trap, 1.8 m, 25 pcs.	MP01326	25	Breathing circuit VentStar®, latex-free, disposable, extendable, 2.2 m, 25 pcs.	MP00355	15
Breathing circuit Infinity® ID, latex-free, disp.,P, water trap, 1.8 m, 25 pcs.	MP01341	25	Breathing circuit VentStar®, latex-free, disposable, N, heated, 1.2 m, 10 pcs.	MP00308	21, 337
Breathing circuit Infinity® ID, latex-free, disposable, basic, 1.8 m, 25 pcs.	MP01350	25	Breathing circuit VentStar®, latex-free, disposable, N, water trap, 1.8 m, 25 pcs.	MP00363	13, 336
Breathing circuit Infinity® ID, latex-free, disposable, basic, 2.5 m, 10 pcs.	MP01348	25	Breathing circuit VentStar®, latex-free, disposable, P, basic, 1.8 m, 25 pcs.	MP00351	12
Breathing circuit Infinity® ID, latex-free, disposable, coaxial, 1.6 m, 20 pcs.	MP00342	25	Breathing circuit VentStar®, latex-free, disposable, P, basic, w/o LL, 1.5 m, 25 pcs.	MP00338	12
Breathing circuit Infinity® ID, latex-free, disposable, heated, 1.5 m, 10 pcs.	MP00345	28	Breathing circuit VentStar®, latex-free, disposable, P, water trap, 1.8 m, 25 pcs.	MP00361	13
Breathing circuit Infinity® ID, latex-free, disposable, P, basic, 1.8 m, 25 pcs.	MP01340	25	Breathing circuit VentStar®, latex-free, disposable, P, water trap, w/o LL, 1.8 m, 25 pcs.	MP00362	13
Breathing circuit Infinity® ID, latex-free, disposable, smoothbore, 3 m, 10 pcs.	MP01325	26	Breathing circuit VentStar®, latex-free, disposable, smoothbore, f. MRI, 3 m, 10 pcs.	MP00327	15
Breathing circuit Oxylog 3000, 3000+ VentStar®, ltx-fr., disp., P, 1.9 m, 5 pcs.	5704964	23	Breathing circuit VentStar®, latex-free, disposable, water trap, 1.8 m, 25 pcs.	MP00337	13
Breathing circuit Oxylog 3000, 3000+,2000+VentStar®, ltx-fr., disposable, 1.5 m, 5 pcs. set	5703041	23	Breathing circuit VentStar®, latex-free, disposable, water trap, w/o LL, 1.8 m, 25 pcs.	MP00334	13
Breathing circuit Vent Set, latex-free, disposable, coax, with holder, 1.5 m, 20 pcs.	MP00316	14	Breathing circuit VentStar®, latex-free, disposable, coaxial, 1.8 m, 20 pcs.	MP00356	14
Breathing circuit Vent Set, latex-free, disposable, extendable, 1.8 m, 25 pcs.	MP00305	15	Breathing circuit VentStar®, latex-free, disposable, N, basic, 1.8 m, 25 pcs.	MP00353	12, 336
Breathing circuit Vent Set, latex-free, disposable, basic, 1.5 m, 25 pcs.	MP00300	11	Breathing circuit VentStar®, latex-free, disposable, N, MRI, 3 m, 10 pcs.	MP00329	15, 336
Breathing circuit Vent Set, latex-free, disposable, coaxial, 1.5 m, 20 pcs.	MP00315	14	Breathing circuit VentStar®, latex-free, disposable, P, basic, 2.5 m, 25 pcs.	MP00352	12
Breathing circuit VentStar® Carina® ExpV, latex-free, disposable, 2 m, 25 pcs.	5704962	24	Breathing circuit VentStar®, latex-free, disposable, P, coaxial, 1.5 m, 20 pcs.	MP00379	14
Breathing circuit VentStar® Carina® ExpV,latex-free, disposable, 1.5 m, 25 pcs.	MP00313	24	Breathing circuit VentStar®, ltx-fr., disp., N, heated, w/o chamber, 1.2 m, 10 pcs.	MP00309	21, 337
Breathing circuit VentStar® Carina® LeakV, latex-free, disposable, 1.5 m, 25 pcs.	MP00312	24	Breathing circuit, latex-free, disposable, infant, 20 pcs.	MU24400	320
Breathing circuit VentStar®, latex-free, disp., basic, 1.8 m, 25 pcs.	MP00349	11	Breathing hose for Biomed MVP-10, reusable	MU04767	325
Breathing circuit VentStar®, latex-free, disp., basic, 2.5 m, 10 pcs.	MP00350	11	Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900	315

INDEX

Breathing hose for breathing hose set Zeus [®] , reus., N, 1.5 m, connector 15mm/22mm	AM00354	40, 345	
Breathing hose for Oxylog [®] 1000, reusable, silicone, 1.5 m	2M86511	44	
Breathing hose for Oxylog [®] 1000, reusable, silicone, 3 m	2112760	45	
Breathing hose for Resuscitaire [®] with AutoBreath, disposable, 25 pcs.	MU10841	315	
Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771	325	
Breathing hose holder for Babytherm, neonatal, for 10 mm breathing hose, mounts to Babytherm side access panels	2M21191	313	
Breathing hose Set for Babylog [®] 2000 (N), for ward use	8411352	339	
Breathing hose Set for Babylog [®] 2000 (N), for TI 5400	8411353	339	
Breathing hose set for Babylog [®] 2000/Aquapor EL (N)	8411471	339	
Breathing hose set for Babylog [®] 2000/F&P MR730, F&P MR730 (N)	8411472	339	
Breathing hose set for Oxylog [®] 2000/3000 family, reus., w/ flow meas. line, 3 m	8412913	45	
Breathing hose set for Oxylog [®] 2000/3000 family, reus., w/ flow meas. line, 1.5 m	8412068	45	
Breathing hose, Hytrel, 40 cm	8410816	34, 341	
Breathing hose, Hytrel, 65 cm	8410814	34, 341	
Breathing hose, Hytrel, 70 cm	8418404	34, 341	
Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038	32, 37, 39, 41, 46	
Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046	31, 37, 39, 44, 45, 46	
Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619	30, 32, 46	
Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627	30, 32, 41, 46	
Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm	8418458	36, 343	
Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/10 mm	2165600	47, 348	
Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm	2165651	33, 35, 36, 48, 340, 342, 343, 348	
Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678	38, 40, 42, 43, 47, 344, 345, 346, 347	
Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961	38, 43, 48, 344, 347, 348	
Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm	2165856	29, 33, 35, 48, 338, 340, 342, 348	
Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm	2165848	29, 33, 35, 42, 47, 338, 340, 342, 346, 348	
Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm	2165821	29, 33, 35, 42, 48, 338, 340, 342, 346, 348	
Breathing hose, silicone, reusable, P, 60 cm, connector 22 mm/22 mm, Ø 10 mm	2165902	47	
Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm	8403080	36, 343	
Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm	8403070	36, 343	
C Cable holder for rail, 10 pcs.	G15225	295	
Cable holder for support pole, 4 pcs.	G13171	295	
Cable mounting clip, reusable, Ø 2,54 cm, adhesive, 10 pcs.	MU06560	331	
Cable mounting clip, reusable, Ø 9,6 mm, adhesive, 10 pcs.	MU06558	331	
Calibration gas, for tpO ₂ /tcCO ₂ , 20,9% O ₂ and 5% CO ₂ , 12 pcs.	MP00717	169, 378	
Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415	168	
Calibration set, with test connection and test gas cylinder	8412710	197	
Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209	103	
Cap BabyFlow, disposable, size L, green, 5 pcs.	8418536	335	
Cap BabyFlow, disposable, size M, red, 5 pcs.	8418535	335	
Cap BabyFlow, disposable, size S, yellow, 5 pcs.	8418534	335	
Cap BabyFlow, disposable, size XL, orange, 5 pcs.	8418537	335	
Cap BabyFlow, disposable, size XS, white, 5 pcs.	8418533	335	
Cap BabyFlow, disposable, size XXL, blue, 5 pcs.	8418538	335	
Cap BabyFlow, disposable, size XXL+, black, 5 pcs.	8418539	335	
Cap for VarioVac [®] + VarioAir [®] B/OR, ISO, 10 pcs.	MP00494	267	
Cap for VarioVac [®] + VarioAir [®] B/OR, neutral color, 10 pcs.	MP00496	267	
Cap for VarioVac [®] + VarioAir [®] D, ISO, 10 pcs.	MP00495	281	
Cap for VarioVac [®] + VarioAir [®] D, neutral color, 10 pcs.	MP00497	281	
Cap for VarioVac [®] P + VarioAir [®] , ISO, 10 pcs.	MP00656	267	
Cap for VarioVac [®] P + VarioAir [®] , neutral color, 10 pcs.	MP00657	267	
Cap for water vacuum gauge	MP00595	282	
Cap Luer Lock	M34461	43, 347	
Cap set, reusable, 11 mm, 5 pcs.	8402918	30	

INDEX

Cap set, reusable, 7 mm, 5 pcs.	8402953	38, 43, 344, 347	
Cap, for 700 mL secretion jar, with overflow safeguard	2M85011		265
Cap, for secretion jar, for fistula indicator for continuous + thoracic drainage	2M85013		265
Cap, for secretion jar, w/ overflow safeguard + pressure relief valve (≥ 0.1 kPa)	2M85012		265
Cap, reusable, 11 mm	8401644		32
Cap, reusable, 7 mm		29, 33, 35, 50, 338, 339, 8401645	340, 342
Cardiac output kit, Argon (former Becton Dickinson/Ohmeda)	7265163		196
Cardiac output kit, Baxter	7265155		196
Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.	MP01840		64
Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.	MP01845		64
Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.	MP01850		64
Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.	MP01855		64
Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.	MP01860		64
Catheter receptacle, large, 12.2 × 25.2 × 12.2 cm (top) and Ø 85 mm (bottom)	MP00650		293, 397
Catheter receptacle, small, 12.2 × 16.6 × 12.2 cm (top) + Ø 60 mm (bottom)	MP00651		293, 397
Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119	253, 262, 273, 293, 396	
CLIC Absorber 800+, disposable absorber, 1.2 L, 6 pcs.	MX00004		103
CLIC Absorber Free, disposable absorber, 1.2 L, 6 pcs.	MX50100		103
CNAP™ cuff controller and cradle	MS26125		149
CNAP™ cuff controller forearm strap	MS26122		149
CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893		149
CNAP™ sensor cuff, size L	MS15896		149
CNAP™ sensor cuff, size M	MS15895		149
CNAP™ sensor cuff, size S	MS15894		149
CO cable for Infinity® PICCO® Pod	MS16916		159
CO catheter cable	8419160		157, 196
CO catheter cable for Infinity® PICCO® Pod	MS16918		159
CO connection cable, 1 m	3368458		157, 196
CO thermistor cable Argon (former Becton Dickinson/Ohmeda)	8420077		157, 196
CO thermistor cable Baxter/Edwards	8539983		157, 196
CO thermistor cable for Infinity® PICCO® Pod	MS16919		159
CO thermistor T-piece Argon (former Becton Dickinson/Ohmeda)	5741975		157, 196
CO ₂ airway adapter, adult, disposable, 10 pcs.	2606227		221
CO ₂ airway adapter, neonatal (infant/pediatric), 10 pcs.	2606228		221
CO ₂ cuvette disposable, adult, 10 pcs.	MP01062		63, 197
CO ₂ cuvette disposable, pediatric, 10 pcs.	MP01063		63, 197, 353
CO ₂ cuvette reusable, adult, for CO ₂ sensors 6871500, 6870300, 6871950	6870279		63, 197
CO ₂ cuvette reusable, pediatric, for CO ₂ sensors 6871500, 6870300, 6871950	6870280		63, 197, 353
CO ₂ mainstream sensor, for Evita 2 dura®, Evita® 4 Edition and Evita® XL	6871500		63, 353
CO ₂ mainstream sensor, for Evita® Infinity® V500, Babylog VN500, Infinity® M540 and Oxylog® 3000 plus	6871950		63, 197, 353
Compact rail, for 38 mm tube, standard rail profile 10 × 25 mm, each side 10 cm	2M85337		242, 295, 297, 399
Condensate management hoses for Isolette® 8000, disposable, 20 pcs.	MU21120		308
Connection cable Babylink	8306488		331
Connection cable for MX 300 and MX 300-i	MP01444		332
Connection cable, connects HemoMed Pod to monitor, 3 m	5591925		150
Connection cable, connects HemoMed Pod to monitor, 5 m	5591933		150
Connection hose, silicone, reus., ID 5 mm, wall thickness 2 mm, by meter	1203606		265, 395
Connector 900 MR 533, for HFV breathing circuit by F&P	8418407		34, 341
Connector 900 MR 830, for HFV breathing circuit by F&P	8418455		34, 341
Connector for breathing hose, reusable, A	8403076		30, 32, 52
Connector for endotracheal tube, plastic, reusable, 3 mm	M19335		38, 344
Connector for endotracheal tube, plastic, reusable, 3.5 mm	M19336		38, 344
Connector for endotracheal tube, plastic, reusable, 4.5 mm	M19338		38, 344
Connector for endotracheal tube, reusable, angled	M25567		339
Connector for endotracheal tube, reusable, size 11 mm		33, 34, 35, 36, 340, 341,	342, 343
	M19351		

INDEX

Connector for endotracheal tube, reusable, size 12.5 mm	M23840	30, 32	
Connector for endotracheal tube, reusable, size 9 mm	M19347	339	
Connector for Inhalette, O ₂ flowmeter to O ₂ /AIR connection hose, M34×1.5/M15×1	2M16843	249	
Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056	29, 52, 338	
Connector set for endotracheal tube, reusable, size 1.5 mm – 5.5 mm, 9 pcs.	8403684	52, 339	
Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	8403685	30, 32, 44	
Connector set for med. nebulizer, for neonatal breathing circuit	8411031	92, 247, 362	
Connector with Luer Lock port, reusable, 15 mm/22 mm	8290285	42, 52, 346	
Connector with Luer Lock port, reusable, part of breathing hose set Zeus®	AM00202	40, 345	
Connector, aluminum, reusable, 22 mm/11 mm	8405752	29, 52, 338	
Continuous drainage 1, for continuous and wound drainage	2M85151	273, 278	
Continuous drainage 3, for continuous, wound, and thoracic drainage	2M85153	273, 278	
Control panel	MP00589	297, 399	
Controller cable for Aeroneb Pro	MP01036	93	
Corrugated hose Tropic plus, reusable, 0.3 m, autoclavable, for nebulizers	2M85813	251, 387	
Corrugated hose Tropic plus, reusable, 1.2 m, autoclavable, for nebulizers	8403896	251, 387	
Corrugated hose, P, 14 cm, catheter mount	8403333	29, 338	
Corrugated hose, reusable, catheter mount	8402041	30, 32	
Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634	33, 35, 340, 342	
Corrugated hose, silicone, N, 20 cm, catheter mount	8410709	36, 343	
Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, lrg., 100 pcs.	MU06943	331	
Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, sm., 100 pcs.	MU06944	331	
Cover for skin temperature probe Critter Cover, foam, disposable, 100 pcs.	MU06942	331	
Cover for skin temperature probe Critter Cover, foam, disposable, 600 pcs.	MU06941	331	
Cover for skin temperature probe ThermoPad, Hydrogel, disposable, 50 pcs.	MX11002	331	
CS connection hose holder	2M85446	253, 262, 269, 272, 273, 292, 396	
CS hoses	8601697	230, 232, 236, 287, 381	
Cuff controller cradle allows CNAP™ cuff controller to "slide" with movement of patient's arm	MS26123	149	
Curtain clip, for fixing a curtain to telescopic arm	M21112	294	
Cylinder holder, necessary for fixing gas cylinders on cylinder trolley 2M86029	2M86174	242, 244	
Cylinder jacket, plastic, to protect 10 L gas cylinder	2M86410	243, 244	
D Dehumidification tubing for etCO ₂ sidestream sampling, Nafion®, 10 pcs.	4714429	164	
Demo lung SmartLung, latex-free, reusable, max. 1 L	MP02405	54	
Demo lung to simulate neonatal lungs, with suitcase	8418077	351	
Demo package CPAP system BabyFlow, disposable, with prongs, masks, caps, US/CA only	8418584	333	
Demo package CPAP system BabyFlow, disposable, with prongs, masks, caps	8418550	333	
Deposit plate for BT 8000	2M21158	313	
Diaphragm	8403377	339	
Dish, stainless steel, Ø 20.5 cm, with rail clamp	2M85233	294, 397	
Disposable PEEP valve 0 – 20 cmH ₂ O	5703471	98, 366	
Distance tube for monitor shelves	M26391	291	
Double connector, outer diameter 11 mm	8409897	33, 35, 36, 52, 340, 342, 343	
Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050	91, 361	
Dual temperature probe for F&P MR 700/730, 1.1 m	8411048	90, 361	
Dummy Plug	8410049	30	
E Ear clip for Nellcor® Dura-Y	MX01005	140, 216	
ECG "4-lead" spacer, 10 pcs.	MS22832	175	
ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679	124, 175, 201, 213	
ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680	124, 175, 201, 213	
ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	MS16232	119	
ECG cable for C lead, IEC1 (European color code), 1 m	MP03417	122	

INDEX

ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	MS16230	119
ECG cable for V lead, IEC2 (AHA/US color code), 1 m	MP03418	122
ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03421	199
ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03422	199
ECG cable, 3-lead, 2.4 m, AAMI, reusable	MU25381	323
ECG cable, 3-lead, 2.4 m, IEC, reusable	MU25382	323
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (Eur. color code), 2 m	MS16160	119
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS16233	119
ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	MP03411	122
ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	MP03412	122
ECG cable, 3-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1 m, 20 pcs.	MP00875	120, 174, 200
ECG cable, 3-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c. c.), 1 m, 20 pcs.	MP00877	120, 174, 200
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (Eur. color code), 2 m	MS14555	117, 171, 198
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (Eur. color code), 4.1 m	MS28561	118, 172
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color c.), 2 m	MS14556	117, 171, 198
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	MS28557	118, 172
ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401	121, 173, 199
ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402	121, 173, 199
ECG cable, 4-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1 m, 20 pcs.	MP03120	174
ECG cable, 4-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c.c.), 1 m, 20 pcs.	MP03121	174
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (Eur. color c.), 1.7 m	MS14693	172
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (Eur. color c.), 3.7 m	MS20476	172
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color c.), 1.7 m	MS14694	172
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color c.), 3.7 m	MS20475	172
ECG cable, 4-lead, single-pin connector, IEC1 (European color code), 1 m	MP03407	173
ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03408	173
ECG cable, 5-lead Infinity® telemetry, IEC1 (European color code)	5956367	213
ECG cable, 5-lead Infinity® telemetry, IEC2 (AHA/US color code)	5956359	213
ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03423	199
ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03424	199
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (Eur. color code), 2.5 m	MS16161	119
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color c.), 2.5 m	MS16229	119
ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03413	122
ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03414	122
ECG cable, 5-lead, dual-pin connector, radiotranslucent, IEC2, 1.5 m	5734418	122
ECG cable, 5-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m, 20 pcs.	MP00879	120, 174, 200
ECG cable, 5-lead, single-pin conn., single-pat. use, IEC2 (AHA/US c.c.), 1/1.5 m, 20 pcs.	MP00881	120, 174, 200
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (Eur. color c.), 2.5 m	MS14559	117, 171, 198
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (Eur. color code), 5.3 m	MS28559	118, 172
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US c. c.), 2.5 m	MS14560	117, 171, 198
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	MS28558	118, 172

INDEX

ECG cable, 5-lead, single-pin connector, IEC1 (Eur. color code), 1/1.5 m	MP03403	121, 173, 199	
ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404	121, 173, 199	
ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03425		213
ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03426		199
ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03415		122
ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03416		122
ECG cable, 6-lead, single-pin conn., single-pat. use, IEC1 (Eur. c. c.), 1/1.5 m, 20 pcs.	MP03122	120, 174, 200	
ECG cable, 6-lead, single-pin conn., single-pat. use, IEC2 (AHA/US), 1/1.5 m, 20 pcs.	MP03123	120, 174, 200	
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (Eur. color c.), 3 m	MS14683	117, 171, 198	
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (Eur. color code), 5.7 m	MS17185		118, 172
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color c.), 3 m	MS14682	117, 171, 198	
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	MS28560		118, 172
ECG cable, 6-lead, single-pin connector, IEC1 (Europ. color code), 1/1.5 m	MP03405	121, 173, 199	
ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406	121, 173, 199	
ECG electrodes, adult, disposable, 100 pcs.	2606200		218
ECG electrodes, child, disposable, 50 pcs.	2606246		218
ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750	123, 175, 201	
ECG electrodes, single-patient use, neonate, 300 pcs.	5195024	218, 369	
ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5	5947226		124
ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6	7486140		124
ECG extension cable, dual-pin connector, 2 m	MS16492		124
ECG extension cable, single-pin connector, 2 m	MS16256	124, 175, 201	
ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162		123, 369
ECG lead wire set, 3-lead, 0.6 m, neonatal pinch connector, AAMI, reusable	MU25383		323
ECG lead wire set, 3-lead, 0.6 m, neonatal pinch connector, IEC, reusable	MU25384		323
ECG limb wires, 3-lead, Grabber, AHA colour code	2606497		218
ECG limb wires, 3-lead, Grabber, IEC colour code	2606493		218
ECG limb wires, 5-lead, Grabber, AHA colour code	2606498		218
ECG limb wires, 5-lead, Grabber, IEC colour code	2606494		218
ECG neonatal 3-lead adapter cable, 2 m	MS25951		175
ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492		218
ECG trunk cable, 3-lead, IEC/AHA colour code	2606495		218
ECG trunk cable, 5-lead, IEC/AHA colour code	2606496		218
EEG electrode cable, color-coded, 9 pcs.	5947804		161
EEG electrodes, disposable, 25 pcs.	MS29468		161
Ejector suction NIST AIR O ₂ for bronchial suction, gas connection AIR/O ₂	MK01418		258
Ejector suction NIST for bronchial suction, gas connection AIR	MK01420		258
Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR	MP00533		253, 256
Ejector VarioAir® B BS, for bronchial suction, gas connection AIR	MP00531		253, 256
Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR	MP00548		253, 256
Ejector VarioAir® B compact, for bronchial suction, gas connection AIR	MP00536		253, 260
Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR	MP00530		253, 256
Ejector VarioAir® B NF, for bronchial suction, gas connection AIR	MP00532		253, 256
Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR	MP00534		253, 256
Ejector VarioAir® B/OR Rail, for bronchial+OR suction, gas connection AIR	MP00535		253, 256, 269, 270

INDEX

Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR	MP00540	273, 276	Electronic AIR flowmeter DigiFlow, 16 L/min, CS, 9/16", French Standard, ISO	MP01225	236
Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR	MP00538	273, 276	Electronic AIR flowmeter DigiFlow, 16 L/min, rail, NIST, 9/16" ISO, neutral color	MP01217	236
Ejector VarioAir® D CARBA, for continuous and wound drainage, gas connection AIR	MP00549	273, 276	Electronic AIR flowmeter DigiFlow, 16 L/min, rail, NIST, M32×1.5, ISO, neutr.col.	MP01255	236
Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR	MP00537	273, 276	Electronic AIR flowmeter DigiFlow, 3 L/min, CS, 9/16", British Standard, ISO	MP01220	236, 384
Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR	MP00539	273, 276	Electronic AIR flowmeter DigiFlow, 3 L/min, CS, 9/16", DIN, ISO, neutral color	MP01214	236, 384
Ejector VarioAir® D Rail, for continuous+wound drainage, gas connect. AIR	MP00542	273, 277, 391	Electronic AIR flowmeter DigiFlow, 3 L/min, CS, 9/16", French Standard, ISO	MP01224	236, 384
Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR	MP00541	273, 276	Electronic AIR flowmeter DigiFlow, 3 L/min, rail, NIST, 9/16", ISO, neutral color	MP01215	236, 384
Ejector VarioAir® P compact, for bronchial suction, gas connection AIR	MP00547	253, 260, 392	Electronic AIR flowmeter DigiFlow, 3 L/min, rail, NIST, M32×1.5, ISO, neutr.color	MP01235	236, 384
Ejector VarioAir® P Rail, for bronchial suction, gas connection AIR	MP00545	253, 257, 392	Electronic O ₂ flowmeter DigiFlow, 16 L/min, CS, British Standard, 9/16"	MP01219	235
Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge	MP00544	273, 277	Electronic O ₂ flowmeter DigiFlow, 16 L/min, CS, CARBA, 9/16"	MP01270	235
Ejector VarioO ₂ ® B CARBA, for bronchial suction, gas connection O ₂	MP00551	253, 257	Electronic O ₂ flowmeter DigiFlow, 16 L/min, CS, DIN, 9/16", for sterile water	MP01226	235
Ejector VarioO ₂ ® B DIN, for bronchial suction, gas connection O ₂	MP00550	253, 257	Electronic O ₂ flowmeter DigiFlow, 16 L/min, CS, DIN, M34×1.5 for accessories	MP01227	235
Ejector VarioO ₂ ® B/OR Rail, for bronchial+OR suction, gas connection O ₂	MP00552	253, 257, 269, 270	Electronic O ₂ flowmeter DigiFlow, 16 L/min, CS, French Standard, 9/16"	MP01223	235
Elbow for CPAP masks, disposable	8409683	74, 358	Electronic O ₂ flowmeter DigiFlow, 16 L/min, rail, NIST, 9/16" for sterile water	MP01228	235
Elbow with Luer Lock	AM00201	40, 345	Electronic O ₂ flowmeter DigiFlow, 16 L/min, rail, NIST, M34×1.5 for accessories	MP01229	235
Elbow, angled hose connection for secretion jar caps	2M19063	266, 395	Electronic O ₂ flowmeter DigiFlow, 3 L/min, CS, British Standard, 9/16"	MP01218	234, 383
Elbow, reusable	8412235	45, 51	Electronic O ₂ flowmeter DigiFlow, 3 L/min, CS, DIN, 9/16", for sterile water	MP01210	234, 383
Elbow, reusable	8418289	34, 36, 51, 341, 343	Electronic O ₂ flowmeter DigiFlow, 3 L/min, CS, DIN, M34×1.5 for accessories	MP01211	234, 383
Elbow, reusable	M25649	32, 41, 51	Electronic O ₂ flowmeter DigiFlow, 3 L/min, CS, French Standard, 9/16"	MP01222	234, 383
Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779	123, 369	Electronic O ₂ flowmeter DigiFlow, 3 L/min, rail, NIST, 9/16" for sterile water	MP01212	235, 384
Electrode holder set, Electrode holder, screw, and O-ring	MP00718	169			
Electronic AIR flowmeter DigiFlow, 16 L/min, CS, 9/16", British Standard, ISO	MP01221	236			
Electronic AIR flowmeter DigiFlow, 16 L/min, CS, 9/16", DIN, ISO, neutral color	MP01216	236			

INDEX

Electronic O ₂ flowmeter DigiFlow, 3 L/min, rail, NIST, M34×1.5 for accessories	MP01213	235, 384		
Electrostatic filter and HME TwinStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01825	55, 59, 352		
Electrostatic filter and HME TwinStar® 25, disposable, 25 mL deadspace, 50 pcs.	MP01815	55, 59		
Electrostatic filter and HME TwinStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01805	55, 59		
Electrostatic filter and HME TwinStar® 65A, disposable, 65 mL deadspace, angled, 50 pcs.	MP01810	55, 59		
Electrostatic filter and HME TwinStar® 8, disposable, 8 mL deadspace, 50 pcs.	MP01820	55, 59, 352		
Electrostatic filter and HME TwinStar® 90, disposable, 90 mL deadspace, 50 pcs.	MP01800	55, 59		
Electrostatic filter CareStar® 30, disp., 30 mL deadspace, 50 pcs.	MP01770	56, 60, 251		
Electrostatic filter CareStar® 40A, disposable, 40 mL deadspace, angled, 50 pcs.	MP01765	56, 60		
Electrostatic filter CareStar® 45, disp., 45 mL deadspace, 50 pcs.	MP01755	56, 60		
etCO ₂ airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535	165		
etCO ₂ airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543	165		
etCO ₂ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550	165, 378		
etCO ₂ airway adapter Microstream®, neonate/infant, 25 pcs.	MU24408	321		
etCO ₂ airway adapter, reusable, adult	4721796	164		
etCO ₂ airway adapter, reusable, neonate	4721788	164, 378		
etCO ₂ module Capnostat 5, reusable	2606226	221		
etCO ₂ nasal cannula Microstream®, + O ₂ , adult, max. 24 h, 25 pcs.	7869493	166		
etCO ₂ nasal cannula Microstream®, + O ₂ , child, max. 24 h, 25 pcs.	7869485	166, 378		
etCO ₂ nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477	165		
etCO ₂ nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592	165		
etCO ₂ nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469	165, 378		
etCO ₂ nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600	166, 378		
etCO ₂ nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.	7869618	166, 378		
etCO ₂ nasal cannula, adult, 10 pcs.	4714395	164		
etCO ₂ nasal cannula, child, 10 pcs.	4714387	164		
etCO ₂ nasal/mouth cannula Microstream®, + O ₂ , child, max. 12 h, 25 pcs.	7869584	166, 378		
etCO ₂ nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501	166		
etCO ₂ sensor set Capnostat-III	4322975	164		
etCO ₂ sidestream airway adapter, including tubing, 10 pcs.	4714437	164		
Expiratory valve for Babylog® 8000	8408950	81		
Expiratory valve for Babylog® VN 500, reusable	8415270	81		
Expiratory valve for Carina®, disposable	MP00220	81		
Expiratory valve for Evita Infinity® V500, reusable	8416750	80		
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	80		
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600	80		
Expiratory valve for Evita® V500, disposable, Infinity ID, 10 pcs.	MP01060	80		
Expiratory valve for Evita®, reusable	8410580	80		
Expiratory valve for Savina® 300, reusable	8417050	81		
Expiratory valve for Savina®, disposable, 10 pcs.	MP01061	81		
Expiratory valve for Savina®, reusable	8413660	81		
Expiratory valve for TI 500 Globe-Trotter, disposable, 50 pcs.	MU04772	325		
Expiratory valve housing	8409898	339		
Extension arm set for cables and hoses, with cable/hose guide channels	G13040	295		
Extension set, for Quickstop hinged arm 2M86464	MP00653	116, 150, 301		
F F.O. battery grip, adult, 2.5 V, 28 mm Ø	MX03318	96		
F.O. battery grip, pediatric, 2.5 V, 19 mm Ø	MX03331	96, 364		
F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319	96, 363		
F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324	96, 363		
F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052	96, 363		
F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320	96, 363		
F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325	96, 363		
F.O. blade size 2 (Mac), reusable, 115 × 17 mm	MX03321	96		
F.O. blade size 2 (Miller), reusable, 154 × 14 mm	MX03326	96		
F.O. blade size 3 (Mac), reusable, 135 × 18 mm	MX03322	96		

INDEX

F.O. blade size 3 (Miller), reusable, 195 × 15 mm	MX50053	96		
F.O. blade size 4 (Mac), reusable, 155 × 18 mm	MX03323	96		
F.O. blade size 4 (Miller), reusable, 210 × 18 mm	MX50054	96		
F.O. laryngoscope set, adult, reusable	MX03330	96		
F.O. laryngoscope set, pediatric, reusable	MX03329	96, 363		
F.O. universal laryngoscope set, reusable	MX03317	96		
Face mask All-round, reusable, size 1, small	2165732	72, 356		
Face mask All-round, reusable, size 2, medium	2165740	72, 356		
Face mask All-round, reusable, size 3, large	2165759	72		
Fast O ₂ sensor, for sidestream measurement	6850930	111		
Filler cap for Aeroneb Pro, silicone, 5 pcs.	MP01035	93		
Filling kit for Aquapor EL	8405031	86		
Filter and HME for air compressor, disposable	MU04991	325		
Filter and tube for suction bottle, disposable, 25 pcs.	MU10923	316		
Filter for Dew-ette® 2, disposable, for humidity sensor, 5 pcs.	MU06732	310		
Filter for suction bottle, disposable, 10 pcs.	MU10915	316		
Filter paper for F&P MR 340, 100 pcs.	8411073	88, 360		
Filter paper for F&P MR 370, 100 pcs.	8412218	88		
Fixation set for tpO ₂ and tpCO ₂ electrodes	MP00716	169, 378		
Fixation strap BabyFlow, reusable, size L, green, 10 pcs.	8418474	335		
Fixation strap BabyFlow, reusable, size M, red, 10 pcs.	8418473	335		
Fixation strap BabyFlow, reusable, size S, yellow, 10 pcs.	8418472	335		
Fixation strap BabyFlow, reusable, size XL, orange, 10 pcs.	8418475	335		
Fixation strap BabyFlow, reusable, size XS, white, 10 pcs.	8418471	335		
Fixation strap BabyFlow, reusable, size XXL, blue, 10 pcs.	8418476	335		
Flow measuring line for Oxylog® 2000/3000 family, 1.5 m, 2 pcs.	8410929	45		
Flow measuring line for Oxylog® 2000/3000 family, 3 m, 2 pcs.	8413293	45		
Flow sensor cable for V500 with Neo option and VN500	8416600	110		
Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626	110, 367		
Flow sensor connection cable	8305622	110		
Flow sensor for Crossvent 2i+, disposable, infant, 10 pcs.	MU24401	320		
Flow sensor Infinity® ID, ABS, disinfectable, 5 pcs.	6871980	39, 109		
Flow sensor SpiroLife®, PPSU, disinfectable and sterilizable	MK01900	109		
Flow sensor Spirolog®, ABS, disinfectable, 5 pcs.	8403735	109		
G Gel mattress for BabyTherm®				
8000 / 8010, reusable	2M20827	311		
General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	144, 190		
General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	144, 190		
General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	144, 190		
General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	144, 190		
General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6m	MP00991	143, 189		
General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m	MP00992	143, 189		
General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6m	MP00993	143, 189		
General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m	MP00994	143, 189		
H Halogen light, 12 V, 50 W	2M30084	312		
Hand port cuff, disposable, oval, 100 pcs.	MU06570	308, 309, 319, 325, 327		
Hand port cuff, reusable, 10 pcs.	MU12702	308		
Handle, cpl. for BT 8000	2M21161	313		
Headband BabyFlow, reusable, size L, green	8418421	335		
Headband BabyFlow, reusable, size M, red	8418420	335		
Headband BabyFlow, reusable, size S, yellow	8418419	335		
Headband BabyFlow, reusable, size XL, orange	8418422	335		
Headband BabyFlow, reusable, size XS, white	8418418	335		
Headband BabyFlow, reusable, size XXL plus, black	8418540	335		
Headband BabyFlow, reusable, size XXL, blue	8418423	335		
Headband LNOP/LNCS TF-I, 5 pcs.	MP03197	139, 186		
Headgear for NovaStar® TS AAV				
NIV full-face mask	MP01584	68		

INDEX

Headgear for NovaStar® TS SE			
NIV full-face mask	MP01583		68
Headgear, disposable, soft fabric, large	MP01560		74
Headgear, disposable, soft fabric, small	MP01559		74, 358
Headgear, disposable, soft rubber, large	MP01562		74
Headgear, disposable, soft rubber, small	MP01561		74, 358
Headgear, reusable, silicone, large	MP01558		74
Headgear, reusable, silicone, small	MP01557		74, 358
Heatable hose Tropic plus, 1.1 m, for aerosol heating, cable, plug	2M85759		251, 387
Hinged arm 240°, 3 hinges, fixable, ball holder system, with hose clamps	8409609		299
Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses	MP00690		299
Hinged arm Quickstop 1, Length 106.7 cm, max. load 2 kg	2M85705		298
Hinged arm Quickstop 2, w/ universal ball holder system for optional accessories	2M85706		298, 400
Hinged arm Quickstop short, with universal tube holder plate	2M86463		298, 400
Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464	116, 150,	298
HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01740	58, 61,	352
HME HumidStar® 2, disposable, 2 mL deadspace, 50 pcs.	MP01745	58, 61,	352
HME HumidStar® 25, disposable, 25 mL deadspace, 50 pcs.	MP01735	58, 61	
HME HumidStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01730	58, 61	
HME HumidStar® Trach, disposable, 8 mL deadspace, for tracheostomy tube, 50 pcs.	MP01750	58, 61	
Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002		89, 360
Holder for hinged hood for Babytherm 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342		313
Holder for Infinity® M300 bedside charger, swiveling 360°	MP00990		211
Holder for MultiMed® 12 Pod	5202747		116
Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128		116
Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods, swiveling 360°	MP00721		116
Holder for MX 300 and MX 300-i	MP01443		332
Holder for Y-piece, with ball mounting	8409746		300, 401
Hook ring for All-round face masks	M11044		74, 358
Hook ring for LiteStar® anesth. face masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551		74, 358
Hook ring for LiteStar® anesth. face masks, disposable, 22 mm ID, for sizes 3 – 6, 30 pcs.	MP01552		74
Hook ring for silicone face masks, reus., 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916		74, 358
Hook ring for silicone face masks, reus., 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917		74
Hose clip double, for standard breathing hoses, adult, neo., 2 pcs.	8406138		300, 400
Hose clip double, gray, for hinged arm Infinity® ACS (MP00690)	MP00693		301
Hose clip, 10 pcs.	8403566		30, 32
Hose clip, adult, neo., for ball mounting, for standard breathing hoses	8409841		300, 400
Hose clip, for coaxial breathing hoses, adult, for quickstop 2 (2M85706), 2 pcs.	MP00493		300, 400
Hose for Tropic plus, disposable, connects fan/chamber, for Tropic plus, 40 cm, 20 pcs.	MX22790		252, 388
Hose for Tropic plus, disposable, patient side, for Tropic plus, 1 m, 15 pcs.	MX22793		252, 388
Hose heater adapter for F&P MR 700/730, for disposable breathing circuit	8418462		90
Hose heater adapter for F&P MR 700/730, for reusable breathing circuit	8411097		90, 361
Hose heater adapter for F&P MR 730, for third-party breathing circuit	8418433		91, 361
Hose heater adapter for F&P MR 850, for disposable breathing circuit	8414992		90
Hose heater adapter for F&P MR 850, for double-heated disposable breathing circuit	MP01006		91
Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968		90, 361
Hose heater adapter for F&P MR 850, for third-party breathing circuit	MP01001		91, 361
Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993		32, 33, 89, 340, 360
Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m	8414969		89
Hose heater for F&P MR 700/730, 70 cm	8411154	34, 89,	341, 360
Hose heater, A, 1.1 m			35, 36, 89,
	8411045		342, 343

INDEX

Hose holder plate, for ball mounting, for all cable and hose dimensions	2M86465	300, 401	
Hose, silicone, reusable, N	1198343	339	
Humidification module for Aquamod, 20 pcs.	8410600	86	
Humidifier chamber F&P MR 340, reusable, N/P, with 100 pcs. filter paper	8411047	88, 360	
Humidifier chamber F&P MR 370, reusable, A, with 100 pcs. filter paper	8412217	88	
Humidifier chamber for Dew-ette® 2, disposable, with nipple fill, 40 pcs.	MU06664	310	
Humidifier chamber for Dew-ette® 2, disposable, with pour spout, 40 pcs.	MU06665	310	
Humidifier chamber for Dew-ette® 2, reusable, with nipple fill	MU06666	310	
Humidifier chamber for Dew-ette® 2, reusable, with pour spout, cap required	MU06667	310	
Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282	88, 360	
Humidifier chamber for F&P MR 290, disposable, 40 pcs.	8418283	88, 360	
Humidifier chamber for Isolette® C2000, reusable	MU13202	308	
Humidifier chamber for Isolette® C2000, reusable	MU17191	308	
Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234	21, 337	
Humidifier chamber, 10 pcs.	MP02605	22	
Humidifier filter for Dew-ette® 2, disposable, 4 pcs.	MU06662	310	
Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 L/min	2M85834	239, 245, 385	
Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 L/min	2M85835	239, 245	
Humidity pad, disposable, antibacterial, 25 pcs.	MU06008	320, 326, 328	
I IBP adapter, 10-pin to 7-pin	3368383	154	
IBP cable Abbott, Medex	2606490	221	
IBP cable Becton Dickinson/Argon	2606488	221	
IBP cable Edwards	2606489	221	
IBP cable Utah	2606491	221	
IBP connection cable Argon (former Becton Dickinson/Ohmeda), 3.7 m	3375933	156	
IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155	155	
IBP press. transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908	155	
IBP press. transducer plate, f.Hemo2/4 Pods, f.Abbott TranspacII/III/Braun, 5 pcs	5192112	153	
IBP press. transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460	153	
IBP press. transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416	153	
IBP pressure transducer cable for Memscap (Capto/SensoNor) 844, 3 m	7486876	155	
IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563	155	
IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417	155	
IBP pressure transducer kit, BD/Argon, disposable, 5 kits	2606225	221	
IBP pressure transducer plate, f.Hemo2 Pod, f.Memscap (Capto/SensoNor), 5 pcs.	4721614	153	
IBP pressure transducer plate, for Hemo2 Pod, universal, 5 pcs.	4721408	153	
IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947	155	
IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433	155	
IBP pressure transducer set Ohmeda, disposable, sterile, 5 pcs.	4528741	156	
IBP transducer adapter Abbott/Medex	MS22535	151, 195	
IBP transducer adapter Argon (former Becton Dickinson/Ohmeda)	MS22148	151, 195	
IBP transducer adapter Baxter/Edwards	MS22147	151, 195	
IBP transducer adapter cable, Dräger 10-pin	MS22532	151, 195	
IBP transducer adapter cable, Dräger 7-pin	MS22533	151, 195	
IBP transducer adapter Utah Medical	MS22534	151, 195	
IBP Y-adapter, 10-pin	5731281	154	
IBP Y-adapter, 10-pin to 7-pin	5588095	154	
IBP Y-adapter, 7-pin	5592147	154	
IBP Y-cable Argon (former Becton Dickinson/Ohmeda), 3.7 m	5206581	156	
IBP Y-cable, Baxter/Edwards, 3.7 m	5206607	154	
IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180	155	
IBP press. transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424	153	
Immersion tube, for continuous drainages, not scaled	M16395	281	
Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569	282	
Incubator cover for Caleo®, reusable	MP01423	305, 330	
Incubator cover for Isolette® C2000 and 8000, reusable	MP01424	330	

INDEX

Infinity ID CLIC Absorber 800+, disposable absorber, 1.2 L, 6 pcs.	MX50004	103		
Infinity ID CLIC Absorber Free, disposable absorber, 1.2 L, 6 pcs.	MX50120	103		
Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725	150, 195		
Infusion bottle holder for Babytherm, reusable, neonatal	2M16520	313		
Infusion bottle holder set, attaches to standard rail 10 × 25 mm	G12985	295		
Infusion bottle holder, for standard rail, variable height, 3 hooks	M20719	294, 397		
Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514	306, 312		
Inhalation mask for Inhalette, autoclavable	M11015	93, 249		
Inhalation set	2M85912	239		
Insert for neonatal flow sensor, PSU, disinfectable and sterilizable	8410179	109, 367		
Intake valve MR-100	5703704	98, 366		
Iris port sleeve for TI 5400, reusable, 2 pcs.	2M21021	324		
Iris port sleeve, disposable, 100 pcs.	MU03876	308, 309, 319, 325, 327		
ISO double connector, reusable, 22 mm/22 mm	M25647	30, 32, 37, 38, 39, 40, 41, 42, 43, 52, 344, 345, 346, 347		
Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	MP01087	94		
L Laryngoscope set, adult, reusable	MX03313	95		
Laryngoscope set, pediatric, reusable	MX03312	95, 363		
Lead-acid battery	5947697	170		
Leakage valve for Carina® SyncVent, disposable, 5 pcs.	MP00224	81		
Lid for nebulizer chamber Tropic plus, autoclavable	2M85795	252, 388		
Light for BabyTherm® 8004 and 8010, 120 V, 23 W	2M30160	312		
Light for BabyTherm® 8004 and 8010, 120 V, 9 W	2M30161	312		
Light for BabyTherm® 8004 and 8010, 230 V, 20 W	2M30079	312		
Light for BabyTherm® 8004 and 8010, 230 V, 7 W	2M30078	312		
Light for Photo Therapy 1400	MU03927	329		
Light for Photo Therapy 4000, fluorescent bulb, blue	2M21010	329		
Light for Photo Therapy 4000, fluorescent bulb, white	2M21009	329		
Light for Photo Therapy 533, fluorescent bulb, 20 W, blue	MU03677	329		
Light for Photo Therapy 533, fluorescent bulb, 20 W, white	MU03681	329		
Lithium battery, for Infinity® Telemetry Transmitter, MicrO ₂ and MicrO ₂ +, 6 pcs.	3361164	170, 217		
Lithium-ion battery for Infinity® Gamma/Gamma XL	5732354	170		
Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695	294, 397		
Litter bags, disposable, for litter bag holder, 100 pcs.	M26240	294, 397		
Locking screw, for immersion tube, with gaskets	MP00596	282		
Luer Lock elbow, N	M34568	38, 43, 51, 344, 347, 349		
M M-LNCS sensor Muster Pack, contains 1 Adtx-3, 1 Pdtx-3, 1 Neo-3 disposable sensor	MP02986	135, 180		
M540 Hemo connection cable, 1.5 m	MS23897	195		
M540 Hemo connection cable, 3 m	MS23898	195		
Magnetic clip for headgears for NovaStar® TS SE and AAV, 4 pcs.	MP01585	68		
Man. breathing bag MR-100, reus., ltx-fr., A, w/ pressure valve, 60±10mbar	5702881	97		
Man. breathing bag MR-100, reus., ltx-fr., N, w/ press. valve, relief >40±5mbar	5702322	97, 365		
Man. breathing bag MR-100, reus., ltx-fr., P, w/ press. valve, relief >40±5mbar	5702321	97, 365		
Masimo Rainbow sensor cover, 10 pcs.	MP03203	186		
Masimo Trauma sensor LNCS, adult, 20 pcs.	MP03191	133, 178		
Masimo Trauma sensor LNCS, infant/pedi, 20 pcs.	MP03193	133, 178		
Masimo Trauma sensor LNCS, neonate, 20 pcs.	MP03192	133, 178, 371		
Masimo® M-LNCS Trauma sensor, adult, 20 pcs.	MP03206	136, 181		
Masimo® M-LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03205	136, 181		
Masimo® M-LNCS Trauma sensor, neonate, 20 pcs.	MP03204	136, 181, 371		
Mask BabyFlow, disposable, size L, 10 pcs.	8418619	334		
Mask BabyFlow, disposable, size M, 10 pcs.	8418490	334		
Mask BabyFlow, disposable, size S, 10 pcs.	8418491	334		
Mattress for IICS-90, reus., standard, w/o scale, neoprene cover, w/o panel	MU09390	317		
Mattress for IICS-90, reusable, large, with scale, with panel	MU09580	317		

INDEX

Mattress for IICS-90, reusable, large, without scale, with panel	MU09578	317	
Mattress for Isolette® C2000 and 8000, reusable	MU12249	307	
Mattress for Isolette® C450, disposable, 10 pcs.	MU10833	309	
Mattress SoftBed, for BabyTherm®, reusable	2M21012	311	
Mattress SoftBed, for Caleo®, reusable	MX17012	305	
Mattress SoftBed, for IICS-90, reusable, large, with scale	MP01405	317	
Mattress SoftBed, for IICS-90, reusable, large, without scale	MP01403	317	
Mattress SoftBed, for Isolette® C2000 and 8000, reusable	MP01401	307	
Mattress SoftBed, for Resuscitaire®, reusable, with scale	MP01404	314	
Mattress SoftBed, for Resuscitaire®, reusable, without scale	MP01402	314	
Mattress SoftBed, for TI 5400, reusable	2M21023	324	
Mattress, reusable, 10 pcs.	MU06009	319, 325, 327	
Mattress, reusable, standard, with scale, with panel	MU09579	314	
Mattress, reusable, standard, without scale, with panel	MU09577	314	
Mechanical filter and HME TwinStar® HEPA, disposable, 55 mL deadspace, 50 pcs.	MP01801	55, 59	
Mechanical filter SafeStar® 55, disp., 55 mL deadspace, 50 pcs.	MP01790	57, 60, 251	
Mechanical filter SafeStar® 60A, disposable, 60 mL deadspace, angled, 50 pcs.	MP01795	57, 60	
Mechanical filter SafeStar® 80, disp., 80 mL deadspace, 50 pcs.	MP01785	57, 60	
Medical examination light VarioLux® with LED technology, AUS	MP00606	296, 398	
Medical examination light VarioLux® with LED technology, BR	MP00605	296, 398	
Medical examination light VarioLux® with LED technology, CHN	MP00604	296, 398	
Medical examination light VarioLux® with LED technology, EU	MP00601	296, 398	
Medical examination light VarioLux® with LED technology, GB	MP00603	296, 398	
Medical examination light VarioLux® with LED technology, JPN	MP00608	296, 398	
Medical examination light VarioLux® with LED technology, US	MP00602	296, 398	
Medical examination light VarioLux® with LED technology, ZA	MP00607	296, 398	
Medication nebulizer Aeroneb Pro	MP01010	93, 362	
Medication nebulizer for Babylog® 8000 with quick connector	8411030	92, 247, 362	
Medication nebulizer for Evita 2 dura®, Evita® 4, Evita® XL, Savina®	8412935	92	
Medication nebulizer Inhalette S, with toggle switch valve, O ₂ /AIR, DIN	2M85674	248	
Medication nebulizer Inhalette Vario CS, with O ₂ /AIR flowmeter, CS, DIN plug	2M85692	248	
Medication nebulizer Inhalette Vario rail, with O ₂ /AIR flowmeter, 2 m hose with DIN plug	2M85693	248	
Membrane for Evita 2 dura®, Evita® 4, Evita® XL, for expiratory valve	8412015	80	
Membrane replacement set for tcpO ₂ /tcpCO ₂ electrodes	MP00715	169, 378	
Microbial filter for breathing system, ISOCLIC, reusable, 5 pcs.	6733895	39, 62	
Mixing block, with mixing chart, for O ₂ and AIR flowmeter or DigiFlow with M34×1.5 and M32×1.5	2M85728	236	
Module holder for Incubator 7520 and non-Dräger incubators	8410536	87	
Module holder for Incubator 8000, for humidification module Aquamod	8410535	87	
Monitor shelf 5035, 50 × 35.5 cm, max. load 20 kg, weight 5 kg	2M85003	291	
Monitor shelf 5450, 50 × 35.5 cm, max. load 20 kg, weight 8.7 kg	M24692	291	
Mouthpiece for Inhalette, autoclavable	M12394	93, 249	
MPod-Dual Hemo, 2 invasive blood pressures for M540	MS20783	195	
MRI flow sensor extension cable, for MRI patient monitor	8306370	110	
Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO ₂ , and temp., 1.5 m	5950196	115	
Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO ₂ , and temp., 2.5 m	3368391	115	
Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO ₂ , and temp., 2.5 m	5191221	115	
Multiparameter cable MultiMed® plus OR, for ECG, resp., SpO ₂ , and temp., 2.5 m	MS20094	115	
Multiparameter cable MultiMed® plus, for ECG, resp., SpO ₂ , and temp., 2.5 m	MS20093	115	
Multiparameter cable NeoMed Pod, for ECG, resp., SpO ₂ , temp., and FiO ₂ , 2.5 m	5590539	115, 369	

INDEX

	Multiple socket for BabyTherm® 8000, 220/240 V	2M20914	312			
N	Nasal CPAP system BabyFlow, disposable, 20 pcs.	8418583	333			
	Nasal CPAP system BabyFlow, disposable, US/CA only	8418582	333			
	Nebulizer chamber for Tropic plus, spare part	2M85796	252, 388			
	Nebulizer element for Inhalette, spare part	2M85571	249			
	Nebulizer head, 10 pcs.	MP01079	94			
	Nebulizer head, 5 pcs.	MP01078	94			
	Nebulizer hose	8412985	92, 247, 362			
	Nebulizer set for Tropic plus, disposable, for medication nebulization, 48 pcs.	MP00006	251, 387			
	Nebulizer unit with filler cap for Aeroneb Pro	MP01030	93, 362			
	Nebulizer, reusable, with DISS connector	MU10384	318			
	Nellcor® intermediate cable, 1.2 m	MP00748	188			
	Nellcor® intermediate cable, 3 m	MS20979	188			
	Neonatal flow sensor ISO 15, PSU, disinfectable and sterilizable	8411130	109, 367			
	Neonatal flow sensor with Y-piece, PSU, disinfectable and sterilizable	8410185	109, 367			
	NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953	145, 191			
	NIBP cuff adapter, 10 pcs.	MP00945	145, 191			
	NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918	146, 192			
	NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931	147, 193			
	NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919	146, 192			
	NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932	147, 193			
	NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915	146, 192			
	NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928	147, 193			
	NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916	146, 192			
	NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929	147, 193			
	NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917	146, 192			
	NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930	147, 193			
	NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913	146, 192			
		NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926	147, 193		
		NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921	146, 192		
		NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934	147, 193		
		NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912	146, 192		
		NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925	147, 193		
		NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911	146, 192		
		NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924	147, 193		
		NIBP cuff, adult, 25 cm – 35 cm, reusable	2606212	220		
		NIBP cuff, child, 18 cm – 26 cm, reusable	2606214	220		
		NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181	148, 194, 377		
		NIBP cuff, disposable, neonate, size 1, 3.3 – 5.6 cm, 10 pcs.	MU24403	321		
		NIBP cuff, disposable, neonate, size 2, 4.2 – 7.1 cm, 10 pcs.	MU24404	321		
		NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199	148, 194, 377		
		NIBP cuff, disposable, neonate, size 3, 5.4 – 9.1 cm, 10 pcs.	MU24405	321		
		NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207	148, 194, 377		
		NIBP cuff, disposable, neonate, size 4, 6.9 – 11.7 cm, 10 pcs.	MU24406	321		
		NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215	148, 194, 377		
		NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173	148, 194, 377		
	NIBP cuff, disposable, neonate, size 5, 8.9 – 15.0 cm, 10 pcs.	MU24407	321			
	NIBP cuff, infant, 10 cm – 19 cm, reusable	2606215	220			
	NIBP cuff, larger adult, 33 cm – 47 cm, reusable	2606213	220			
	NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs.	2606271	220			
	NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs.	2606272	220			
	NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs.	2606273	220			
	NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs.	2606274	220			
	NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs.	2606275	220			
	NIBP hose, neonate, 2.4 m	2870298	145, 191, 377			
	NIBP hose, neonate/infant, 2.4 m	MU24685	321			
	NIBP tube for neonatal cuff, 3 m	2606219	220			
	NIBP tube, 3 m	2606218	220			

INDEX

NIV full-face mask ClassicStar® AAV, single-patient use, size L	MP01572	65			
NIV full-face mask ClassicStar® AAV, single-patient use, size M	MP01571	65			
NIV full-face mask ClassicStar® AAV, single-patient use, size S	MP01570	65			
NIV full-face mask ClassicStar® SE, single-patient use, size L	MP01575	65			
NIV full-face mask ClassicStar® SE, single-patient use, size M	MP01574	65			
NIV full-face mask ClassicStar® SE, single-patient use, size S	MP01573	65			
NIV full-face mask NovaStar® TS AAV, reusable, size L	MP01578	67			
NIV full-face mask NovaStar® TS AAV, reusable, size M	MP01577	67			
NIV full-face mask NovaStar® TS AAV, reusable, size S	MP01576	67			
NIV full-face mask NovaStar® TS SE, reusable, size L	MP01581	67			
NIV full-face mask NovaStar® TS SE, reusable, size M	MP01580	67			
NIV full-face mask NovaStar® TS SE, reusable, size S	MP01579	67			
NIV nasal mask ClassicStar® non-vented, single-patient use, size L	MP01625	66			
NIV nasal mask ClassicStar® non-vented, single-patient use, size M	MP01624	66			
NIV nasal mask ClassicStar® non-vented, single-patient use, size S	MP01623	66			
NIV nasal mask ClassicStar® vented, single-patient use, size L	MP01622	66			
NIV nasal mask ClassicStar® vented, single-patient use, size M	MP01621	66			
NIV nasal mask ClassicStar® vented, single-patient use, size S	MP01620	66			
NMT accelerometer Trident®	MS15085	162			
NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218	162			
NMT hand adapter Trident®	MS15086	162			
NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174	162			
NMT thermistor Trident®	MS15053	162			
NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084	162			
NovaStar® TS AAV Vpack L, 3 × MP01578, 3 pcs.	MP01569	67			
NovaStar® TS AAV Vpack M, 3 × MP01577, 3 pcs.	MP01568	67			
NovaStar® TS AAV Vpack S, 3 × MP01576, 3 pcs.	MP01567	67			
NovaStar® TS SE Vpack L, 3 × MP01581, 3 pcs.	MP01566	67			
NovaStar® TS SE Vpack M, 3 × MP01580, 3 pcs.	MP01565	67			
NovaStar® TS SE Vpack S, 3 × MP01579, 3 pcs.	MP01564	67			
O ₂ analyzer MX 300	MP01441	332			
O ₂ analyzer MX 300-i	MP01440	332			
O ₂ compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 6 mm nozzle	2M86793	233, 382			
O ₂ compact flowmeter, Fix flows: 1, 2, 3, 4, 6, 8, 12, 15 L/min, CS, 9/16"	MP01204	233, 382			
O ₂ CS hose 1.5 m (4.9 ft)					
NIST EN AGASSg straight	M35375	287			
O ₂ CS hose 1.5 m (4.9 ft)					
NIST EN BS	M35389	286			
O ₂ CS hose 1.5 m (4.9 ft)					
NIST EN BS straight	M35398	286			
O ₂ CS hose 1.5 m (4.9 ft)					
NIST EN DIN	M35489	283			
O ₂ CS hose 1.5 m (4.9 ft)					
NIST EN NF	M35416	285			
O ₂ CS hose 1.5 m (4.9 ft)					
NIST NEUTRAL DIN	M36004	284			
O ₂ CS hose 1.5 m (4.9 ft)					
NIST NEUTRAL NF	M35434	285			
O ₂ CS hose 3 m (9.8 ft)					
NIST EN AGASSg straight	M35376	287			
O ₂ CS hose 3 m (9.8 ft)					
NIST EN BS	M35390	286			
O ₂ CS hose 3 m (9.8 ft)					
NIST EN BS straight	M35399	286			
O ₂ CS hose 3 m (9.8 ft)					
NIST EN DIN	M35490	283			
O ₂ CS hose 3 m (9.8 ft)					
NIST EN NF	M35417	285			
O ₂ CS hose 3 m (9.8 ft)					
NIST NEUTRAL DIN	M36005	284			
O ₂ CS hose 3 m (9.8 ft)					
NIST NEUTRAL NF	M35435	285			
O ₂ CS hose 5 m (16.4 ft)					
NIST EN AGASSg straight	M35377	287			
O ₂ CS hose 5 m (16.4 ft)					
NIST EN BS	M35333	286			
O ₂ CS hose 5 m (16.4 ft)					
NIST EN BS straight	M35339	286			
O ₂ CS hose 5 m (16.4 ft)					
NIST EN DIN	M35491	283			
O ₂ CS hose 5 m (16.4 ft)					
NIST EN NF	M35330	285			
O ₂ CS hose 5 m (16.4 ft)					
NIST NEUTRAL DIN	M36006	284			
O ₂ CS hose 5 m (16.4 ft)					
NIST NEUTRAL NF	M35436	285			
O ₂ distributor with 3 DIN terminal units, with rail clamp	2M18810	246, 312			
O ₂ flowmeter for anesth., 16 L/min, 90° rail w/ hose 1m,					
NIST screw, 5 bar, ISO, M34×1.5	2M86249	230			

INDEX

O ₂ flowmeter for anesth., 16 L/min, 90°, rail,w/ hose 1m, NIST, 5 bar, neutr. color, M34×1.5	MP01199	230	O ₂ flowmeter, 32 L/min, rail with hose 2m, 5 bar, ISO, DIN, M34×1.5 for accessories	2M86568	228
O ₂ flowmeter for anesth., 16 L/min, rail, w/ hose 1m, NIST screw, 5 bar, ISO, M34×1.5	2M86248	229	O ₂ flowmeter, 4 L/min, CS, 5 bar, DIN, ISO and neutral color, M34×1.5 f. accessories	2M86517	225, 379
O ₂ flowmeter for anesth., 16 L/min, rail, w/ hose 1m, NIST, 5 bar, neutr.color, M34×1.5	MP01198	229	O ₂ flowmeter, 4 L/min, rail w/ hose 2m, 5 bar, neutr. color, DIN, M34×1.5 f. accessories	MP01191	228, 381
O ₂ flowmeter, 10 L/min, CS, 4 bar, CARBA, including adapter to 9/16" for sterile water	MP03391	226	O ₂ flowmeter, 4 L/min, rail with hose 2m, 5 bar, ISO, DIN, M34×1.5 for accessories	2M86516	228, 381
O ₂ flowmeter, 10 L/min, rail fitting with NIST gas inlet, 4 bar, M34×1.5, adapter 9/16"	MP03392	230	O ₂ flowmeter, 4 L/min, rail, 90° with hose 2m, neutral color, DIN, 5 bar, M34×1.5 f. accessories	MP01197	229, 381
O ₂ flowmeter, 16 L/min, CS 6 cm, 5 bar, DIN, ISO and neutr. color, M34×1.5 for acc.	2M86563	225	O ₂ flowmeter, 4 L/min, rail, 90° with hose 2m, ISO, DIN, 5 bar, M34×1.5 for accessories	2M86575	229, 381
O ₂ flowmeter, 16 L/min, CS, 4 bar, CARBA, including adapter to 9/16" for sterile water	MP03393	226	O ₂ hood, reusable	2M19250	312
O ₂ flowmeter, 16 L/min, CS, 5 bar, British Standard, ISO, M34×1.5, adapter 9/16"	MP01260	226	O ₂ injector, reusable, 30/40/50 % Vol. O ₂ , 23 cm side walls required	2M14190	312
O ₂ flowmeter, 16 L/min, CS, 5 bar, DIN, ISO and neutr. color, M34×1.5 f. accessories	2M86553	225	O ₂ sensor capsule, for mainstream measurement	6850645	111, 368
O ₂ flowmeter, 16 L/min, CS, 5 bar, DIN, ISO and neutral color, 9/16" for sterile water	2M86562	225	O ₂ sensor for Crossvent 2i+	MU24402	320
O ₂ flowmeter, 16 L/min, CS, 5 bar, French Standard, ISO, M34×1.5, adapter 9/16"	MP01261	226	O ₂ sensor for Isolette® C2000 and 8000, reusable, 2 pcs.	MU24903	308
O ₂ flowmeter, 16 L/min, rail fitting with NIST gas inlet, 4 bar, M34×1.5, adapter 9/16"	MP03394	230	O ₂ sensor for MX 300 and MX 300-i, reusable	MP01442	332
O ₂ flowmeter, 16 L/min, rail w/ hose 2m, 5 bar, neutr. color, DIN, M34×1.5 for acc.	MP01192	228	O ₂ sensor for TI 500 Globe-Trotter, reusable	MU04804	325
O ₂ flowmeter, 16 L/min, rail with hose 2m, 5 bar, ISO, DIN, M34×1.5 for accessories	2M86551	228	O ₂ sensor housing Anemone, for O ₂ sensor capsule, with smooth cable	6850720	111, 368
O ₂ flowmeter, 16 L/min, rail, 90° with hose 2m, ISO, DIN, 5 bar, M34×1.5 f. accessories	2M86571	229	O ₂ sensor housing Oxydig, for O ₂ sensor capsule, with spiral cable	6850250	111, 368
O ₂ flowmeter, 16 L/min, rail, 90° with hose 2m, neutral color, DIN, 5 bar, M34×1.5 f. accessories	MP01196	229	O ₂ sensor Oxytrace VE, for Savina® ventilator	MX01049	111
O ₂ flowmeter, 16 L/min, rail, NIST, gas inlet, 5 bar, ISO and neutral color, M34×1.5, adapter 9/16"	MP01201	230, 381	O ₂ sensor OxyTrace, for Caleo®, reusable	MX01050	306
O ₂ flowmeter, 32 L/min, CS, 5 bar, DIN, ISO and neutral color, M34×1.5 for accessories	2M86567	226	O ₂ twin flowmeter, 2 × 10 L/min, CS, 4 bar, CARBA, 2 × M34×1.5, including adapter to 9/16" for sterile water	MP03398	227
O ₂ flowmeter, 32 L/min, rail w/ hose 2m, 5 bar, neutr.color, DIN, M34×1.5 f. accessories	MP01194	228	O ₂ twin flowmeter, 2 × 10 L/min, rail fitting with NIST gas inlet, 4 bar, 2 × M34×1.5, adapter 9/16"	MP03399	227
			O ₂ twin flowmeter, 2 × 16 L/min, rail fitting with NIST gas inlet, 5 bar, 2 × M34×1.5, adapter 9/16"	MP01188	227, 380
			O ₂ twin flowmeter, CS, 2 × 16 L/min, CS, 5 bar, DIN, 9/16", ISO, neutral color	2M86564	227, 380
			O ₂ twin flowmeter, CS, 2 × 16 L/min, CS, 5 bar, DIN, M 34×1.5 ISO, neutral color	2M86561	227, 380

INDEX

O ₂ -Reservoir MR-100, 2,500 ml	5703701	97, 365		
O ₂ -Reservoir MR-100, 600 ml	5703702	97, 365		
O ₂ -Reservoir valve MR-100	5703703	98, 366		
O ₂ /AIR connection hose, for Inhalette, 1.5 m, black, 2 × M15×1	M17716	249		
O ₂ /AIR connection hose, for Inhalette, 3 m, black, 2 × M15×1	M17717	249		
O ₂ /AIR spiral hose for Inhalette, 3 m working length, 2 × M15×1	MP03322	249		
O2Star™ Adjustable venturi valve, disposable, 5 pcs.	MP01929	79		
O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.	MP01942	79		
O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.	MP01941	79		
O2Star™ Connector kit, 6xmm OD/22mm OD + 6 mm OD/22mm ID w. connection tube, disposable, 5 pcs.	MP01940	79		
O2Star™ Demo package oxygen therapy accessories (mask, nasal cannula, con. tube), 5 pcs.	MP01946	75		
O2Star™ Face tent, disposable, M/L, 50 pcs.	MP01925	76		
O2Star™ Face tent, disposable, S, 50 pcs.	MP01933	76		
O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01921	75		
O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01931	75		
O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01920	75		
O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01930	75		
O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, M/L, 50 pcs.	MP01926	75		
O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, S, 50 pcs.	MP01934	75		
O2Star™ Oxygen connection tube, 2.1 m with 9/16" connector, disposable, 25 pcs.	MP01944	79		
O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.	MP01927	79		
O2Star™ Oxygen connection tube, 4 m with 9/16" connector, disposable, 25 pcs.	MP01945	79		
O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.	MP01943	79		
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, L, 50 pcs.	MP02926	78		
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925	78, 357		
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924	78, 357		
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02927	78		
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02934	78		
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933	78, 357		
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932	78, 357		
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02935	78		
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02930	78		
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929	78, 357		
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928	78, 357		
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02931	78		
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, L, 50 pcs.	MP02922	78		
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921	78, 357		
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920	78, 357		
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02923	78		
O2Star™ Tracheostomy mask, disposable, M/L, 50 pcs.	MP01924	76		
O2Star™ Tracheostomy mask, disposable, S, 50 pcs.	MP01932	76		
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, M/L, 25 pcs.	MP01922	77		

INDEX

O2Star™ Venturi mask kit, adjustable venturi valve, disposable, S, 25 pcs.	MP01935	77
O2Star™ Venturi mask kit, fixed venturi valve, disposable, M/L, 25 pcs.	MP01923	77
O2Star™ Venturi mask kit, fixed venturi valve, disposable, S, 25 pcs.	MP01936	77
O2Star™ Venturi valve kit, 6 fixed venturi valves, disposable, 5 pcs.	MP01928	79
OR aspirator Evac 40, mains plug DIN, rated voltage 230 V, 50/60 Hz	2M86752	269, 271
OR aspirator Evac 40, mains plug NEMA, rated voltage 110 V, 50/60 Hz	MP00560	269, 271
Oxator head OxyLine, pressure reducer G ³ / ₄ ", 200 bar, NIST, 2 × DIN-CS, ejector	MP01103	240, 242, 243
Oxator head, configurable via OxyLine®	MP00100	242, 243
Oxett adapter plate, to mount Oxett on bed in higher position	2M86205	241
Oxett carrying frame, for Oxett head + O ₂ cylinder up to 2.5 L, with secretion jar	2M86204	241
Oxett head OxyLine, press. reducer G ³ / ₄ ", 200 bar, NIST, flowmeter, DIN-CS, ejector	MP01101	240, 241
Oxett head OxyLine, press. redcr G ³ / ₄ ", 200 bar, flow regulator, NIST, DIN-CS, ejector	MP01102	240, 241
Oxett head, configurable via OxyLine®	MP00100	241, 243
Oxidem 3000 demand valve (configuration)	5704593	99
Oxidem 3000 demand valve incl. adapter (2120496, 2120488)	2111764	99
OxyLine® Pressure reducer	MP00100	237, 238
P Pack2Go® anesthesia pack, A, w/ anesth. set, flex.+mask ComfortStar®, mint, sz.5	MP01681	85
Pack2Go® anesthesia pack, A, w/ anesth. set, flex.+mask ComfortStar®, std., sz.5	MP01680	85
Pack2Go® anesthesia pack, A, with anesthesia set + watertrap	MP01682	85
Pack2Go® anesthesia pack, P, w/ anesth.set, basic+mask ComfortStar®, strawb.,sz.3	MP01684	85
Pack2Go® anesthesia pack, P, w/ anesth.set,basic + mask ComfortStar®, std., sz.3	MP01683	85
Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size L	MP01665	84
Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size M	MP01664	84
Pack2Go® Carina NIV ventilation pack with full-face mask ClassicStar® SE, size S	MP01663	84
Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size L	MP01662	84
Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size M	MP01661	84
Pack2Go® Carina NIV ventilation pack with full-face mask NovaStar® TS SE, size S	MP01660	84
Pack2Go® Evita invasive vent. pack w/ breath. circuit VentStar®, coax, + cuvette	MP01676	83
Pack2Go® Evita invasive vent. pack w/ breath. circuit VentStar®, basic, + cuvette	MP01656	83
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m	MP01657	83
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coax, 1.8 m	MP01677	83
Pack2Go® Mini anesthesia pack, L, A, w/ full-face mask ComfortStar®, std., sz. 5	MP01686	85
Pack2Go® Mini anesthesia pack, M, P, w/ full-face mask ComfortStar®, std., sz. 3	MP01685	85
Pack2Go® Mini invasive ventilation pack, A	MP01671	84
Pack2Go® Oxylog 3000 plus NIV ventilation pack with CO ₂ cuvette	MP01668	84
Pack2Go® Oxylog 3000/3000 plus NIV ventilation pack	MP01669	84
Pack2Go® Savina invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m	MP01674	84
Pack2Go® Savina invasive vent. pack w/ breathing circuit VentStar®, coax., 1.8 m	MP01673	84
Parking holder for CO ₂ sensor	8416352	197
Patient parameter unit Infinity® BISx SmartPod®	MS14796	161
Patient parameter unit Infinity® EEG Pod	5736744	161
Patient parameter unit Infinity® etCO ₂ Microstream SmartPod®	7870947	163

INDEX

Patient parameter unit			
Infinity® HemoMed Pod	5588822		150
Patient parameter unit			
Infinity® PiCCO® SmartPod®	MS17441		159
Patient parameter unit			
MultiMed® 12 Pod	5589663		115
Patient parameter unit set			
Infinity® Trident® NMT SmartPod®	MS15007		162
Patient part for Aquapor EL	8405029		86
Patient valve for adults, 60 mbar, volume of dead space 18 ml	5703706	97, 365	
Patient valve for adults, standard	5703705		97
Patient valve for child/baby, 40 mbar, volume of dead space 18 ml	5703707	97, 365	
PEEP valve diverter, reusable	5703708		98, 366
PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832		44, 98
PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475		44, 98
Plug nozzle water vacuum gauge	MP00566		282
Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000	92, 247	
Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598		152
Pod adapter, 10-pin, for pressure transducer	3375958	152, 159	
Pod adapter, for Abbott/Medex pressure transducer	5196998		152
Pod adapter, for Argon pressure transducer (former Becton Dickinson/Ohmeda)	3375941		152
Pod adapter, for Edwards pressure transducer	5196980		152
Pod connection cable, 3 m	3368425	116, 149	
Pod connection cable, 30 cm	7257988		116
Pod connection cable, 5 m	5195198		116
Positioning aid Hug it, reusable, size M, for patients up to 1500 g	MP01416		330
Positioning aid Hug it, reusable, size S, for patients up to 800 g	MP01415		330
Positioning aid Nesting, reusable, for patients up to 1200 g	MP01417		330
Positioning aid Set, reusable, 4 small pillows, for patients up to 1000 g	MP01418		330
Power cable AUS 1.8 m 2 pin	MP00626	296, 398	
Power cable BR 1.8 m 2 pin	MP00625	296, 398	
Power cable EU 1.8 m 2 pin	MP00591	296, 398	
Power cable GB 1.8 m 2 pin	MP00593	296, 398	
Power cable US / JPN 1.8 m 2 pin	MP00592	296, 398	
Power cable ZA 1.8 m 2 pin	MP00597	296, 398	
Press. reducer w/ flowm. OxyLine, G ³ / ₄ ", 200 bar, 16 L/min, M34×1.5, 9/16, nozzle	MP01104		240
Pressure difference flow sensor, PPSU, disinfectable and sterilizable	8412034		45, 109
Pressure gauge f. VarioVac®+ VarioAir®, double scale kPa/mmHg, -100kPa (-1000mbar)	MP00578		267
Pressure gauge f. VarioVac®+ VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580		267
Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar)	MP03597		281
Pressure gauge for VarioVac®+ VarioAir®, double scale kPa/mmHg, -16 kPa (-160 mbar)	MP00579		281
Pressure measurement connection set for Babylog® 2000	8411354		339
Pressure reducer with NIST OxyLine, G ³ / ₄ ", for 200 bar, NIST	MP01105		240
Prong BabyFlow, disposable, size 3, 10 pcs.	8418603		334
Prong BabyFlow, disposable, size 4, 10 pcs.	8418607		334
Prong BabyFlow, disposable, size 5, 10 pcs.	8418609		334
Prong BabyFlow, disposable, size 6, 10 pcs.	8418611		334
Prong BabyFlow, disposable, size L, 10 pcs.	8418531		334
Prong BabyFlow, disposable, size M, 10 pcs.	8418416		334
Prong BabyFlow, disposable, size S, 10 pcs.	8418605		334
Prong BabyFlow, disposable, size XL, 10 pcs.	8418417		334
Prong BabyFlow, disposable, size XS, 10 pcs.	8418415		334
Prong BabyFlow, disposable, size XXL, 10 pcs.	8418617		334
Protection jar, PSU (polysulfone), reus., w/ rail clamp, autoclav. up to 134 °C	2M86758		253, 265, 269, 272
Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616	144, 190, 221	
Q Quartz oscillator for Tropic plus, reusable, autoclavable	2M85794		252, 388
R Rail clamp for Aquapor EL, for standard rail	8403345		86
Rail clamp for F&P humidifier	8411074		89, 360
Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail	M26842		242, 253, 262, 273, 292, 396
Rail clamp lever type, for attachment of devices to 25x10 mm standard rail	M25739		292

INDEX

Rail clamp lever type, for the attachment of devices to standard rail	2M85049	292		
Rail clamp, for 25 × 10 mm standard rail, drilling distance 22 mm, for M5 screws	M20650	292		
Rail clamp, for attachment to poles of different diameters	2M85274	292, 297, 399		
Rail claw for lamp	MP00615	297, 399		
Rail holder, for 38 mm tube, standard rail profile 10 × 25 mm, 40 cm	2M86185	244		
Rail holder, for catheter receptacle, 12.5 × 8.4 × 18 cm	MP00652	293, 397		
Rail set for Tropic plus, stand, hinged arm, clamp, bottle holder	MP01207	250, 386		
Rail set, attaches to standard rail 10 × 25 mm	G13768	295		
Rainbow ReSposable system R2-20, pedi, 20 DOS and 1 ROS per box	MP03200	184		
Rainbow ReSposable system R2-25, adult, 20 DOS and 1 ROS per box	MP03199	184		
Rainbow Sen ReSposable R2-20r (ROS), pedi, 5 pcs.	MP03202	184		
Rainbow sensor DCI, Adt	MP02971	184		
Rainbow sensor DCIP, pedi	MP02972	184		
Rainbow sensor R20-L, infant, 10 pcs.	MP02962	183		
Rainbow sensor R20, pedi, 10 pcs.	MP02960	183		
Rainbow sensor R25-L, adult, 10 pcs.	MP02961	183		
Rainbow sensor R25, adult 10 pcs.	MP02959	183		
Rainbow sensor ReSposable R2-20a (DOS), pedi, 25 pcs.	MP02998	184		
Rainbow sensor ReSposable R2-25a (DOS), adult, 25 pcs.	MP02997	184		
Rainbow sensor ReSposable R2-25r (ROS), adult, 5 pcs.	MP03201	184		
Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201	169, 378		
Rendell-Baker face mask, reusable, size 0, premature baby	M22764	72, 356		
Rendell-Baker face mask, reusable, size 1, neonate	M14631	72, 356		
Rendell-Baker face mask, reusable, size 2, baby	M14632	72, 356		
Rendell-Baker face mask, reusable, w/ hook ring, size 3, infant	M14633	72		
Reserve secretion jar, PSU (polysulfone), reusable, 4 L, with basket	2M85443	269, 271		
Restraining strap, disposable, 10 pcs.	MU06011	319, 326, 328		
Rubber plug, for immersion tube of water vacuum gauge	2M85139	281		
S Sample gas return line for Fabius®, with filter	M32692	168		
Sample line, disposable, 10 pcs.	8290286	39, 168		
Sample line, silicone, 4 × 1.5	1190520	38, 344		
Sealing cap for humidifier chamber MU06667, disposable, 100 pcs.	MU06668	310		
Sealing plug for All-round face masks	M14737	74		
Sealing plug for Y-piece, 5 pcs.	8411024	93, 362		
Sealing rings for spiral hoses, pack of 20	M07152	99		
Secretion jar set, with 700 mL secretion jars (2 pcs.)		242, 253, 261,		
and 1.5 m suction hose	2M85056	273, 393		
Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.)	2M85607	273, 393		
Secretion jar set, with rail holder and secretion jar 700 mL	2M85163	273, 279		
Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs.	MX23025	253, 263, 394		
Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 mL, 25 pcs.	MX23023	253, 263, 394		
Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C	2M86207	253, 266, 395		
Secretion jar, PSU (polysulfone), reusable, 4 L, autoclavable up to 134 °C	2M85442	269, 271		
Secretion jar, PSU (polysulfone), reusable, 4 L, autoclavable up to 134 °C	M25742	272		
Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C	2M85594	253, 266, 269, 395		
Selectable options for configuration:	MP01200	233, 382		
Sensor for respiratory mechanics and flow, disposable, adult/child, 10 pcs.	5957134	167		
Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.	5957100	167, 378		
Sensor for respiratory mechanics, flow and CO ₂ , disposable, adult/child, 10 pcs.	5957126	167		
Sensor for respiratory mechanics, flow and CO ₂ , disposable, child, 10 pcs.	5957142	167		
Sensor for respiratory mechanics, flow and CO ₂ , disposable, neonate, 10 pcs.	5957118	167, 378		
Shelf 3020, 30 × 20 cm, max. load 5 kg, weight 1.2 kg	M24678	291		
Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	MP00570	253, 266		
Silicone face mask, reusable, size 0, small neonate	MP01910	73, 315, 356		
Silicone face mask, reusable, size 00, premature baby	MP02900	73, 315, 356		
Silicone face mask, reusable, size 1, large neonate	MP01911	73, 315, 356		
Silicone face mask, reusable, size 2, small child	MP01912	73		

INDEX

Silicone face mask, reusable, size 3, large child	MP01913	73		
Silicone face mask, reusable, size 4, small adult	MP01914	73		
Silicone face mask, reusable, size 5, large adult	MP01915	73		
Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038	242, 244		
Sizing gauge for ClassicStar® non-vented/vented NIV nasal masks, 3 pcs.	MP01632	68		
Sizing gauge for ClassicStar® SE/AAV NIV full-face masks, 3 pcs.	MP01592	68		
Sizing gauge for NovaStar® TS SE/AAV NIV full-face masks, 3 pcs.	MP01591	68		
Skin temperature probe 1, disposable, 10 pcs.	MU06933	309, 317, 319		
Skin temperature probe 1, reusable	MU06951	309, 317, 319, 325, 327		
Skin temperature probe 3, disposable, 10 pcs.	MU11228	314		
Skin temperature probe 3, reusable	MU11225	314		
Skin temperature probe 4, disposable, 10 pcs.	MU12525	307		
Skin temperature probe 5 for kangaroo care, disposable, 1.5 m, 10 pcs.	MU12551	307		
Skin temperature probe 5, reusable	MU12533	307		
Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001	305, 311		
Skin temperature probe ThermoTrace, disposable, yellow, near to core, 5 pcs.	MX11000	305, 311		
Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	144, 190, 376		
Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	144, 190, 376		
Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995	143, 189		
Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996	143, 189		
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	143, 189, 376		
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	143, 189, 376		
SLA battery charger for Infinity® Delta/Delta XL	5597377	170		
SLA battery for Infinity® Delta/Delta XL	5592097	170		
Smart Capnoline® Plus O ₂ , adult/intermediate, (pack of 25)	MS26188	166		
Smart Capnoline® Plus, adult/intermediate, (pack of 25)	MS26187	166		
Soda lime Drägersorb® 800+, for CO ₂ absorption, canister, 5 L, 2 pcs.	MX00001	103		
Soda lime Drägersorb® Free, for CO ₂ absorption, canister, 5 L, 2 pcs.	MX50050	103		
Spare parts set SelfTestLung, with locking brace and attachment bolt	MP02401	54		
SpO ₂ adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	126, 373		
SpO ₂ adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	126, 373		
SpO ₂ adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445	126, 202		
SpO ₂ adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444	126, 202		
SpO ₂ adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449	126, 202		
SpO ₂ adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448	126, 202		
SpO ₂ adhesive sensor Masimo® LNCS Adt, disposable, adult, 20 pcs.	MP00790	132, 177, 205		
SpO ₂ adhesive sensor Masimo® LNCS Adtx-3, disposable, adult, 20 pcs.	MP02976	135, 180, 206		
SpO ₂ adhesive sensor Masimo® LNCS Inf-3, disposable, infant, 20 pcs.	MP02978	135, 180, 206, 371		
SpO ₂ adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791	132, 177, 205		
SpO ₂ adhesive sensor Masimo® LNCS Neo-3, disposable, neonate, 20 pcs.	MP02979	135, 180, 371		
SpO ₂ adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MMP00792	132, 177, 322, 370		
SpO ₂ adhesive sensor Masimo® LNCS NeoPt-3, disposable, premature baby, 20 pcs.	MP02980	135, 180, 371		
SpO ₂ adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	132, 177, 322, 370		
SpO ₂ adhesive sensor Masimo® LNCS Pdtx-3, disposable, pedi, 20 pcs.	MP02977	135, 180, 206		
SpO ₂ adhesive sensor Masimo® LNCS Pt, disposable, child, 20 pcs.	MP00793	132, 177, 205		
SpO ₂ adhesive sensor Masimo® LNOP Adt, disposable, adult, 20 pcs.	7496990	129, 204, 214		
SpO ₂ adhesive sensor Masimo® LNOP Neo, disposable, neonate, 20 pcs.	7496974	129, 370		
SpO ₂ adhesive sensor Masimo® LNOP NeoPt-L, disposable, premature baby, long, 20 pcs.	5702878	370		

INDEX

SpO ₂ adhesive sensor Masimo® LNOP NeoPt, disposable, premature baby, 20 pcs.	7496966	129, 204, 370		
SpO ₂ adhesive sensor Masimo® LNOP Pt, disposable, child, 20 pcs.	7496982	129, 204, 214		
SpO ₂ adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065	141, 188, 210, 216		
SpO ₂ adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071	141, 188, 210, 216		
SpO ₂ adhesive sensor Nellcor® Oximax® Max-Fast, disposable, appl.on forehead, 24 pcs.	MX50070	141		
SpO ₂ adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	141, 188, 210, 216, 373		
SpO ₂ adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	141, 188, 210, 373		
SpO ₂ adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066	141, 188, 210, 216		
SpO ₂ adhesive sensor Nellcor® Oximax® Max-R, disposable, application on nose, 24 pcs.	MX50069	141		
SpO ₂ adhesive square Masimo®, 12 pcs.	7496875	138, 185, 208, 215		
SpO ₂ adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496917	138, 185, 208, 215, 372		
SpO ₂ adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496909	138, 185, 208, 215, 372		
SpO ₂ adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO ₂ sensor, 12 pcs.	7496933	138, 185, 215, 372		
SpO ₂ adhesive wrap Masimo®, for NeoPt SpO ₂ sensor, 100 pcs.	7496925	138, 185, 215, 372		
SpO ₂ ear sensor Masimo® LNOP TI, reusable	7497006	128, 203, 214		
SpO ₂ extension cable, 2 m, reusable	2606487	219		
SpO ₂ finger sensor Dräger, reusable	MS13235	126, 202		
SpO ₂ finger sensor Masimo® LNCS DCI, reusable, adult	MP00796	131, 176, 205		
SpO ₂ finger sensor Masimo® LNCS DCIP, reusable, child	MP00795	131, 176, 205		
SpO ₂ finger sensor Masimo® LNOP DCI, reusable, adult	7270312	128, 203, 214		
SpO ₂ finger sensor Masimo® LNOP DCIP, reusable, child	7270304	128, 203, 214		
SpO ₂ finger sensor Masimo® M-LNCS DCI, reusable, adult	MP02981	137, 182, 207		
SpO ₂ finger sensor Masimo® M-LNCS DCIP, reusable, pedi	MP02982	137, 182, 207		
SpO ₂ finger sensor Nellcor® DURA DS 100A	7262764	140, 188, 209, 216		
SpO ₂ finger sensor, adult, 1 m, reusable	2606484	219		
SpO ₂ finger sensor, adult, 2.5 m, reusable	2606483	219		
SpO ₂ foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO ₂ sensor, 12 pcs.	7496891	138, 185, 208, 372		
SpO ₂ intermediate cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 1 m	3368433	125, 130, 140, 375		
SpO ₂ intermediate cable Dräger/Nellcor®, for MultiMed 5/6 and NeoMed pods, 2 m	3375834	125, 130, 140, 375		
SpO ₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 1.2 m	MS18683	125, 130, 140, 202, 209, 375		
SpO ₂ intermediate cable Dräger/Nellcor®, for MultiMed Plus/Plus OR, 3 m	MS17330	125, 130, 140, 202, 209, 375		
SpO ₂ intermediate cable Masimo M-LNCS, 1.2 m	MP02988	179		
SpO ₂ intermediate cable Masimo M-LNCS, 3 m	MP02989	179		
SpO ₂ intermediate cable Masimo M-LNCS, 4.3 m	MP03208	179		
SpO ₂ intermediate cable Masimo rainbow/M-LNCS, 1.2 m	MP02974	179		
SpO ₂ intermediate cable Masimo rainbow/M-LNCS, 3.6 m	MP02975	179		
SpO ₂ intermediate cable Masimo Red LNCS, 1.2 m	MP02991	176		
SpO ₂ intermediate cable Masimo Red LNCS, 3 m	MP02992	176		
SpO ₂ intermediate cable Masimo Red LNCS, 4.3 m	MP03196	176		
SpO ₂ intermediate cable Masimo® LNCS, 1.2 m	MP00800	176		
SpO ₂ intermediate cable Masimo® LNCS, 1.2 m	MS24303	130, 205, 374		
SpO ₂ intermediate cable Masimo® LNCS, 3 m	MP00797	176		
SpO ₂ intermediate cable Masimo® LNCS, 3 m	MS17522	130, 205, 374		
SpO ₂ intermediate cable Masimo® LNCS, 4.3 m	MP03194	176		
SpO ₂ intermediate cable Masimo® LNOP, 1.2 m	MS18680	127, 203, 374		
SpO ₂ intermediate cable Masimo® LNOP, 3 m	MS17041	127, 203, 374		
SpO ₂ Masimo® sensor LNCS-DBI, reusable, adult	MP02993	131, 176, 205		
SpO ₂ Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788	131, 176, 205		
SpO ₂ Masimo® sensor LNCS-TF-I, reusable, pedi/adult	MP02985	137, 182, 207		

INDEX

SpO ₂ Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799	131, 176, 205	
SpO ₂ Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789	131, 176, 205, 370	
SpO ₂ Masimo® sensor M-LNCS-DBI, reusable, adult	MP03207	137, 182, 207	
SpO ₂ Masimo® sensor M-LNCS-TC-I Ear, reusable, pedi/adult	MP02983	137, 182, 207	
SpO ₂ Masimo® sensor M-LNCS-YI Multi, reusable, neonate/pedi/adult	MP02984	137, 182, 207, 371	
SpO ₂ multisite sensor Masimo® LNOP YI, reusable	7497014	128, 203, 214, 370	
SpO ₂ multisite sensor Nellcor® Dura-Y™, reusable	MX01004	140, 216	
SpO ₂ multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult	8201013	322, 373	
SpO ₂ sensor cable Masimo® LNCS, 3 m	MU24688	322	
SpO ₂ sensor cable Masimo® ProCal, for MultiMed 5/6 and NeoMed pods, 1.5 m	MS13926	127, 374	
SpO ₂ sensor cable Masimo® ProCal, for MultiMed 5/6 and NeoMed pods, 2 m	7492601	127, 347	
SpO ₂ sensor cable Masimo® ProCal, for MultiMed Plus/Plus OR, 2 m	MS20163	127	
SpO ₂ sensor cable Nellcor®, 2.4 m	MU24686	322	
SpO ₂ sensor, adult, 0.5 m, disposable, 25 pcs.	2606208	219	
SpO ₂ sensor, infant, 0.5 m, disposable, 25 pcs.	2606210	219	
SpO ₂ sensor, neonate, 0.5 m, disposable, 25 pcs.	2606211	219	
SpO ₂ sensor, pediatric, 0.5 m, disposable, 25 pcs.	2606209	219	
SpO ₂ silicone Soft-tip sensor, adult, 1 m, reusable	2606485	219	
SpO ₂ silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486	219	
Stable 4-wheeled cylinder trolley, for one gas cylinders up to a volume of 11 L	2M86029	242, 244	
Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075	149	
Starter package for Caleo®, reusable, incubator cover and positioning aids	MP01426	305, 330	
Starter package for Isolette® C2000/C8000, reus., cover and positioning aids	MP01427	307, 330	
Suction bottle for DU-O-VAC, disposable, 200 mL	MU10175	318	
Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918	308, 316	
Suction bottle with holder, disposable, 40 mL	MU10916	316	
Suction bottle, disposable, 40 mL, 10 pcs.	MU10917	316	
Suction hose holder, suitable for various diameters	2M85239	253, 262, 269, 272, 273, 292, 396	
Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780	265, 395	
Suction set, disposable, VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each	MP00061	263, 394	
Suction tube VacuSmart® Tube, Polyethylene, disposable, 2 m, w/ finger tip, 25 pcs.	MX23026	253, 263, 394	
Swivel table, reusable, for poles with Ø 38 mm	2M21186	306, 313	
T Adapter, adult, 10 pcs.	MP01085	94	
T Adapter, pediatric, 10 pcs.	MP01086	94	
T-connector for Aeroneb Pro, 12 mm, with plug, 5 pcs.	MP01037	93, 362	
T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902	316	
T-piece adapter for MX 300 and MX 300-i, reusable	MP01445	332	
T-piece connector, reusable	8411044	33, 35, 36, 52, 340, 342, 343	
T-piece connector, reusable, for F&P temperature probe	8418405	34, 341	
T-piece set with plug for Aeroneb Pro, P, 15 mm, w/ adapter 10 mm f. neo., 5 pcs.	MP01032	93, 362	
T-piece with plug for Aeroneb Pro, A, ISO 22 mm, 5 pcs.	MP01031	93	
Table set for Tropic plus, stand, hinged arm, clamp, bottle holder	MP01209	250, 386	
TCC calibration unit	MP00722	169	
Telemetry cable adapter, connects single-pin cable to telemetry transmitter	MS14681	124	
Telemetry transmitter pouch, disposable, 100 pcs.	MS22905	211, 213, 217	
Telemetry transmitter pouch, waterproof, for M300, 10 pcs.	MS18630	211, 213, 217	
Telescopic arm, with curtains (2 pcs.), for visually separating patient beds	MP00498	294	
Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007	32, 50, 91	
Temperature probe for Aquamod	8408647	86	
Temperature probe for Aquapor EL	8405371	87	

INDEX

Temperature probe skin, adult, 3 m, reusable	2606220	221		
Temperature probe, rectal/oral, adult, 3 m, reusable	2606221	221		
Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m	8414989	90, 361		
Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966	90, 361		
Test filter	6870281	197		
Test gas cylinder 5 Vol.% CO ₂ , 95 Vol. % N ₂	6850435	197		
Test lung 2.3-liter bag lung, silicone	8403201	54		
Test lung NeoTestLung, N, latex-free, bellows		33, 34, 35, 36, 54, 320, 340, 341, 342, 8409742	343, 351	
Test lung SelfTestLung, latex-free, reusable, max. 1 L	MP02400	54		
Test lung, silicone, N	8403208	54, 339, 351		
Test lung, silicone, N, with hose	8410079	38, 54, 344, 351		
Thermometer for simple temperature monitoring in the breathing circuit	2M13259	87		
Towel doll Cally, reusable, light blue or pink	2M30462	330		
tpO ₂ /tpCO ₂ solid-state electrode	4529988	169, 378		
Trolley for rail accessories, stainless steel, 2 rails (50 cm each), 55 × 82 × 47 cm	MP00090	294		
Trolley Tropic plus, w/ stand, hinged arm, clamp, bottle holder	MP01206	250, 386		
Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441	269, 271		
Tubing grommet for Caleo®, reusable, angle	2M50385	305		
Tubing grommet for Caleo®, reusable, flap	2M50412	305		
Tubing grommet for Isolette® C2000 and 8000, reusable	MU12609	308		
Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366	319, 325, 327		
Tubing grommet, reusable	2M20434	312		
Turn knob, compl.	MP00587	297, 399		
Two-sided pump ball for air management	MP01590	68, 74, 358		
U Ultrasonic nebulizer Tropic plus, basic unit with all accessories	MP01205	250, 386		
Universal charging station MedCharge 4000 "ALL in ONE"	MX50028	96, 364		
Universal holder flex 15 f. wall rails 25 × 8 to 35 × 10 mm w. bottle screw	MP00637	268		
Universal holder for wall rails 25 × 8 to 35 × 10 mm w. M5 drill hole 15 mm distance	MP00635	268		
Universal holder for wall rails 25 × 8 to 35 × 10 mm w. M5 drill hole 22 mm distance	MP00636	268		
Universal holder profil 30 × 5 mm for wall rails 25 × 8 to 35 × 10 mm	MP00634	268		
Universal holder with groove 25x5	2M86757	269, 272		
Universal hose clip, for hinged arm Infinity ACS (MP00690)	MP00692	301		
Universal laryngoscope set, reusable	MX03300	95		
Universal pole mount	7485621	116, 149, 150		
V VAC CS hose 1.5 m (4.9 ft) NIST BS straight	M35404	286		
VAC CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35386	287		
VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395	286		
VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498	283		
VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422	285		
VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013	284		
VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455	285		
VAC CS hose 3 m (9.8 ft) NIST BS straight	M35405	286		
VAC CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35387	287		
VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396	286		
VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499	283		
VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423	285		
VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014	284		
VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456	285		
VAC CS hose 5 m (16.4 ft) NIST BS straight	M35406	286		
VAC CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35388	287		
VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397	286		
VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000	283		
VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424	285		
VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015	284		
VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457	285		

INDEX

Vacuum lamp for blade (size 00 – 1)	MX03316	95, 363	
Vacuum lamp for blade (size 2 – 5)	MX03311	95	
Vacuum mattress, reusable	2M17909	324	
Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00516	253, 254, 269, 270	
Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC	MP00504	253, 254	
Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC	MP00502	253, 254	
Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC	MP00514	253, 254	
Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection VAC	MP00506	253, 259	
Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC	MP00501	253, 254	
Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC	MP00503	253, 254	
Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00505	253, 254, 269, 270	
Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connect. VAC	MP00510	273, 274	
Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC	MP00508	273, 274	
Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connect. VAC	MP00515	273, 274	
Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC	MP00507	273, 274	
Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC	MP00509	273, 274	
Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connect. VAC	MP00511	273, 274, 389	
Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection VAC	MP00661	253, 259, 390	
Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection VAC	MP00660	253, 255, 390	
Vacuum regulator VarioVac® T DIN, for thoracic drainage, gas connection VAC	MP00664	273, 275	
Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC	MP00512	273, 275, 279	
Vacuum regulator VarioVac® T Rail, for thoracic drainage, gas connection VAC	MP00663	273, 275	
Vacuum suction DISS Canada for bronchial suction, gas connection VAC	MK03320	255	
Vacuum suction DISS for bronchial suction, gas connection VAC	MK03140	255	
Vacuum suction NIST for bronchial suction, gas connection VAC	MK01422	255	
Ventilation hose holder, reusable, 40 cm	8411075	306	
Ventilation valve for Oxylog® 1000, reusable	2M86800	44	
Ventilation valve for Oxylog® 2000/3000, reusable	8412001	45	
VentStar® Helix, dual heated, 10 pcs.	MP02606	22	
VentStar® Helix, heated, 10 pcs.	MP02607	22	
Vista 120 printing paper, 4 rolls	2606231	221	
Vista 120 rechargeable Lithium-Ion battery	2606229	221	
W Wall holder, with fixing screws, f. compact suction unit and secretion jar set	M26859	253, 262, 273, 396	
Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.	MP01414	331	
Water bag holder 900 MR 290	MP01008	89	
Water container with screw thread + gaskets, for VarioVac® T and VarioAir® T	MP00565	282	
Water container, for continuous drainage system 2-4, w/o screw thread	M20668	281	
Water hose for Aquamod	8409625	86	
Water nozzle for humidity pad, disposable, 25 pcs.	MU25426	320	
Water tank and water transfer hose, for Caleo®, reusable	2M50040	306	
Water transfer hose for Caleo®, disposable, 20 pcs.	MX17018	306	
Water trap for Evita 2 dura®, Evita® 4, Evita® XL, reusable	8413125	80	
Water trap Infinity® ID			
WaterLock® 2, 12 pcs.	6872020	168	
Water trap, reusable, A	8404985	30, 32, 41, 52	
Water trap, reusable, N		29, 33, 34, 35, 36, 42, 52, 338, 340, 341, 342,	
	8409627	343, 346	
Water trap, reusable, P	8404760	29, 338	
Water vacuum gauge, f. thor. drainage, combination w/ VarioVac® D + VarioAir® D	MP00518	273, 279	
Watertrap WaterLock® 2, 12 pcs.	6872130	168	

INDEX

X	Xenon lamps for battery grip, 2.5 V	MX03328	96, 364
Y	Y-cable CO ₂ and analog/sync	MS22259	197
	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154	143, 189
	Y-connector, 5 mm	2M12754	38, 344
	Y-piece, disposable, A, 22 mm, 10 pcs.	AM00203	50
	Y-piece, disposable, P, 15 mm, 10 pcs.	AM00209	40, 345
	Y-piece, polyamide, reusable, A, angled, without Luer Lock	M25682	49
	Y-piece, polyamide, reusable, A, straight	M25650	49
	Y-piece, polyamide, reusable, A, temperature tap	M30543	49
	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278	37, 39, 49
	Y-piece, reusable, for Dräger temperature probe	8405435	30, 50
	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888	31, 32, 41, 50
	Y-piece, reusable, P, angled	8403077	50, 339, 349
	Y-piece, reusable, P, angled, with suction opening		29, 33, 35, 38, 43, 50, 338, 340, 342, 344, 347, 349
		8403075	347, 349
	Y-piece, reusable, P, straight	M27077	42, 43, 49, 346, 347, 349

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany

www.draeger.com

Manufacturer:

Dräger Medical GmbH
Moislinger Allee 53–55
23558 Lübeck, Germany

REGION EUROPE CENTRAL AND EUROPE NORTH

Dräger Medical GmbH
Moislinger Allee 53–55
23558 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE SOUTH

Dräger Médical S.A.S.
Parc de Haute Technologie d'Antony 2
25, rue Georges Besse
92182 Antony Cedex, France
Tel +33 1 46 11 56 00
Fax +33 1 40 96 97 20
dlmfr-contact@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Medical GmbH
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA / PACIFIC

Draeger Medical
South East Asia Pte Ltd.
25 International Business Park
#04-27/29 German Centre
Singapore 609916, Singapore
Tel +65 6572 4388
Fax +65 6572 4399
asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Panama Comercial S. de R.L.
Complejo Business Park,
V tower, 10th floor
Panama City
Tel +507 377 9100
Fax +507 377 9130
contactcsa@draeger.com

As of August 2015:
Dräger Medical GmbH changes
to Drägerwerk AG & Co. KGaA.