


**stryker**

# Product guide **2018**

**See more. Do more.**





Visualization  
Plastic and Reconstructive Surgery  
Arthroscopy  
Urology  
Gynecology  
Laparoscopy  
Services

U.S. Product Guide 2018

## **Visualization**

- 12** Camera systems and minimally invasive surgery
- 19** Open visualization
- 20** Video enhancement
- 21** Light source
- 24** Data management
- 27** Printers
- 28** Flat panel surgical display
- 30** Wireless technology
- 31** Video carts

## **Plastic and Reconstructive Surgery**

- 34** SPY-PHI Fluorescence Imaging System
- 35** SPY Elite Fluorescence Imaging System
- 36** DermACELL Acellular Dermal Matrix (ADM)

## **Arthroscopy**

- 40** Arthroscopes
- 44** Arthroscope hardware
- 50** Powered instruments
- 53** Cutters & burs
- 59** Arthroscopy pumps
- 61** Single portal arthroscopy
- 63** Hip arthroscopy
- 69** Small-joint arthroscopy
- 71** Manual instruments
- 74** Disposable cannulas
- 75** Micro cart

## **Urology**

- 78** Rigid cystoscopes
- 80** Resection
- 82** Laser cystoscope
- 83** Urethrotome
- 84** Ureteroscopes
- 85** Urology accessories

## **Gynecology**

- 88** Rigid hysteroscopes
- 90** Resection
- 93** Gynecologic laparoscopy instruments
- 93** Fluid management

## **Laparoscopy**

- 96** Laparoscopes
- 99** Manual instruments
- 106** Electrosurgical instruments
- 107** Suction Irrigation
- 110** Insufflators
- 112** ICG and infrared technology
- 113** Laparoscopic training system
- 113** Pneumatic scope holder

## **Services**

- 116** OnSite Services
- 117** ProCare Services
- 118** Replacement parts
- 120** Repair process
- 121** Loaner and replacement policy

## **Index**

- 122** Index

# We are **Stryker**

**Together with our customers,  
we are driven to make healthcare better.**



This mission is at the heart of what we do and believe. We collaborate with our customers to develop innovative products and services that ultimately improve the lives of patients. We understand that in today's challenging healthcare environment, our customers need solutions that improve quality and efficiency in the operating room and, ultimately, the patient experience. These challenges are creating opportunities for us to make healthcare better, for our customers and the patients they serve.

Stryker is one of the world's leading medical technology companies, and, together with our customers, we are driven to make healthcare better. The Company offers a diverse array of innovative products and services in Orthopaedics, Medical and Surgical, and Neurotechnology and Spine that help improve patient and hospital outcomes. Stryker is active in over 100 countries around the world. Please contact us for more information at [www.stryker.com](http://www.stryker.com).



Stryker Endoscopy is proud to comply with the AdvaMed Code of Ethics that govern interactions with Health Care Professionals in order to foster an ethical and innovative environment within the healthcare industry.

**Stryker is ISO 13485 Certified**

## **Technical Support**

For technical assistance, call our Technical Support hotline at 1-877-4STRYKER (1.877.478.7953) or email us at [endots@stryker.com](mailto:endots@stryker.com).


Our hours of operation are 5 am–5 pm PST. Our Technical Representatives can assist you with the following:

- » Equipment function, operation and set-up
- » Biomedical Department support
- » Product solutions during surgical procedures

## **Customer Service**

Stryker Endoscopy  
5900 Optical Court, San Jose, CA 95138  
Tel 1.800.624.4422, Fax 1.800.729.2917

Customer Service Email:  
[endcustomersupport@stryker.com](mailto:endcustomersupport@stryker.com)



- Spine
- Neurotechnology
- Other
- Hips
- Trauma & Extremities

- Medical
- Instruments
- Endoscopy
- Sustainability Solutions
- Knees

# Stryker

## Corporation

### Orthopaedics

This segment includes hips, knees, robotic-arm assisted technology, trauma & extremities, foot & ankle, bone cement and performance solutions.

### Medical & Surgical

This segment includes power tools and surgical equipment, computer assisted surgery, minimally invasive surgical solutions, sports medicine, infrastructure and integration, patient care, patient handling & EMS equipment and reprocessing & remanufacturing.

### Neurotechnology & Spine

This segment includes craniomaxillofacial, interventional spine, neuro powered instruments, neurovascular and spinal products.

# Ordering Information

## How to order & contract management

To order, call our toll-free number 1.800.624.4422. Our hours of operation are 5AM-5PM Pacific Standard Time. A customer service representative will be available to answer any questions or place your order. You can also email [endocustomersupport@stryker.com](mailto:endocustomersupport@stryker.com).

## Remittance

All payment should be remitted within 30 days of the date of invoice, to: Stryker Sales Corporation, P.O. Box 93276, Chicago, IL 60673-3276

## Shipping

Shipments are F.O.B. Point of Origin. Unless otherwise specified, orders will be shipped via the most economical method.

### Lead times

Standard lead time for disposable items is 24 hours after order receipt and the standard lead time for capital equipment is 3 days after order receipt. If you would like to request an order to ship sooner than its regular lead time, please call Customer Service directly at 1.800.624.4422 and we will make every effort to accommodate your request.

### Exceptions

Order shipment requests outside of the standard lead time are handled as exceptions. Orders must be entered before 3:30pm PST to be considered for same day shipment and will be approved if product and resources are available. If you would like to request an order to ship outside standard lead times, please call Customer Service directly at 1.800.624.4422 and we will make every effort to accommodate your request.

## Distribution policy at Stryker Endoscopy

Distribution Channel Costs: A 3% charge may be added to any orders routed through a Distributor. This charge covers the cost of processing sales tracking and other processes associated with Distributors that are not incurred with direct sales.

## Claims

Claims for short quantity of products must be made within 30 days of receipt. Claims for damaged merchandise must be made with the carrier within 10 days of receipt. Do not accept damaged shipments unless such damage is noted on the Bill of Lading at the time of receipt. The recipient has a responsibility to make the damage claim through the carrier and submit the damage claim and a survey report to Stryker Endoscopy for presentation to our insurance company or the delivering carrier. Stryker Endoscopy will not issue credit for shipping damage unless the above procedure is followed.

## Contract management

Stryker Endoscopy participates with various group purchasing organization contracts. For information contact: National Accounts Department, Stryker Endoscopy, 5900 Optical Court, San Jose, CA 95138

Or email: Local Contracts: [localcontracts@stryker.com](mailto:localcontracts@stryker.com) or  
Healthcare Services: [hcsrequests@stryker.com](mailto:hcsrequests@stryker.com)

Note: No credit will be given for contract pricing discrepancies after 3 months of the original invoice date.

## Terms

All purchases are subject to Stryker's terms and conditions as reflected in Stryker's proposal and invoice sales documentation (e.g., proposal, purchase order, invoice and/or its terms of sale or sales contract, depending on which is provided to the customer). Prices, specifications, and terms are subject to change without notice.

# Flex

## Financial

### **Flex Financial is designed for today's business success**

In recent years operating room technology has made tremendous leaps forward. Stryker's Endoscopy division has been pioneering advances that create more efficient operating rooms where higher quality procedures occur. Stryker also recognized that, in order for facilities to take advantage of these advances, it needed to make it easier for facilities to acquire Stryker products and services.

Flex Financial, a division of Stryker, offers trusted financial professionals and an extensive array of financing programs to allow for immediate acquisition of the latest technology without an up-front capital investment. In today's environment, it has become increasingly difficult to access cash to drive profitable business decisions. Flex Financial can provide access to capital to invest in your business.

We offer numerous payment structures that can be customized to meet budgetary needs and help to build long-term financial stability.

#### **Fee per disposable or implants**

Get the capital you need, and pay for it with premiums added to disposables, implants or reprocessed consumables.

#### **Deferred payment programs**

Get the equipment you need today and pay for it when budgets allow.

#### **Traditional capital and operating leases**

Whether you want to own the equipment or pay for the use of the equipment, we have a solution.

#### **Customized programs**

If an "off the shelf" program doesn't fit your needs, we can customize a program that will work with your individual financial situation

Flex Financial understands the issues healthcare providers face and has structured cost effective programs for hundreds of hospitals and surgery centers of all sizes across the nation. Whether your goal is to increase liquidity, fix costs, or manage budget constraints, our talented group of regional finance managers can structure a plan to meet your needs while keeping state-of-the-art equipment in the hands of the physicians. Contact Flex Financial today: 1.888.308.3146

# Product Warranty

Stryker warrants all products except Dermacell, subject to the exceptions provided herein, to be free from defects in design, materials and workmanship and to substantially conform to the product specifications contained in the documentation provided by Stryker with the products for a period of one year from the date of purchase (the "Warranty Period"). This warranty shall apply only to the original end-user purchaser of products directly from Stryker or a Stryker authorized distributor. This warranty may not be transferred or assigned without the express written consent of Stryker. Dermacell products are subject to the warranty set forth on page 37 of this Product Guide.

If a valid warranty claim is received within the Warranty Period, Stryker will, in its sole discretion: (1) repair the product at no charge, (2) replace the product at no charge with a product that is at least functionally equivalent to the original product, or (3) refund the purchase price of the product. In any event, Stryker's liability for breach of warranty shall be limited to the replacement value of the defective or non-conforming part or component.

This warranty does not apply to: (1) products that have been misused, neglected, modified, altered, adjusted, tampered with, improperly installed or refurbished; (2) products that have been repaired by any person other than Stryker personnel without the prior written consent of Stryker; (3) products that have been subjected to unusual stress or have not been maintained in accordance with the instructions in the user manual or as demonstrated by a Stryker representative; (4) products on which any original serial numbers or other identification marks have been removed or destroyed; or (5) products that have been repaired with any unauthorized or non-Stryker components, including replacement lamps or (6) Dermacell products.

If Stryker determines in its reasonable discretion that the claimed defect or non-conformance in the product is excluded from warranty coverage as described hereunder, it will notify the customer of such determination and will provide an estimate of the cost of repair of the product. In such an event, any repair would be performed at Stryker's standard rates.

Products and product components repaired or replaced under this warranty continue to be warranted as described herein during the initial Warranty Period or, if the initial Warranty Period has expired by the time the product is repaired or replaced, for ninety (90) days after delivery of the repaired or replaced product. When a product or component is replaced, the item provided in replacement will be the customer's property and the replaced item will be Stryker's property. If a refund is provided by Stryker, the product for which the refund is provided must be returned to Stryker and will become Stryker's property.

The inspection, testing, acceptance or use of the products and services furnished hereunder shall not affect En Stryker's obligation under this warranty and such warranty shall survive inspection, test, acceptance and use. Notwithstanding the above, the following products are warranted for a period of ninety (90) days from the date of purchase: scopes, associated scope hardware, fiber optic cables, laparoscopic instruments, and monitors; replacement light bulbs are warranted for a period of sixty (60) days from the date of purchase; printers are warranted for a period of 3 years from the date of purchase.

**To the fullest extent permitted by law, the express warranty set forth herein is the only warranty applicable to the products and is expressly in lieu of any other warranty by Stryker, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose. Stryker shall not have any tort liability to customer with respect to the products and shall not be liable for indirect, special, incidental, punitive or consequential damages resulting from any breach of warranty or under any other legal theory.**

# Return Policy

Buyer may return purchased products to Stryker within 90 days of purchase. ICG purchases are final sale and cannot be returned to Stryker. Dermacell products are subject to the return policy set forth on page 37 of this Product Guide. Products that fail after the first 90 days may be covered by and are subject to the terms of applicable product warranty. Sterile products may not be returned for credit or refund unless they are in their original, unopened packaging or unless they are in breach of the applicable warranty.

## Restocking fees

Unless the product is defective or the return is the direct result of a Stryker Endoscopy error, a restocking fee of 10% may be charged on all returned products.

## Return process

A Returned Merchandise Authorization (RMA) number must be obtained from Stryker Endoscopy before returning product. To obtain an RMA number, please contact Stryker Endoscopy Customer Service at 1.800.624.4422. For Dermacell returns, please see the return policy on page 37.

Please mail returns the addresses below:

**For scopes:**

Except green eye piece AIM scopes

Stryker Endoscopy  
Attn: Returns  
135 Schofield Ave  
Dudley, MA 01571

**For any other product:**

Including green eye piece AIM scopes

Stryker Endoscopy  
Attn: Returns  
5900 Optical Court  
San Jose, CA 95138

With the return, please include the following:

- » RMA number (Please also write the number on the box)
- » Purchase order number
- » Name, address, and account number (of the organization returning the product)
- » Itemized list of the items being returned
- » Reason for the return
- » Product Experience Report/Complaint number, if applicable

Please carefully package the product being returned. Credit will not be given for items that are damaged in return shipment due to inadequate packaging. Stryker does not accept any COD returns. Return shipping costs are borne by Buyer unless Stryker specifically agrees otherwise. Please clean and sterilize all potentially contaminated products prior to returning them to Stryker. It is unlawful to transport bio-contaminated products through interstate commerce, unless they are properly packaged and labeled as such. Stryker reserves the right to destroy contaminated product at the customer's expense and charge the customer for a replacement unit. If a return does not comply with these terms, Stryker reserves the right to destroy the product at the Buyer's expense. Any replacement would be at Buyer's expense.

Please remove any "Protected Health Information" as defined in the Health Insurance Portability and Accountability Act of 1996 from products prior to returning them to Stryker Endoscopy.



- A. 4K surgical display**
- B. My SDC3 Surgeon iPad Application**
- C. SDC3**  
Information management system
- D. PneumoClear**  
Insufflator
- E. Clarity**  
Video enhancement system
- F. 1588 AIM**  
Camera control unit
- G. L10 LED Light Source**
- H. VPI**  
Video Processor/Illuminator
- I. SDP 1000 Printer**

# Visualization

## **Camera systems and minimally invasive surgery**

- 13 1588 AIM Camera System
- 14 1488 HD 3-Chip Camera System
- 15 PINPOINT Camera System
- 16 Precision AC 3-Chip Camera System
- 17 Camera accessories
- 17 Video accessories
- 18 Sterilization trays

## **Open visualization**

- 19 SPY-PHI Portable Fluorescence Imaging System
- 19 SPY Elite Fluorescence Imaging System

## **Video enhancement**

- 20 Clarity video enhancement system

## **Light source**

- 21 L10 AIM Light Source
- 22 Light source accessories

## **Data management**

- 24 SDC3 HD Information Management System
- 25 My SDC3 Surgeon iPad Application
- 26 Data management accessories

## **Printers**

- 27 Printers

## **Flat panel surgical display**

- 28 4K 32" Surgical Display
- 29 VisionPro LED Display

## **Wireless technology**

- 30 SYNK Wireless Platform

## **Video carts**

- 31 Video carts

# Camera systems



**1588 AIM Camera Head  
and AIM Coupler Kit**  
1588-210-122



**Consoles (top to bottom)**  
220-220-300, 1588-010-000, 240-260-000

**1588 AIM Complete Kit**  
1588-878-096P



**1588 AIM Camera Head and AIM Coupler**  
1588-210-122



**1588 AIM Integrated Camera Head**  
1588-610-122



**1588 AIM Inline Camera Head and AIM Coupler**  
1588-710-122



**1588 Pendulum Camera Head**  
1588-310-130

## 1588 AIM Camera System

<b>Camera control unit</b>	<b>1588-010-000</b>	1588 AIM Camera Control Unit (CCU)
<b>Camera heads</b>	<b>1588-210-122</b>	1588 AIM Camera Head and AIM Coupler Kit <b>K</b>
	<b>1588-210-105</b>	1588 AIM Camera Head, C-Mount
	<b>1588-610-122</b>	1588 AIM Integrated Camera Head (JWL)
	<b>1588-710-122</b>	1588 AIM Inline Camera Head and AIM Coupler Kit <b>K</b>
	<b>1588-710-105</b>	1588 AIM Inline Camera Head
	<b>1588-310-130</b>	1588 Pendulum Camera Head
<b>Kits</b>	<b>1588-878-096P</b>	1588 AIM Complete Kit <b>K</b> Includes: 1588 Camera Control Unit (CCU), L10 AIM Light Source and Clarity Console
	<b>1588-668-257P</b>	1588 AIM Lite Kit <b>K</b> Includes: 1588 Camera Control Unit (CCU) and L10 AIM Light Source
<b>Accessories</b>	<b>P30883</b>	AIM USB A-A Cable, 6.6 ft
	<b>1588-000-080</b>	Extension Cable
	<b>PP9036</b>	SPY-MIS ICG Pack (6 Kits per)



**1488 HD 3-Chip  
Camera Control Unit (CCU)  
1488-010-000**



**1488 HD 3-Chip Camera Head  
and 18 mm Coupler Kit  
1488-210-122**

## 1488 HD 3-Chip Camera System

<b>Camera control unit</b>	<b>1488-010-000</b>	1488 HD 3-Chip Camera Control Unit (CCU)
	<b>1488-010-001</b>	1488 HD 3-Chip Camera Control Unit (CCU) with DVI Fiber Output



**1488 Camera Head  
with 18 mm Coupler  
1488-210-122**



**1488 Camera Head  
with Integrated Coupler  
1488-610-122**



**1488 Inline Camera Head  
with 18 mm Coupler  
1488-710-122**



**1488 Pendulum  
Camera Head  
1488-310-130**

<b>Camera heads</b>	<b>1488-210-122</b>	1488 HD 3-Chip Camera Head and 18 mm Coupler Kit
	<b>1488-210-105</b>	1488 HD 3-Chip Camera Head, C-Mount
	<b>1488-610-122</b>	1488 HD 3-Chip Integrated Camera Head
	<b>1488-710-122</b>	1488 HD 3-Chip Inline Camera Head and 18 mm Coupler Kit
	<b>1488-710-105</b>	1488 HD 3-Chip Inline Camera Head, C-Mount
	<b>1488-310-130</b>	1488 HD 3-Chip Pendulum Camera Head with Integrated Coupler

<b>Accessories</b>	<b>P17542</b>	1488 Soaker Cap
	<b>P24765</b>	1488 Soaker Cap Lanyard
	<b>1488-000-020</b>	Extension cable



**PINPOINT Camera head  
PC9002**

## PINPOINT Camera System

<b>Camera control unit</b>	<b>PC9001</b>	Video Processor/Illuminator (VPI)
<b>Camera head</b>	<b>PC9002</b>	PINPOINT Camera Head
<b>PINPOINT Laparoscope</b>	<b>SC9104</b>	10mm, Standard, 0 with Wolf and Storz adaptor
	<b>SC9134</b>	10mm, Standard, 30 with Wolf and Storz adaptor
	<b>SC9144</b>	10mm, Standard, 45 with Wolf and Storz adaptor
	<b>SC9504</b>	5mm, Standard, 0 with Wolf and Storz adaptor
	<b>SC9534</b>	5mm, Standard, 30 with Wolf and Storz adaptor
	<b>SC9544</b>	5mm, Standard, 45 with Wolf and Storz adaptor
<b>Accessories</b>	<b>PC9028</b>	PINPOINT Camera Head Holder, Premium Cart
	<b>PC9017</b>	No-Wrap Reprocessing Tray for two (2) Laparoscopes and one (1) Light Guide Cable
	<b>PC9018</b>	No-Wrap Reprocessing Tray for one (1) Camera Head
	<b>PC9021</b>	PINPOINT Light Guide Adaptor, Endoscope End (Output, Storz)
	<b>PC9022</b>	PINPOINT Light Guide Adaptor, VPI End (Input, Olympus)
	<b>PC9023</b>	PINPOINT Scope Adaptor, Endoscope, Storz
	<b>PC9024</b>	PINPOINT Scope Adaptor, Endoscope, Wolf
	<b>PC9004</b>	PINPOINT Light Cable
	<b>PC9015</b>	PINPOINT HD-SDI Cable (25')



**Precision AC 3-Chip Autoclavable Camera Head and 20 mm Coupler**  
700-410-122



**Precision AC 3-Chip Camera Control Unit (CCU)**  
700-010-000

## Precision AC 3-Chip Camera System

<b>Camera control unit</b>	<b>700-010-000</b>	Precision AC 3-Chip Camera Control Unit (CCU)
	<b>700-010-001</b>	Precision AC 3-Chip Camera Control Unit (CCU) with DVI Fiber Output
<b>Camera heads</b>	<b>700-410-122</b>	Precision AC 3-Chip Autoclavable Camera Head and 20 mm Coupler
	<b>700-410-105</b>	Precision AC 3-Chip Autoclavable Camera Head, C-Mount
<b>Accessories</b>	<b>P17542</b>	Precision Soaker Cap
	<b>P26805</b>	Precision Soaker Cap Lanyard

## Camera accessories

### Couplers

<b>1588-020-122</b>	1588 AIM 18 mm Coupler, C-Mount
<b>1488-020-122</b>	1488 HD 18 mm Coupler, C-Mount
<b>1488-020-125</b>	Ideal Eyes 16 mm–28 mm Zoom Coupler, C-Mount
<b>700-020-122</b>	Precision 20 mm Autoclavable Coupler, C-Mount
<b>1188-020-122</b>	1188 HD 24 mm Coupler



### Adapter

<b>882-210-110</b>	Zeiss/Leica C-Mount Microscope Adapter
--------------------	--

### Soaker caps

<b>P17542</b>	Soaker Cap* Compatible with 1588, 1488 and Precision Camera Head
<b>P24765</b>	Soaker Cap Lanyard* Compatible with 1588 and 1488 Camera Head
<b>P26805</b>	Precision Soaker Cap Lanyard*

\*Soaker Cap and Lanyard must be ordered in tandem

## Video accessories

### Cables

<b>240-099-071</b>	DVI-I Cable, 3 ft
<b>240-050-845</b>	DVI-I Cable, 6.5 ft
<b>240-060-845</b>	DVI-D Cable, 30 ft
<b>105-150-908</b>	S-Video Cable, 12 ft
<b>105-160-911</b>	S-Video Cable, 30 ft
<b>105-184-963</b>	S-Video Cable, 50 ft
<b>103-166-002</b>	BNC Cable, 10 ft
<b>105-190-647</b>	Hospital Power Cord, 2 ft (110 V)
<b>105-033-001</b>	Hospital Power Cord, 6 ft (110 V)
<b>105-205-295</b>	Hospital Power Cord, 20 ft (110 V)
<b>105-206-758</b>	2.5 mm–3.5 mm Remote Screw-On Cable, 6 ft
<b>105-206-813</b>	2.5 mm–2 x 3.5 mm Remote Screw-On Y-Cable, 6 ft
<b>P10352</b>	3.5mm to 2x 2.5mm Y Cable

### Adapter

<b>280-121-000</b>	Spacer Ring Coupler washer to use with manufactured scopes
--------------------	---



**AIM Sterilization Tray**  
**233-032-301**



**Camera Sterilization Tray**  
**233-410-002**





**Endoscope and Camera Sterilization Tray**  
**233-032-302**

## Sterilization trays

### Trays

<b>233-032-301</b>	AIM Sterilization Tray L = 20.65"   W = 9.93"   H = 2.91"
<b>233-410-002</b>	Camera Sterilization Tray L = 15.05"   W = 9.93"   H = 2.91"
<b>233-032-302</b>	Endoscope and Camera Sterilization Tray L = 20.65"   W = 9.93"   H = 2.91"
<b>233-410-000</b>	Autoclavable Camera Tray L = 14.95"   W = 9.87"   H = 2.00"
<b>233-032-114</b>	Articulating Laparoscope Sterilization Tray (5 mm/10 mm) L = 23.28"   W = 11.50"   H = 2.51"
<b>233-032-115</b>	Bariatric Articulating Laparoscope Sterilization Tray L = 23.55"   W = 14.96"   H = 2.20"

### Kits

<b>1588-878-096P</b>	1588 AIM Complete Kit  Includes: 1588 Camera Control Unit (CCU), L10 AIM Light Source and Clarity Console
<b>1588-668-257P</b>	1588 AIM Lite Kit  Includes: 1588 Camera Control Unit (CCU) and L10 AIM Light Source

# Open visualization



**SPY-PHI  
HH9030**

**SPY Elite  
LC3000**



## SPY-PHI | Fluorescence Imaging System

<b>Camera control unit</b>	<b>PC9001</b>	Video Processor/Illuminator (VPI)
<b>SPY-PHI camera head</b>	<b>HH9030</b>	SPY Portable Handheld Imager (SPY-PHI)
<b>Accessories</b>	<b>HH1001</b>	SPY-PHI Articulating Arm, Main Arm
	<b>HH1002</b>	SPY-PHI Articulating Arm, Table Clamp
	<b>HH1003</b>	SPY-PHI Articulating Arm, Imaging Head Holder
	<b>PC9098</b>	SPY-PHI Imaging Head Holder Kit for the Premium Cart
	<b>PC9099</b>	SPY-PHI Imaging Head Holder Installation Tool Kit for the Premium Cart
	<b>PC9114</b>	VPI-SDC Capture Cable

## SPY Elite | Fluorescence Imaging System

<b>SPY Elite tower</b>	<b>LC3000</b>	SPY Elite Fluorescence Imaging System
------------------------	---------------	---------------------------------------

## Drug and drape kits








<b>Kits</b>	<b>HH9006</b>	SPY-PHI Drug Drape Pack (6 Kits Per)
	<b>LC3006</b>	SPY Elite Drug Drape Pack (6 Kits Per)
	<b>SK6000-6</b>	SPY2000 Drug and Drape Pack (6 Kits Per)
	<b>LU3006</b>	LUNA Drug Drape Pack (6 Kits Per)

# Video enhancement



**Clarity Console**  
**240-260-000**

## Clarity | Video enhancement system


<b>Console</b>	<b>240-260-000</b>	Clarity Console
<b>Kit</b>	<b>240-260-001</b>	Clarity with SDC3 Base Kit 
	<b>240-260-002</b>	Clarity with SDC3 Base and SDP1000 Printer Kit 
	<b>240-260-003</b>	Clarity with SDC3 Base and Device Control Kit 
	<b>240-260-004</b>	Clarity with SDC3 Base, Device Control and SDP1000 Printer Kit 
	<b>240-260-005</b>	Clarity with SDC3 Base, Device and Voice Control and SDP1000 Printer Kit 
	<b>240-260-006</b>	Clarity with SDC3 Base and Device and Voice Control Kit 
	<b>1588-878-096P</b>	1588 AIM Complete Kit  Includes: 1588 Camera Control Unit (CCU), L10 AIM Light Source and Clarity Console

# Light source



**L10 LED Light Source with AIM**  
220-220-300

## L10 AIM Light Source

<b>Light source</b>	<b>220-220-300</b>	L10 LED Light Source with AIM
<b>Kit</b>	<b>1588-878-096P</b>	1588 AIM Complete Kit  Includes: 1588 Camera Control Unit (CCU), L10 AIM Light Source and Clarity Console
<b>Accessories</b>	<b>P30883</b>	AIM USB A-A Cable, 6.6 ft
	<b>220-180-518</b>	IRIS Ureteral Kit

## Light source accessories


### Accessories

<b>6000-001-020</b>	2 m Firewire Cable Not included with L9000, but needed for light source control from the 1288 camera head
<b>105-187-988</b>	USB Cable LS/1488 Precision Device Control

### Safelight fiberoptic light cables and adapters



**233-050-300**

<b>233-050-300</b>	5.0 mm x 10 ft AIM Safelight Fiberoptic Cable
<b>233-050-199</b>	Safelight Kit  Includes: Safelight Cable and Safelight Scope Adapter
<b>233-050-100</b>	5.0 mm x 10 ft Clear-Case Safelight Fiberoptic Light Cable
<b>233-050-200</b>	5.0 mm x 10 ft Opaque-Case Safelight Fiberoptic Light Cable
<b>233-050-087</b>	Safelight AIM/Henke/Dyonics/Storz Scope Adapter
<b>233-050-088</b>	Safelight Wolf Scope Adapter
<b>233-050-086</b>	Safelight Olympus Scope Adapter
<b>233-050-192</b>	Safelight ACMI/Circon Scope Adapter



**233-065-010**



**233-050-090**



**233-050-064**



**233-050-065**



**233-050-069**



**233-050-067**



**233-050-084**

### Fiberoptic light cables

<b>233-065-010</b>	6.5 mm x 10 ft Fiberoptic Light Cable Wolf Scope & Stryker Light Source Fittings
<b>233-050-090</b>	5.0 mm x 10 ft Fiberoptic Light Cable Universal Scope and Stryker Light Source Fittings
<b>233-050-064</b>	5.0 mm x 10 ft Clear Case Fiberoptic Light Cable Storz Scope & Stryker Light Source Fittings, Screw-On
<b>233-050-065</b>	5.0 mm x 10 ft Fiberoptic Light Cable Stryker Scope & Stryker Light Source Fittings
<b>233-050-069</b>	5.0 mm x 10 ft Clear Case Fiberoptic Light Cable Wolf Scope & Stryker Light Source Fittings, Snap-On
<b>233-050-067</b>	2.0 mm x 7.5 ft Clear Case Fiberoptic Light Cable Stryker/ACMI Scope & Stryker Light Source Fittings
<b>233-050-084</b>	5.0 mm x 10 ft Fiberoptic Light Cable Storz Scope and Stryker Light Source Fittings, Screw-On

### Light source adapters

- » Connects to light source
- » For use with universal Fiberoptic Light Cable, 233-050-090

<b>233-050-071</b>	Stryker/ACMI/Zimmer Light Source Adapter
<b>233-050-072</b>	Olympus Light Source Adapter
<b>233-050-073</b>	Storz Light Source Adapter
<b>233-050-074</b>	Wolf/Dyonics Light Source Adapter



**331-000-100**



**331-000-200**



**331-000-300**



**331-000-400**

**Scope adapters for autoclavable scopes**

- » Connects to endoscope
- » Blue, red, green and purple eyepiece

- 331-000-100** Stryker Adapter
- 331-000-200** Wolf/Dyonics Adapter
- 331-000-300** Storz Adapter
- 331-000-400** Right Angle Adapter



**233-050-076**



**233-050-077**



**233-060-000**

**Endoscope adapters**

- » Connects to endoscope
- » For use with universal Fiberoptic Light Cable, 233-050-090

- 233-050-076** Wolf/Dyonics Scope Adapter
- 233-050-077** Storz/Olympus Scope Adapter
- 233-060-000** ACMI Universal Scope Adapter



**233-080-000**



**233-082-000**

**Endoscope adapters for non-autoclavable scopes**

- » Connects to endoscope
- » Reference page 35 for arthroscopes

- 233-080-000** Stryker Adapter
- 233-082-000** Storz Adapter

# Data management



**SDC3 HD Information Management System**  
240-060-100

**SDC3 Replacement IR Remote Control**  
240-060-127

**Jabra Wireless Headset and Base Station**  
240-060-112

**Connected OR Spoke**  
240-060-150



















**\*iPad not sold by Stryker**

## SDC3 HD Information Management System











<b>SDC3</b>	<b>240-060-100</b> SDC3 HD Information Management System
	<b>240-060-101</b> SDC3 Voice Control Package
	<b>240-060-102</b> SDC3 Device Control Package
	<b>240-060-103</b> SDC3 DICOM Software
	<b>240-060-150</b> Connected OR Spoke*
	<b>240-060-558</b> SDC3 EMR Connectivity Package

\*At the time of this publication, this device is not currently available for sale in the United States. Contact your local Sales Representative for updated information.

**SDC3 kits****Without printer**

- 240-060-900** SDC3 Base with Voice Control Kit 
- 240-060-901** SDC3 Base with Device Control Kit 
- 240-060-907** SDC3 Base with DICOM Kit 
- 240-060-903** SDC3 Base with Voice Control and Device Control Kit 
- 240-060-928** SDC3 Base with Device Control and EMR Connectivity Kit 
- 240-060-929** SDC3 Base with Device Control, Voice Control and EMR Connectivity Kit 
- 240-060-932** SDC3 Base with Voice Control and EMR Connectivity Kit 
- 240-060-904** SDC3 Base with Voice Control and DICOM Kit 
- 240-060-905** SDC3 Base with Device Control and DICOM Kit 
- 240-060-906** SDC3 Base with Voice Control, Device Control and DICOM Kit 
- 240-061-101** Voice and Device Control with EMR Connectivity Kit 
- 240-061-102** Voice and Device Control with DICOM Kit 
- 240-061-103** Voice and Device Control Kit 
- 240-061-104** Voice Control and EMR Connectivity Kit 
- 240-061-105** Voice Control with DICOM Kit 
- 240-061-106** Device Control and EMR Connectivity Kit 
- 240-061-107** Device Control with DICOM Kit 
- 240-061-558** SDC3 Base with EMR Connectivity Kit 

**With SDP1000 printer**

- 240-060-917** SDC3 Base with SDP1000 Printer Kit 
- 240-060-918** SDC3 Base with Voice Control and SDP1000 Printer Kit 
- 240-060-919** SDC3 Base with Device Control and SDP1000 Printer Kit 
- 240-060-921** SDC3 Base with DICOM and SDP1000 Printer Kit 
- 240-060-922** SDC3 Base with Voice Control, Device Control and SDP1000 Printer Kit 
- 240-060-923** SDC3 Base with Voice Control, DICOM and SDP1000 Printer Kit 
- 240-060-924** SDC3 Base with Device Control, DICOM and SDP1000 Printer Kit 
- 240-060-925** SDC3 Base with Voice Control, Device Control, DICOM and SDP1000 Printer Kit 
- 240-060-930** SDC3 Base with Device Control, SDP1000 Printer and EMR Connectivity Kit 
- 240-060-931** SDC3 Base with Device Control, Voice Control, SDP1000 Printer and EMR Connectivity Kit 

## My SDC Surgeon iPad application

Stryker's Patient Engagement System

Contact your Stryker representative for additional information

### My SDC3 app

To download the My SDC3 app, search for "My SDC3" in the Apple App Store

### My SDC3 + PowerShare

A secure storage and sharing solution

To order a PowerShare License, please reference part number: 240-060-557



## Data management accessories

---

### **SDC3 Device Control and Voice Control accessories**

<b>240-060-112</b>	Jabra® Wireless Headset and Base Station
<b>240-060-113</b>	Mounting Bracket for Jabra® Base Station
<b>240-060-127</b>	SDC3 Replacement IR Remote Control
<b>240-031-021</b>	VisionPro Display EDAM
<b>240-031-006</b>	SYNK Wireless System Device Control Cable Package
<b>240-060-147</b>	Video Editing and Telestration License Must have the Connected OR operating system

---

### **Media**

<b>240-050-811</b>	Verbatim DVD+RW (10/box)
<b>240-050-704</b>	Verbatim CD-R (10/box)

---

### **SDC accessories**

<b>240-050-845</b>	DVI Cable, 6 ft
<b>105-187-988</b>	USB A-B Cable, 6 ft
<b>240-050-875</b>	DICOM Upgrade for SDC HD
<b>240-050-995</b>	DICOM Upgrade for SDC Ultra

---

# Printers



**SDP1000 Digital Color Printer**  
**240-080-230**

## Printers






<b>Printers</b>	<b>240-080-230</b> SDP1000 Digital Color Printer
<b>Digital printer accessories</b>	<p><b>For SDP1000 Digital Color Printer</b></p> <p><b>240-080-231</b> Letter size print media for SDP1000 (100 sheets)</p> <p><b>240-080-232</b> A4 size print media for SDP1000 (100 sheets)</p> <p><b>P12811</b> Pink paper holder for SDP1000</p> <p><b>P12812</b> Blue paper holder for SDP1000</p>
<b>Inkjet printer accessories</b>	<p><b>For Kodak ESP 7250 Printer</b></p> <p><b>240-080-226</b> Color ink cartridge</p> <p><b>240-080-227</b> Black ink cartridge</p>
	<p><b>Paper</b></p> <p><b>240-050-717</b> HP Advanced glossy photo paper (50 sheets)</p>

# Flat panel surgical display



**4K 32" Surgical Display**  
**240-031-050**

## 4K 32" Surgical Display

<b>Monitors</b>	<b>240-031-050</b>	4K 32" Surgical Display
<b>Kits</b>	<b>240-031-057</b>	4K 32" Display with Video Cart Upgrade Kit  Includes 4K Display and Flat Panel Mounting Arm Maximum load 14.9 kg/33.0 lbs
	<b>240-031-052</b>	4K 32" Display with S-Video Converter Box Kit 
	<b>240-031-053</b>	4K 32" Display VGA Converter Box Kit 
	<b>240-031-054</b>	4K 32" Display DVI Converter Box Kit 
	<b>240-031-055</b>	4K 32" Display 3G-SDI Converter Box Kit 
<b>Accessories</b>	<b>240-030-951</b>	15 ft (5-Pin) DC Extension Cable for all Stryker Displays
	<b>240-030-952</b>	75 ft (5-Pin) DC Extension Cable for all Stryker Displays
	<b>240-031-004</b>	Display Medical Power Supply For all Stryker displays
	<b>240-031-051</b>	4K 32" Display Cover
	<b>240-030-922</b>	Flat Panel Monitor Stand For all Stryker displays
	<b>240-095-200</b>	Flat Panel Mounting Arm for all Stryker Displays Maximum load 11.9 kg/26.3 lbs
	<b>240-099-250</b>	S-Video Converter Box
	<b>240-099-255</b>	VGA Converter Box
	<b>240-099-260</b>	3G-SDI Converter Box
	<b>240-099-265</b>	DVI Converter Box



**VisionPro 26" LED Display**  
240-031-020

## VisionPro LED Display

<b>Monitors</b>	<b>240-031-020</b>	VisionPro 26" LED Display
<b>Accessories</b>	<b>240-031-004</b>	Display Medical Power Supply For all Stryker Displays
	<b>240-095-200</b>	Flat Panel Mounting Arm For all Stryker Displays Maximum load 14.9 kg/33.0 lbs
	<b>240-030-922</b>	Flat Panel Monitor Stand For all Stryker Displays
	<b>240-031-002</b>	VisionPro 26" LED Monitor Cover
	<b>240-030-952</b>	75 ft (5-Pin) DC Extension Cable For all Stryker Displays
	<b>240-030-951</b>	15 ft (5-Pin) DC Extension Cable For all Stryker Displays
	<b>240-031-021</b>	VisionPro Display EDAM

# Wireless technology



**VisionPro SYNK 26" Wireless LED Display**  
240-031-000



**SYNK Wireless Transmitter**  
240-031-010

## Wireless platforms

**SYNK**

- 240-031-000 VisionPro SYNK 26" Wireless LED Display
- 240-031-010 SYNK Wireless Transmitter
- 240-030-974 SYNK and WiSe Token Key (3/pkg)
- 240-030-977 SYNK and WiSe Permanent Link Token (Red)
- 240-031-006 SYNK Wireless System Device Control Cable Package

# Video carts



**Auxiliary Video Cart Kit**  
240-099-001K





**Flat-Panel Roll Stand Kit**  
240-099-110K



**Standard Video Cart Kit**  
240-099-011K


## Video carts

### Video carts

- 240-099-001K** Auxiliary Video Cart Kit   
Includes: Auxiliary Video Cart, Shelves (4), Flat-Panel Mounting Arm
- 240-099-011K** Standard Video Cart Kit  
Includes: Standard Video Cart, CO<sub>2</sub> Tank Bracket, Shelves (4), Flat-Panel Mounting Arm, Drawer (1)
- 240-099-110K** Flat-Panel Roll Stand Kit   
Includes: Pole, Base, 20 ft Power Cord, Mounting Plate, Roll Stand Handle

### Accessories

#### For Stryker video carts

- 105-206-869** Tilt Bracket for Flat-Panel Mounting Arm
- 240-031-057** 4K Display with Video Cart Upgrade Kit   
Includes: 4K Display and Flat-Panel Mounting Arm  
Maximum load 14.9 kg/33.0 lbs
- 240-095-200** Flat-Panel Mounting Arm  
For all Stryker Displays  
Maximum load 14.9 kg/33.0 lbs
- 240-099-050** Isolation Transformer
- 240-099-052** CO<sub>2</sub> Tank Bracket
- 240-099-054** LCD Side Mount Monitor Velcro Strap
- 240-099-059** Additional Shelf (for Auxiliary and Standard Cart)
- 240-099-069** Power Cord Replacement for Video Carts
- 240-099-074** Auxiliary Video Connector
- 240-099-075** Shelf with PIN Rails (for Auxiliary and Standard Cart)
- 240-099-076** Pull-Out Shelf with PIN Rails (for Auxiliary and Standard Cart)

#### For flat-panel roll stand

- 105-205-295** Hospital Power Cord, 20 ft (110 v)
- 105-205-854** Flat-Panel Roll Stand Mounting Plate
- 240-099-109** Flat-Panel Roll Stand Base
- 240-099-110** Flat-Panel Roll Stand Pole
- 240-060-845** DVI-D Cable, 30 ft



# Plastic and Reconstructive Surgery

## **SPY-PHI**

- 34 SPY-PHI Fluorescence Imaging System
- 34 Camera control unit

## **SPY Elite**

- 35 SPY Elite Fluorescence Imaging System
- 35 Drug and Drape kits

## **DermACELL Acellular Dermal Matrix (ADM)**

- 36 0.75 - 1.50 mm
- 36 0.6 - 1.05 mm
- 36 0.6 - 1.05 mm Microperforated
- 36 1.25 - 2.00 mm

# SPY-PHI



**SPY Portable Handheld Imager (SPY-PHI)  
HH9030**

## SPY Portable Handheld Imager, Fluorescence System

<b>Camera control unit</b>	<b>PC9001</b>	Video Processor/Illuminator (VPI)
<b>Camera head</b>	<b>HH9030</b>	SPY Portable Handheld Imager (SPY-PHI)
<b>Accessories</b>	<b>HH1001</b>	SPY-PHI Articulating Arm, Main Arm
	<b>HH1002</b>	SPY-PHI Articulating Arm, Table Clamp
	<b>HH1003</b>	SPY-PHI Articulating Arm, Imaging Head Holder
	<b>PC9098</b>	SPY-PHI Imaging Head Holder Kit for the Premium Cart
	<b>PC9099</b>	SPY-PHI Imaging Head Holder Installation Tool Kit for the Premium Cart
	<b>PC9114</b>	VPI-SDC Capture Cable

# SPY-Elite



## SPY Elite | Fluorescence Imaging System

### SPY Elite tower

**LC3000** SPY Elite Fluorescence Imaging System

## Drug and drape kits

### Kits

- HH9006** SPY-PHI Drug Drape Pack (6 Kits Per)
- LC3006** SPY Elite Drug Drape Pack (6 Kits Per)
- SK6000-6** SPY2000 Drug and Drape Pack (6 Kits Per)
- LU3006** LUNA Drug Drape Pack (6 Kits Per)

# DermACELL



## DermACELL Acellular Dermal Matrix (ADM)

**Thickness  
0.75 - 1.50 mm**

<b>DCELL200</b>	4 x 12 cm
<b>DCELL201</b>	6 x 12 cm
<b>DCELL202</b>	4 x 16 cm
<b>DCELL203</b>	5 x 16 cm
<b>DCELL204</b>	6 x 16 cm
<b>DCELL205</b>	8 x 16 cm
<b>DCELL206</b>	8 x 20 cm
<b>DCELL207</b>	16 x 20 cm
<b>DCELL208</b>	20 x 20 cm

**Thickness  
0.6 - 1.05 mm**

<b>DCELL214</b>	6 x 16 cm
<b>DCELL215</b>	8 x 16 cm
<b>DCELL216</b>	8 x 20 cm

**Thickness  
0.6 - 1.05 mm  
microperforated**

<b>DCELL214M</b>	6 x 16 cm
<b>DCELL215M</b>	8 x 16 cm
<b>DCELL216M</b>	8 x 20 cm
<b>DCELL217M</b>	16 x 20 cm

**Thickness  
1.25 - 2.00 mm**

<b>DCELL250</b>	4 x 12 cm
<b>DCELL251</b>	6 x 12 cm
<b>DCELL252</b>	4 x 16 cm
<b>DCELL253</b>	5 x 16 cm
<b>DCELL254</b>	6 x 16 cm
<b>DCELL255</b>	8 x 16 cm
<b>DCELL256</b>	8 x 20 cm
<b>DCELL257</b>	16 x 20 cm
<b>DCELL258</b>	20 x 20 cm

# DermACELL

## Warranty

LifeNet Health, the processor of Dermacell, warrants that Dermacell Products have been collected, processed, stored, and distributed according to the Standards for Tissue Banking set forth by the American Association of Tissue Banks and Title 21, Code of Federal Regulations (CFR) part 1270, Human Tissue Intended for Transplantation and Part 1271, Establishment Registration and Listing. No representations are made nor warranties given concerning the Biologic Properties or Biomechanical Properties of Product. "Biologic Properties" means the genetic properties of a part or function of a living body, and "Biomechanical Properties" means the mechanical properties of a part or function of a living body, which properties depend upon the inherent properties of the part or function's constituents and upon how the constituents are arranged relative to each other.

If a valid Warranty claim is received, Stryker will, in its sole discretion: (a) replace the Product at no charge with a Product that is at least functionally equivalent to the original Product, or (b) refund the purchase price of the Product. In any event, Stryker's liability for breach of warranty shall be limited to the replacement value of the non-conforming Dermacell product. This warranty does not apply to: (a) Products that have been misused, neglected, modified, altered, adjusted or tampered with by non-Stryker personnel; or (b) Dermacell products that have not been maintained in accordance with the instructions in the product labels, technical specifics or other product use manuals or as demonstrated by a Stryker representative. If Stryker determines in its reasonable discretion that the claimed non-conformance in the Dermacell product is excluded from warranty coverage as described hereunder, it will notify the customer of such determination and, upon reasonable discussion with the customer, will provide a cost proposal for the price of replacing the Dermacell product.

To the fullest extent permitted by law, the express warranty set forth herein is the only warranty applicable to the Dermacell products and is expressly in lieu of any other warranty by Stryker, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose. Stryker shall not have any tort liability to customer with respect to the products and shall not be liable for indirect, special, incidental, punitive or consequential damages resulting from any breach of warranty or under any other legal theory.

### Dermacell Return Policy

Stryker may allow the return of Dermacell products subject to a fifteen percent (15%) restocking fee if some specific conditions are met. Stryker reserves the right to refuse credit if the conditions and specifications of this policy are not met or the returned Dermacell product is received damaged or thawed as determined at Stryker's sole discretion. The general criteria for returning Dermacell products are as follows: (1) customer must submit a signed Certification for Proper Storage Return of Allograft form to LifeNet Health (Product Processor), (2) a return material authorization number (RMA#) must be obtained from the Product Processor and any non-authorized returns may not be considered for credit, (3) Dermacell product must be in its original, unaltered, unopened, unexpired package with original intact labeling and instructions for use/package insert and show no signs of tampering, (4) credit will be issued only for unopened, unaltered Dermacell product that has been properly stored and is not within 30 days of the expiration date stated on the product label, (5) any return made after 30 days since the date the order was received will not be allowed nor credited, (6) product returns are allowed if returned in original shipper with insulation (a total of 4 "Kool-it" block panels), (7) return credit will be considered if temperature dot color has an acceptable color range and no credit will be issued for a Product returned improperly packaged and the temperature sensitive dot is pink or red, (8) DermACELL must be stored between 15 to 30°C with excursions (from 10 to 37°C degrees) allowed, (9) an additional fee may be applied for additional insulation block requests, (9) an additional fee will be incurred for any dry ice requests, (10) any non-authorized returns may not be considered for credit, and (11) an additional 20% restocking fee will be deducted from return credit if the returned tissue requires relabeling or repacking.

All other Dermacell products deemed acceptable for use, but not accepted for credit, will be available for return to the customer at customer's cost upon written request within 48 hours of customer's receipt of notice of rejection under this paragraph. Dermacell products that are not accepted for credit and not returned to the customer will become the property of the Product Processor.

### Dermacell Products must have been stored according to the requirements below.

Freeze Dried & Preservon Treated

Ambient temperature: 10°C – 37°C or 50°F – 98°F

Room Temperature Ambient temperature 15° - 30°C with excursions (from 10 to 37°C degrees) allowed

**In order to process a return of Dermacell, please contact Stryker at 1-800-624-4422 Option 4, or by email at [EndoNovadaqCS@stryker.com](mailto:EndoNovadaqCS@stryker.com)**



# Arthroscopy

## Arthroscopes

- 41 Precision Ideal Eyes HD Autoclavable C-Mount Arthroscopes
- 42 Ideal Eyes HD Autoclavable Eyepiece Arthroscopes
- 43 Autoclavable C-Mount Arthroscopes
- 43 Non-Autoclavable C-Mount Arthroscopes

## Arthroscope hardware

- 44 Arthroscopy hardware
- 48 Sterilization trays
- 49 Instrument trays

## Powered instruments

- 50 CrossFire 2 Integrated Resection and Energy System
- 51 Core Powered Instrument Driver
- 52 Shaver handpieces

## Cutters & burs

- 53 CrossBlade Series Cutters
- 54 Formula Series Cutters
- 55 Formula Series Burs
- 56 Cutter cannulas
- 57 Cutter cannula accessories
- 58 SERFAS Energy Probes

## Arthroscopy pumps

- 59 CrossFlow
- 60 FloSteady Select
- 60 Pump accessories

## Single portal arthroscopy

- 61 ParallelPortal system

## Hip arthroscopy

- 63 Visualization
- 64 Access
- 65 Instrumentation
- 67 CrossBlade XL Diamond Burs
- 67 Formula Series XL Cutters and Burs
- 68 RF ablation
- 68 Long 90 mm Dri-Lok Hip Cannulas

## Small-joint arthroscopy

- 69 Formula Series Small-Joint Cutters and Burs
- 70 TPS Small-Joint Series Cutters and Burs

## Manual instruments

- 71 Punches
- 72 Scissors
- 72 Graspers
- 72 Probes
- 72 Sterilization trays
- 73 Small-joint instruments

## Disposable cannulas

- 74 Dri-Lok Cannula
- 74 Accessories

## Micro cart

- 75 Micro cart

# Arthroscopes





## Precision Ideal Eyes HD Autoclavable C-Mount Arthroscopes

Part number	Outer diameter	View direction	Field of view	Working length	Light post direction	Locking mechanism
502-904-010	4.0 mm	0°	105°	140 mm	Standard	Speed-Lock
502-904-030	4.0 mm	30°	105°	140 mm	Standard	Speed-Lock
502-904-070	4.0 mm	70°	105°	140 mm	Standard	Speed-Lock
502-904-130	4.0 mm	30°	105°	140 mm	Reverse cant	Speed-Lock
502-304-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
502-304-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock
502-304-130	4.0 mm	30°	105°	165 mm	Reverse cant	Speed-Lock
502-927-010*	2.7 mm	0°	80°	120 mm	Standard	Speed-Lock
502-927-030	2.7 mm	30°	80°	120 mm	Standard	Speed-Lock
502-927-070*	2.7 mm	70°	80°	120 mm	Standard	Speed-Lock
502-827-010*	2.7 mm	0°	80°	75 mm	Standard	J-lock
502-827-030	2.7 mm	30°	80°	75 mm	Standard	J-lock
502-827-070*	2.7 mm	70°	80°	75 mm	Standard	J-lock
502-827-130	2.7 mm	30°	80°	75 mm	Reverse cant	J-lock
502-826-030	2.7 mm	30°	80°	75 mm	Standard	Speed-Lock
502-826-070	2.7 mm	70°	80°	75 mm	Standard	Speed-Lock
502-823-010	2.3 mm	0°	80°	72 mm	Standard	J-lock
502-823-030	2.3 mm	30°	80°	72 mm	Standard	J-lock
502-823-070	2.3 mm	70°	80°	72 mm	Standard	J-lock
502-823-130*	2.3 mm	30°	80°	72 mm	Reverse cant	J-lock
502-822-030	2.3 mm	30°	80°	72 mm	Standard	Speed-Lock
502-819-010	1.9 mm	0°	65°	58 mm	Standard	J-lock
502-819-030	1.9 mm	30°	65°	58 mm	Standard	J-lock
502-820-030	1.9 mm	30°	65°	58 mm	Standard	Speed-Lock

\* Made to order



## Ideal Eyes HD Autoclavable Eyepiece Arthroscopes

Part number	Outer diameter	View direction	Field of view	Working length	Light post direction	Locking mechanism
502-104-010	4.0 mm	0°	105°	140 mm	Standard	Speed-Lock
502-104-030	4.0 mm	30°	105°	140 mm	Standard	Speed-Lock
502-104-045	4.0 mm	45°	105°	140 mm	Standard	Speed-Lock
502-104-070	4.0 mm	70°	105°	140 mm	Standard	Speed-Lock
502-104-130	4.0 mm	30°	105°	140 mm	Reverse cant	Speed-Lock
502-204-010	4.0 mm	0°	105°	165 mm	Standard	Speed-Lock
502-204-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
502-204-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock
502-127-010	2.7 mm	0°	105°	120 mm	Standard	Speed-Lock
502-127-030	2.7 mm	30°	105°	120 mm	Standard	Speed-Lock
502-127-070	2.7 mm	70°	105°	120 mm	Standard	Speed-Lock
502-027-010	2.7 mm	0°	80°	75 mm	Standard	J-lock
502-027-030	2.7 mm	30°	80°	75 mm	Standard	J-lock
502-027-070	2.7 mm	70°	80°	75 mm	Standard	J-lock
502-123-010	2.3 mm	0°	80°	72 mm	Standard	J-lock
502-123-030	2.3 mm	30°	80°	72 mm	Standard	J-lock
502-123-070	2.3 mm	70°	80°	72 mm	Standard	J-lock
502-123-130	2.3 mm	30°	80°	72 mm	Reverse cant	J-lock
502-119-010	1.9 mm	0°	65°	58 mm	Standard	J-lock
502-119-030	1.9 mm	30°	65°	58 mm	Standard	J-lock



### Autoclavable C-Mount Arthroscopes

Part number	Outer diameter	View direction	Field of view	Working length	Light post direction	Locking mechanism
502-527-030	4.0 mm	30°	105°	140 mm	Standard	Speed-Lock
502-527-130	4.0 mm	30°	105°	140 mm	Reverse cant	Speed-Lock



### Non-Autoclavable C-Mount Arthroscopes

Part number	Outer diameter	View direction	Field of view	Working length	Light post direction	Locking mechanism
502-626-030	2.7 mm	30°	80°	75 mm	Standard	Speed-Lock
502-623-030	2.3 mm	30°	80°	72 mm	Standard	Speed-Lock
502-624-030	1.9 mm	30°	65°	58 mm	Standard	Speed-Lock

# Arthroscope hardware

## 4.0 mm Arthroscope hardware – Speed-Lock

### 5.0 mm Series

- 377-031-144** 5.0 mm Cannula, 2 Rotating Stopcocks
- 377-031-129** Pencil Tip Obturator for 5.0 mm Cannula
- 377-031-229** Trocar for 5.0 mm Cannula



### 5.8 mm Series

- 747-031-560** 5.8 mm Cannula, 2 Fixed Stopcocks
- 747-031-550** 5.8 mm Cannula, 2 Rotating Stopcocks
- 747-031-540** 5.8 mm Cannula, 1 Fixed Stopcock
- 747-031-530** 5.8 mm Cannula, 1 Rotating Stopcock
- 747-031-510** Pencil Tip Obturator for 5.8 mm Cannula
- 747-031-511** Blunt Tip Obturator for 5.8 mm Cannula
- 747-031-520** Trocar for 5.8 mm Cannula



### 6.5 mm Series

- 377-031-650** 6.5 mm Cannula, 2 Rotating Stopcocks
- 377-031-630** 6.5 mm Cannula, 1 Rotating Stopcock
- 377-031-610** Pencil Tip Obturator for 6.5 mm Cannula
- 377-031-611** Blunt Tip Obturator for 6.5 mm Cannula
- 377-031-620** Trocar for 6.5 mm Cannula



### 6.5 mm Series inflow/outflow cannula

- 747-031-650** Inflow/Outflow Cannula, 2 Rotating Stopcocks (Continuous Flow)
- 747-031-510** Pencil Tip Obturator for 6.5 mm Inflow/Outflow Cannula
- 747-031-511** Blunt Tip Obturator for 6.5 mm Inflow/Outflow Cannula
- 747-031-520** Trocar for 6.5 mm Inflow/Outflow Cannula



## 4.0 mm Long Arthroscope hardware – Speed-Lock

### 5.8 mm Series

- 502-577-550** 5.8 mm Cannula, 2 Rotating Stopcocks
- 502-577-520** Trocar for 5.8 mm Long Cannula
- 502-577-510** Blunt Tip Obturator 5.8 mm Long Cannula
- 502-577-515** Pencil Tip Obturator 5.8 mm Long Cannula



## 2.7 mm Arthroscope hardware – Speed-Lock

### 4.0 mm Series

<b>343-331-430</b>	4.0 mm Cannula, 1 Rotating Stopcock
<b>343-331-450</b>	4.0 mm Cannula, 2 Rotating Stopcocks
<b>343-331-410</b>	Pencil Tip Obturator for 4.0 mm Cannula
<b>343-331-411</b>	Blunt Tip Obturator for 4.0 mm Cannula
<b>343-331-420</b>	Trocar for 4.0 mm Cannula



## 2.7 mm Stubby arthroscope hardware – Speed-Lock

### 3.2 mm Series

» Low-flow

<b>502-344-530</b>	3.2 mm Cannula, 1 Rotating Stopcock
<b>502-344-550</b>	3.2 mm Cannula, 1 Fixed Stopcock
<b>502-344-540</b>	3.2 mm Cannula, 2 Fixed Stopcocks
<b>502-344-560</b>	3.2 mm Cannula, 2 Rotating Stopcocks
<b>502-344-500</b>	Pencil Tip Obturator for 3.2 mm Cannula
<b>502-344-510</b>	Blunt Tip Obturator for 3.2 mm Cannula
<b>502-344-520</b>	Trocar for 3.2 mm Cannula



### 4.0 mm Series

» High-flow

<b>502-244-530</b>	4.0 mm Cannula, 1 Rotating Stopcock
<b>502-244-550</b>	4.0 mm Cannula, 1 Fixed Stopcock
<b>502-244-560</b>	4.0 mm Cannula, 2 Rotating Stopcocks
<b>502-244-500</b>	Pencil Tip Obturator for 4.0 mm Cannula
<b>502-244-510</b>	Blunt Tip Obturator for 4.0 mm Cannula
<b>502-244-520</b>	Trocar for 4.0 mm Cannula




## 2.7 mm Stubby arthroscope hardware – J-lock

### 3.2 mm Series

» Low-flow

<b>502-713-530</b>	3.2 mm Cannula, 1 Rotating Stopcock
<b>502-713-550</b>	3.2 mm Cannula, 1 Fixed Stopcock
<b>502-713-560</b>	3.2 mm Cannula, 2 Rotating Stopcocks
<b>502-713-540</b>	3.2 mm Cannula, 2 Fixed Stopcocks
<b>502-713-500</b>	Pencil Tip Obturator for 3.2 mm Cannula
<b>502-713-510</b>	Blunt Tip Obturator for 3.2 mm Cannula
<b>502-713-520</b>	Trocar for 3.2 mm Cannula



### 4.0 mm Series

» High-flow

<b>502-714-530</b>	4.0 mm Cannula, 1 Rotating Stopcock
<b>502-714-550</b>	4.0 mm Cannula, 1 Fixed Stopcock
<b>502-714-560</b>	4.0 mm Cannula, 2 Rotating Stopcocks
<b>502-714-500</b>	Pencil Tip Obturator for 4.0 mm Cannula
<b>502-714-510</b>	Blunt Tip Obturator for 4.0 mm Cannula
<b>502-714-520</b>	Trocar for 4.0 mm Cannula




## 2.3 mm Arthroscope hardware – Speed-Lock

### 3.2 mm Series

» High-flow

<b>502-344-530</b>	3.2 mm Cannula, 1 Rotating Stopcock
<b>502-344-550</b>	3.2 mm Cannula, 1 Fixed Stopcock
<b>502-344-540</b>	3.2 mm Cannula, 2 Fixed Stopcocks
<b>502-344-560</b>	3.2 mm Cannula, 2 Rotating Stopcocks
<b>502-344-500</b>	Pencil Tip Obturator for 3.2 mm Cannula
<b>502-344-510</b>	Blunt Tip Obturator for 3.2 mm Cannula
<b>502-344-520</b>	Trocar for 3.2 mm Cannula



### 2.9 mm Series

» Low-flow


<b>502-623-530</b>	2.9 mm Cannula, 1 Rotating Stopcock
<b>502-623-500</b>	Pencil Tip Obturator for 2.9 mm Cannula
<b>502-623-510</b>	Blunt Tip Obturator for 2.9 mm Cannula

## 2.3 mm Arthroscope hardware – J-lock

### 3.2 mm Series

» High-flow

<b>502-713-530</b>	3.2 mm Cannula, 1 Rotating Stopcock
<b>502-713-550</b>	3.2 mm Cannula, 1 Fixed Stopcock
<b>502-713-560</b>	3.2 mm Cannula, 2 Rotating Stopcocks
<b>502-713-540</b>	3.2 mm Cannula, 2 Fixed Stopcocks
<b>502-713-500</b>	Pencil Tip Obturator for 3.2 mm Cannula
<b>502-713-510</b>	Blunt Tip Obturator for 3.2 mm Cannula
<b>502-713-520</b>	Trocar for 3.2 mm Cannula



### 2.9 mm Series

» Low-flow

<b>502-712-530</b>	2.9 mm Cannula, 1 Rotating Stopcock
<b>502-712-500</b>	Pencil Tip Obturator for 2.9 mm Cannula
<b>502-712-520</b>	Trocar for 2.9 mm Cannula

## 1.9 mm Arthroscope hardware – Speed-Lock

---

### 2.8 mm Series

<b>502-144-530</b>	2.8 mm Cannula, 1 Rotating Stopcock
<b>502-144-550</b>	2.8 mm Cannula, 1 Fixed Stopcock
<b>502-144-560</b>	2.8 mm Cannula, 2 Rotating Stopcocks
<b>502-144-500</b>	Pencil Tip Obturator for 1.9 mm Cannula
<b>502-144-510</b>	Blunt Tip Obturator for 1.9 mm Cannula



## 1.9 mm Arthroscope hardware – J-lock

---

### 2.8 mm Series

<b>502-711-530</b>	2.8 mm Cannula, 1 Rotating Stopcock
<b>502-711-550</b>	2.8 mm Cannula, 1 Fixed Stopcock
<b>502-711-560</b>	2.8 mm Cannula, 2 Rotating Stopcocks
<b>502-711-500</b>	Pencil Tip Obturator for 2.8 mm Cannula
<b>502-711-510</b>	Blunt Tip Obturator for 2.8 mm Cannula
<b>502-711-520</b>	Trocar for 2.8 mm Cannula





**Autoclavable Arthroscope Sterilization Tray**  
**233-032-104**



**Autoclavable Arthroscope and Hardware Sterilization Tray**  
**233-032-116**



**Arthroscope and Camera Sterilization Tray**  
**233-032-105**



**Endoscope and Camera Sterilization Tray**  
**233-032-107**

## Sterilization trays

### Trays

- 233-032-104** Autoclavable Arthroscope Sterilization Tray  
Holds two eyepiece arthroscopes  
L = 10.53" | W = 3.93" | H = 1.49"
- 233-032-116** Autoclavable Arthroscope and Hardware Sterilization Tray  
Holds two C-mount arthroscopes and hardware  
L = 11.21" | W = 6.59" | H = 1.50"
- 233-032-105** Arthroscope and Camera Sterilization Tray  
Holds three arthroscopes, one camera, and one light cable  
L = 20.66" | W = 9.81" | H = 2.75"
- 233-032-107** Endoscope and Camera Sterilization Tray  
Holds two arthroscopes, two laparoscopes, one camera, and one light cable  
L = 20.96" | W = 10.06" | H = 3.35"



**Manual Instruments Sterilization Tray**  
242-000-024



**Shaver Handpiece Tray**  
272-700-000



**Cutter Cannula Accessory Tray**  
272-707-000



**ParallelPortal Instrument Case and Tray**  
233-032-100 &  
233-032-200



**Hip Access and Instrumentation Hardware XL Tray**  
295-800-200

## Instrument trays

### Trays

**242-000-012** 12 Instrument Arthroscopy Manual Instruments Sterilization Tray  
L = 16.5" | W = 11.5" | H = 6"

**242-000-024** 23 Instrument Arthroscopy Manual Instruments Sterilization Tray  
L = 21.5" | W = 12" | H = 5.5"

**272-700-000** Shaver Handpiece Tray  
Holds one handpiece  
L = 14" | W = 9" | H = 2"

**272-707-000** Cutter Cannula Accessory Tray  
Accommodates all Stryker cutter and bur hardware  
L = 23.5" | W = 12.5" | H = 3.5"

**295-800-000** Hip Access and Instrumentation Tray Lid

**295-800-200** Hip Access and Instrumentation Hardware XL Tray  
L = 18" | W = 15.5" | H = 6"

**295-800-300** Hip Access and Instrumentation Arthroscope Tray  
L = 18" | W = 15.5" | H = 6"

**242-000-112** Hip Arthroscopy Instruments Tray  
L = 23.5" | W = 13" | H = 10"

**233-032-200** Sterilization Tray for ParallelPortal Instrumentation\*  
L = 22" | W = 10" | H = 4"

**233-032-100** Sterilization Case for ParallelPortal Instrumentation\*  
L = 22" | W = 11" | H = 4"

\*Sterilization Tray and Case for ParallelPortal instrumentation must be ordered in tandem

# Powered instruments

Arthroscopy



**CrossFire 2 Console**  
475-100-000



**CrossFire Footswitch**  
475-000-100

## CrossFire 2 Integrated Resection and Energy System

<b>CrossFire 2</b>	475-100-000	CrossFire 2 Console
	475-000-100	CrossFire Footswitch
<b>Accessories</b>	6000-001-020	2 m Firewire Cable



**Core Console**  
5400-050-000



**TPS Wired Footswitch**  
5100-008-000



**Arthroscopy Wired Footswitch**  
275-701-400

## Core Powered Instrument Driver

<b>Console</b>	<b>5400-050-000</b>	Core Console
<b>Footswitches</b>	<b>5100-008-000</b>	TPS Wired Footswitch
	<b>275-701-400</b>	Arthroscopy Wired Footswitch



**Formula 180 Shaver Handpiece (with buttons)**  
375-708-500



**Formula Shaver Handpiece (without buttons)**  
375-701-500



**Formula Shaver Handpiece (with buttons)**  
375-704-500



**TPS Small-Joint Shaver Handpiece**  
275-601-500

## Shaver handpieces

<b>Handpieces</b> » Compatible with CrossFire, Core	<b>375-708-500</b>	Formula 180 Shaver Handpiece (with buttons)
	<b>375-701-500</b>	Formula Shaver Handpiece (without buttons)
	<b>375-704-500</b>	Formula Shaver Handpiece (with buttons)
	<b>275-601-500</b>	TPS Small-Joint Shaver Handpiece
<b>Accessories</b>	<b>375-701-000</b>	Formula Soaking Cap

# Cutters & burs




## CrossBlade Series Cutters Premium (5/box)

	3.5 mm	4.0 mm	5.0 mm	5.5 mm
<b>Dual Edge</b>	475-331-000	475-341-000	—	475-361-000
<b>Tomcat HC</b>	—	475-345-000	475-355-000	—
<b>Aggressive Max</b>	475-337-000	—	—	—
<b>Smooth Bite</b>	475-333-000	—	—	—



Laser cut design on shaver inner-housing improves clogging resistance



## Formula Series Cutters

### Standard (5/box)

	3.5 mm	4.0 mm	5.0 mm	5.5 mm
<b>Resector</b>	375-532-000	375-542-000	375-552-000	375-562-000
<b>Aggressive Plus</b>	375-534-000	375-544-000	375-554-000	375-564-000
<b>Tomcat</b>	375-535-000	375-545-000	375-555-000	375-565-000
<b>Scalloped</b>	—	375-546-000	—	—
<b>Cougar End</b>	—	375-541-000	—	—
<b>End</b>	—	375-747-000	—	—
<b>Double Bite</b>	—	375-543-000	—	—
<b>Slotted Whisker</b>	—	375-548-000	—	—
<b>Whisker</b>	—	375-549-000	—	—

### Angled (5/box)

	4.0 mm	4.5 mm	5.0 mm
<b>Resector</b>	—	380-542-150	—
<b>Aggressive Plus</b>	380-544-100	380-544-150	380-554-100
<b>Tomcat</b>	380-545-100	380-545-150	380-555-100
<b>Double Bite</b>	—	380-543-150	—



## Formula Series Burs

### Standard (5/box)



	3.5 mm	4.0 mm	5.0 mm	5.5 mm
Standard 12-Flute Barrel	—	375-941-012	375-951-112	375-951-012
Standard 12-Flute Round	—	375-940-012	375-950-112	375-950-012
Aggressive 6-Flute Barrel	—	375-941-000	375-951-100	375-951-000
Aggressive 6-Flute Round	375-930-000	375-940-000	375-950-100	375-950-000
Unhooded 6-Flute Barrel	—	375-941-200	—	375-951-200
Unhooded 6-Flute Round	—	375-940-200	—	375-950-200
Egg Bur 6-Flute	—	—	—	375-952-000

Arthroscopy



### Speciality (5/box)

	Part number	Outer diameter	Description
6-Flute SLAP	375-941-500	4.0 mm	Protected bur is designed to allow safe access to the glenoid without compromising the condition of the labrum
Auger	375-450-500	5.0 mm	For acromioplasties
Subchondral Drill (1.5 mm Drill Tip)	375-832-000	4.0 mm	For the initial treatment of articular cartilage defects
6-Flute Left Helix Barrel Bur	375-953-000	5.5 mm	Enables surgeons to use the same technique on the right and left joint
12-Flute Left Helix Barrel Bur	375-953-012	5.5 mm	

# Cutter cannulas

## Color-coded cutter cannulas

» Use with Formula Series Cutters and Burs

» Color-coding:

■ 3.5 mm

Locks in all 375 Series Small-Joint Cutters and Burs—except 3.0 mm Hooded Abrasion Bur

■ 4.5 mm

Fits all cutters up to 4.0 mm

■ 5.0 mm

Fits all cutters and blue 5.0 mm burs

■ 5.6 mm

Fits all cutters and red 4.0 mm burs

■ 6.0 mm

Fits all cutters and burs

**272-707-000** Cutter Accessory Tray  
Accommodates all cutter and bur hardware  
L = 23.5" | W = 12.5" | H = 3.5"

■ **275-722-000** 4.5 mm Cutter Cannula  
» Fits all cutters up to 4.0 mm

■ **275-722-300** 4.5 mm Cutter Cannula with Irrigation Holes at Distal Tip  
» Fits all cutters up to 4.0 mm

**275-722-100** 4.5 mm Trocar

**275-722-200** 4.5 mm Obturator

■ **275-720-000** 5.0 mm-Bur Cannula  
» Fits all cutters  
» Fits blue burs up to 5.0 mm

**275-720-100** 5.0 mm-Bur Trocar

**275-720-200** 5.0 mm-Bur Obturator

■ **275-719-000** 5.6 mm Cutter Cannula  
» Fits all cutters  
» Fits burs up to 4.0 mm

■ **275-719-300** 5.6 mm Cutter Cannula with Irrigation Holes at Distal Tip  
» Fits all cutters  
» Fits burs up to 4.0 mm

**275-719-100** 5.6 mm Trocar

**275-719-200** 5.6 mm Obturator

■ **275-721-000** 6.0 mm-Bur Cannula  
» Fits all cutters and burs

**275-721-100** 6.0 mm-Bur Trocar

**275-721-200** 6.0 mm-Bur Obturator

■ **375-035-302** 3.5 mm Formula Small-Joint Cutter Cannula  
» Fits all Small-Joint Cutters  
» Fits all burs, except 3.0 mm Hooded Abrasion Bur

**375-035-100** 3.5 mm Formula Trocar



## Non color-coded cannulas

**270-713-300** 5.0 mm Cutter Cannula with Holes

**270-713-200** 5.0 mm Obturator



**Speed-Lock  
Bridge Stopcocks**



**Competitive Cannula  
Adapter**



**Cannula Irrigation  
Adapters**



**Sealing Cap**



**Inflow and Outflow  
Drain Cannulas**

## Cutter cannula accessories

<b>4 mm Speed-Lock Bridge</b>	<b>377-727-540</b>	Speed-Lock Bridge, 2 Rotating Stopcocks
	<b>377-727-530</b>	Speed-Lock Bridge, 1 Rotating Stopcock
» For use with 4 mm Speed-Lock Autoclavable Arthroscopes		
<b>Irrigation adapters</b>	<b>272-099-000</b>	Competitive Cannula Adapter Locks Stryker cutters and burs into Linvatec™ Disposable 7 cm Cannula and Dyonics™ Reusable Cannulas
	<b>266-724-000</b>	Cannula Irrigation Adapter
	<b>266-725-000</b>	Sealing Cap
	<b>333-000-001</b>	Cannula Irrigation Adapter with Stopcock and Luer Lock
	<b>377-031-900</b>	Speed-Lock Syringe Adapter for 4.0 mm, 165 mm Arthroscopes
	<b>377-031-901</b>	Speed-Lock Cannula Plug for 4.0 mm, 165 mm Arthroscopes
<b>Inflow and outflow drain cannulas</b>	<b>333-070-000</b>	70 mm Drain Cannula Kit <b>K</b> Sharp Trocar, Obturator and Cannula
	<b>333-070-001</b>	70 mm Drain Cannula
	<b>333-070-002</b>	Trocar for 70 mm Drain Cannula
	<b>333-070-003</b>	Obturator for 70 mm Drain Cannula
	<b>333-100-000</b>	100 mm Drain Cannula Kit <b>K</b> Sharp Trocar, Obturator and cannula
	<b>333-100-001</b>	100 mm Drain Cannula
	<b>333-100-002</b>	Trocar for 100 mm Drain Cannula
<b>333-100-003</b>	Obturator for 100 mm Drain Cannula	
<b>Stryker/Dyonics/ Linvatec adapters</b>	<b>272-100-000</b>	Stryker/Dyonics Fluid Seal Adapter Allows use of Stryker Formula Cutters with Dyonics Fluid Sealing Cannulas
	<b>272-100-200</b>	Stryker/Dyonics Adapter Bridge, Double Rotating Allows use of Stryker Arthroscopes with a Dyonics Fluid Seal Adapter and Dyonics Cannulas






## SERFAS Energy Probes

All probes come with integrated cable and hand controls

### Suction probes

Part number	Outer diameter	Length	Product name	Description
279-401-200	4.0 mm	135 mm	90-S Cruise	Most complete 90° radio frequency probe offered
279-351-400	4.0 mm	135 mm	90-S Accelerator	Aggressive, all-purpose suction probe
279-401-100	4.0 mm	135 mm	90-S Max	Largest 90° suction probe for increased suction capabilities
279-351-100	3.5 mm	135 mm	90-S	Aggressive, all-purpose suction probe
279-251-101	2.5 mm	135 mm	Aardvark	Bendable suction probe for tight joint spaces
279-351-250	3.5 mm	135 mm	50-S	50° all-purpose suction probe for use in posterior knee procedures
279-351-230	3.5 mm	135 mm	30-S	30° beveled all-purpose suction probe



### Non-suction probes

Part number	Outer diameter	Length	Product name	Description
279-350-401	3.5 mm	135 mm	Direct	Provides excellent access for posterior areas of the knee and shoulder
279-350-201	3.5 mm	135 mm	Lat	Effective for ablating larger areas of soft tissue
279-350-301	3.5 mm	135 mm	Contour	An effective all-purpose probe
279-350-501	3.5 mm	135 mm	Hook	Specifically designed for a lateral release and precision cutting

# Arthroscopy pumps



**CrossFlow Integrated Arthroscopy Pump**  
450-000-000

**CrossFlow Footswitch**  
450-000-500

Arthroscopy

## CrossFlow

### Pump system

- 450-000-000 CrossFlow Integrated Arthroscopy Pump
- 450-000-500 CrossFlow Footswitch



**Inflow Cassette Tubing**  
450-000-100



**Outflow Cassette Tubing**  
450-000-200




**Day-Use Tubing**  
450-000-115

### Tubing

- 450-000-100 CrossFlow Inflow Cassette Tubing
- 450-000-200 CrossFlow Outflow Cassette Tubing
- 450-000-300 CrossFlow Integrated Cassette Tubing
- 450-000-115 Day-Use Tubing
- 450-000-125 Patient-Use Tubing

### Accessories

- P17275 CrossFlow Pump Competitor Integration Power Cables
- 6000-001-020 2 m Firewire Cable



**Disposable  
Cassette Tubing**  
350-800-006






**FloSteady Select  
Arthroscopy Pump**  
350-800-001

## FloSteady Select

<b>Pump</b>	<b>350-800-001</b>	FloSteady Select Arthroscopy Pump
<b>Tubing</b>	<b>350-800-006</b>	Disposable Cassette Tubing (10/box) Used with FloSteady Select Arthroscopy Pump Not made with natural rubber latex

## Pump accessories

<b>Hand control</b>	<b>350-220-000</b>	Autoclavable Hand Controller Controls: pressure, flow rate, wash feature, start/stop (Requires adapter for consoles manufactured before July 2000)	
<b>Gravity Flow Arthroscopy Tube Sets</b>	<b>350-195-000</b> <b>350-195-004</b>	2-Spike Gravity Flow Tube Set, Disposable 4-Spike Gravity Flow Tube Set, Disposable	
» Not made with natural rubber latex			
<b>Dual irrigation</b>	<b>250-070-419</b>	Dual Irrigation Adapter, Disposable (10/box)	
» Not made with natural rubber latex			
» Quantity: 10/box			

# Single portal arthroscopy



## ParallelPortal system

### Autoclavable arthroscopes and access



- 502-129-030** Ideal Eyes 30° Arthroscope, 2.9 x 200 mm, Eyepiece, Speed-Lock
- 502-829-030** Ideal Eyes Precision 30° Arthroscope, 2.9 x 200 mm, C-Mount, Speed-Lock

- 377-829-510** 4.6 x 200 mm Cannula, 1 Rotating Stopcock, No Distal Holes
- 377-829-520** 4.6 x 200 mm Cannula, 1 Rotating Stopcock
- 377-829-530** 4.6 x 200 mm Cannula, 2 Rotating Stopcocks, No Distal Holes
- 377-829-531** 4.6 x 200 mm Cannula, 2 Rotating Stopcocks\*
- 377-829-540** 4.6 x 200 mm Cannula, 1 Fixed Stopcock, No Distal Holes
- 377-829-541** 4.6 x 200 mm Cannula, 1 Fixed Stopcock\*
- 377-829-550** 4.6 x 200 mm Cannula, 2 Fixed Stopcocks, No Distal Holes\*
- 377-829-551** 4.6 x 200 mm Cannula, 2 Fixed Stopcocks\*
- 377-829-590** 4.6 x 200 mm Cannula, 2 Rotating Stopcocks at 95°\*
- 377-829-595** 4.6 x 200 mm Cannula, 2 Rotating Stopcocks at 95°, No Distal Holes\*
- 377-829-500** Obturator for 4.6 mm x 200 mm Cannula
- 377-829-501** Obtrocar for 4.6 x 200 mm Cannula\*
- 377-829-502** Trocar for 4.6 x 200 mm Cannula\*
- 377-829-600** Cannulated Obturator for 4.6 x 200 mm Cannula\*
- 377-829-601** Cannulated Obtrocar for 4.6 x 200 mm Cannula\*
- 377-829-602** Cannulated Trocar for 4.6 x 200 mm Cannula\*
- 377-829-690** 4.6 mm Cannula, 2 Fixed Stopcocks at 95°\*
- 377-829-695** 4.6 mm Cannula, 2 Fixed Stopcocks at 95°, No Distal Holes\*
- 377-829-700** 3.5 mm Switching Stick

\*Made to order

### Sterilization trays


- 233-032-200** Sterilization Tray for ParallelPortal Instrumentation\*  
L = 22" | W = 10" | H = 4"
- 233-032-100** Sterilization Case for ParallelPortal Instrumentation\*  
L = 22" | W = 11" | H = 4"

\* Sterilization Tray and Case for ParallelPortal Instrumentation must be ordered in tandem

## Manual instruments

Part number	Outer diameter	Tip direction	Angled direction	Description
377-829-701	—	—	—	Probe

---

**Instruments kit**                      **R233-032-201**      ParallelPortal Instruments Rental Kit 

---

**Cutters**

<b>380-532-300</b>	3.5mm Proximal Bend Resector
<b>380-534-300</b>	3.5mm Proximal Bend Agg Plus
<b>380-535-300</b>	3.5mm Proximal Bend Tomcat
<b>380-542-300</b>	4.0mm Proximal Bend Resector
<b>380-544-300</b>	4.0mm Proximal Bend Agg Plus
<b>380-545-300</b>	4.0mm Proximal Bend Tomcat
<b>380-534-400</b>	3.5mm Double Bend Agg Plus
<b>380-535-400</b>	3.5mm Double Bend Tomcat
<b>380-544-400</b>	4.0mm Double Bend Agg Plus
<b>380-545-400</b>	4.0mm Double Bend Tomcat

**Cannulas**

<b>3911-004-055</b>	4.5 mm x 55 mm ParallelPortal Cannula
<b>3911-004-025</b>	4.5 mm x 25 mm ParallelPortal Cannula
<b>3911-004-000</b>	ParallelPortal Cannula with Zero Tube



# Hip arthroscopy



## Visualization

### Ideal Eyes Autoclavable Arthroscopes

Fitting	Part number	Outer diameter	View direction	Field of view	Working length	Light post direction	Locking mechanism
Eyepiece	502-204-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
	502-204-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock
	502-677-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
	502-677-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock
Precision C-Mount	502-304-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
	502-304-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock

### 5.8 mm Series Speed-Lock hardware




#### For Long 4.0 mm, 165 mm Arthroscopes

- 502-577-550** 5.8 mm Cannula, 2 Rotating Stopcocks
- 502-577-515** Pencil Tip Obturator 5.8 mm Long Cannula
- 502-577-015** 5.8 mm Long Pencil Tip Cannulated Obturator

## Access

For use with 165 mm Ideal Eyes Arthroscopes, 30° and 70°





	 4.0 mm	 5.0 mm	 5.5 mm
<b>Cannula</b>	295-723-100	295-724-100	295-725-100
<b>Cannula with Distal Holes</b>	295-723-110	295-724-110	295-725-110
<b>Cannulated Obturator</b>	295-723-120	295-724-120	295-725-120
<b>Cannulated Obtrocar</b>	295-723-130	295-724-130	295-725-130
<b>Cannulated Trocar</b>	295-723-140	295-724-140	295-725-140

### Additional access

- 377-030-300 4.4 mm Cannulated Hip Scope Trocar
- 377-030-400 4.4 mm Cannulated Hip Scope Obturator

### Sterilization trays

- 295-720-000 Hip Arthroscopy Access Kit 
- R295-720-000 Hip Arthroscopy Access Kit - Rental 
- 295-800-000 Arthroscopy Access Sterilization Tray Lid
- 295-800-200 Arthroscopy Access Hardware XL Sterilization Tray
- 295-800-300 Arthroscopy Access Arthroscope Sterilization Tray



### Accessories

- 295-726-100 Screwdriver Handle
- 266-722-100 4.0 mm Switching Stick
- 266-723-100 5.0 mm Switching Stick
- 275-720-300 Hip Needle
- 266-721-100 Hip Cannula Plug
- 266-724-000 Irrigation Adaptor
- 266-725-000 Sealing Cap



### Hip bridges

- 295-727-200 Dual Rotating Stopcock
- 377-727-550 Speed-Lock Bridge, Dual Rotating Stopcock
- 295-727-100 Single Rotating Stopcock
- 295-727-202 Dual Fixed Stopcock
- 295-727-101 Single Fixed Stopcock





## Instrumentation kits

- 242-200-000** Hip Arthroscopy Manual Instrumentation Kit **K**
- R242-200-000** Hip Arthroscopy Manual Instrumentation Kit - Rental **K**
- 242-000-112** Hip Arthroscopy Instruments Tray  
L = 23.5" | W = 13" | H = 10"

## Instrumentation sets

### Access

Part number	Outer diameter	Working length	Description
<b>242-200-001</b>	5.5 mm	140 mm	Slotted Cannula
<b>242-200-002</b>	6.5 mm	140 mm	Slotted Cannula
<b>242-200-003</b>	4.0 mm	302 mm	Cannulated Switching Stick
<b>242-200-004</b>	5.5 mm	302 mm	Cannulated Switching Stick
<b>242-200-005</b>	6.5 mm	302 mm	Cannulated Switching Stick



**Slotted Cannula**



**Cannulated Switching Stick**

### Biters

Part number	Outer diameter	Tip direction	Angled direction	Description
<b>242-200-006</b>	4.0 mm	0°	Straight	Hip Biter
<b>242-200-007</b>	4.0 mm	15°	Up	Hip Biter



**Hip Biter**

### Graspers

Part number	Outer diameter	Tip direction	Angled direction	Description
<b>242-200-008</b>	4.0 mm	20°	Right	Hip Grasper
<b>242-200-009</b>	4.0 mm	20°	Left	Hip Grasper
<b>242-200-010</b>	4.0 mm	0°	Straight	Hip Grasper



**Grasper, Left**



**Grasper, Straight**



### Suture manipulation

Part number	Outer diameter	Tip direction	Angled direction	Description	
242-200-011	4.0 mm	Helix	Left	Hip Suture Passer	
242-200-012	4.0 mm	Helix	Right	Hip Suture Passer	
242-200-013	4.0 mm	15°	Straight	Hip Suture Passer	
242-200-014	4.0 mm	35°	Up	Hip Suture Passer	
242-200-015	4.0 mm	0°	Straight	Hip Suture Grasper	
242-200-016	5.0 mm	0°	Straight	Suture Cutter	
242-200-017	3.0 mm	0°	Straight	Hip Knot Pusher	

### Rigid instruments

Part number	Outer diameter	Tip direction	Angled direction	Description	
242-200-018	4.0 mm	20°	Up	Hip Curette	
242-200-019	4.0 mm	30°	Up	Rasp	
242-200-020	4.0 mm	20°	Up	Hip Tissue Liberator	

### Probes

Part number	Outer diameter	Tip direction	Angled direction	Description	
242-200-021	3.0 mm	90°	Straight	Hip Probe	
242-200-022	3.0 mm	90°	Curved	Hip Probe	

### Microfracture

Part number	Outer diameter	Tip direction	Angled direction	Description
242-200-023	2.3 mm	0°	Straight	Microfracture Pick

### Accessories

Part number	Description	Disposable
242-200-024	Curved Hip Blade*	X
242-200-025	Straight Hip Blade, Blunt Tip*	X
242-200-026	Straight Hip Blade, Sharp Tip*	X
242-200-027	Switching Stick Handle*	

\*Additional hardware not included in Stryker Hip Arthroscopy Instruments Kit

## CrossBlade XL Diamond Burs

Premium Hip Length (5/box)



4.0 mm Round Diamond Bur



5.5 mm Round Diamond Bur

**Burs**

<b>485-840-000</b>	4.0 mm XL Round Diamond Bur
<b>485-860-000</b>	5.5 mm XL Round Diamond Bur



**Aggressive Plus Cutter**



**Tomcat Cutter**



**Resector Cutter**



**4.0 mm 8-Flute Pear Bur**



**5.5 mm 8-Flute Pear Bur**



**8-Flute Round Bur**



**8-Flute Barrel Bur**

## Formula Series XL Cutters and Burs

Hip Length (5/box)

**Cutters**

- » 180 mm
- » New and redesigned cutters for improved resection performance

<b>385-544-000</b>	4.0 mm Aggressive Plus, Long Hip Cutter
<b>385-544-100</b>	4.0 mm Angled Aggressive Plus, Long Hip Cutter
<b>385-545-000</b>	4.0 mm Tomcat, Long Hip Cutter
<b>385-545-100</b>	4.0 mm Angled Tomcat, Long Hip Cutter
<b>385-554-000</b>	5.0 mm Straight Aggressive Plus, Long Hip Cutter
<b>385-552-000</b>	5.0 mm Straight Resector, Long Hip Cutter

**Burs**

- » Recessed hood design yields increased distal exposure for improved end on cutting

<b>385-943-000</b>	4.0 mm Long Hip 8-Flute Pear Bur
<b>385-953-008</b>	5.5 mm Long Hip 8-Flute Pear Bur
<b>385-950-008</b>	5.5 mm Long Hip 8-Flute Round Bur
<b>385-951-008</b>	5.5 mm Long Hip 8-Flute Barrel Bur

## RF ablation

### Hip Length SERFAS Energy Probes

<b>279-351-103</b>	90-S XL Probe For aggressive soft tissue debridement
<b>279-351-253</b>	50-S XL Probe Angled access for hard to reach areas of the hip
<b>279-350-502</b>	Hook XL Probe Precision cutting probe



## Long 90 mm Dri-Lok Hip Cannulas

	5.0 mm	6.5 mm	8.0 mm
<b>Threaded Dri-Lok Cannula</b> Quantity: 5/Box	3910-090-500	3910-090-650	3910-090-800
<b>Distal Threaded Dri-Lok Cannula</b> Quantity: 5/Box	3910-090-502	3910-090-652	3910-090-802
<b>Reusable Cannulated Obturator</b>	—	3910-090-006	3910-090-008

# Small-joint arthroscopy



**Full Radius  
Cutter**



**Aggressive Plus  
Cutter**



**Tomcat  
Cutter**



**Hooded Abrasion  
Bur**



Arthroscopy

## Formula Series Small-Joint Cutters and Burs

### Small Joint (5/box)

#### Cutters and burs

» Only compatible with  
Formula Handpieces

<b>375-627-000</b>	2.5 mm Small-Joint Full Radius Cutter
<b>375-637-000</b>	3.5 mm Small-Joint Full Radius Cutter
<b>375-628-000</b>	2.5 mm Small-Joint Aggressive Plus Cutter
<b>375-638-000</b>	3.5 mm Small-Joint Aggressive Plus Cutter
<b>375-636-000</b>	3.5 mm Small-Joint Tomcat Cutter
<b>375-641-000</b>	2.0 mm Small-Joint Hooded Abrasion Bur
<b>375-647-000</b>	3.0 mm Small-Joint Hooded Abrasion Bur

#### Cutter and bur hardware

<b>375-035-302</b>	Formula Small-Joint Cutter Cannula Locks in all 375 Series Small-Joint Cutters and Burs (except 3.0 mm Hooded Abrasion Bur)
<b>375-035-100</b>	3.5 mm Formula Trocar
<b>275-035-300</b>	Sealing Cap
<b>375-023-027</b>	2.7 mm Scope Bridge

## TPS Small-Joint Series Cutters and Burs



**Full Radius Cutter**



**Aggressive Plus Cutter**



**Hooded Abrasion Bur**

### Cutters and burs

<b>275-627-000</b>	2.5 mm Small-Joint Full Radius Cutter (5/box)
<b>275-637-000</b>	3.5 mm Small-Joint Full Radius Cutter (5/box)
<b>275-628-000</b>	2.5 mm Small-Joint Aggressive Cutter (5/box)
<b>275-638-000</b>	3.5 mm Small-Joint Aggressive Cutter (5/box)
<b>275-641-000</b>	2.0 mm Small-Joint Hooded Abrasion Bur (5/box)
<b>275-647-000</b>	3.0 mm Small-Joint Hooded Abrasion Bur (5/box)

### Cutter and bur hardware

<b>275-035-302</b>	3.5 mm Small-Joint Cutter Cannula Locks in 2.3 mm and 2.7 mm Small-Joint Scope and all 275 Series Small-Joint Cutters and Burs (except 3.0 mm Hooded Abrasion Bur)
<b>275-035-200</b>	3.5 mm Obturator
<b>275-035-300</b>	Sealing Cap



### Small-Joint SERFAS Energy Probes

<b>279-250-101</b>	2.5 mm Micro-Claw SERFAS Energy Small-Joint Probe Designed for direct end cutting and ablation in small-joints
<b>279-250-201</b>	2.5 mm Micro-Brush SERFAS Energy Small-Joint Probe An effective all-purpose small-joint probe
<b>279-251-101</b>	2.5 mm Aardvark SERFAS Energy Suction Probe Bendable suction probe for tight joint spaces



**Micro-Claw**



**Micro-Brush**



**Aardvark**

# Manual instruments



## Punches

Part number	Outer diameter	Tip direction	Angled direction	Description
300-027-100	2.7 mm	0°	Straight	Big Bite Punch
300-027-101	2.7 mm	30°	Right	Big Bite Punch
300-027-102	2.7 mm	30°	Left	Big Bite Punch
300-027-103	2.7 mm	15°	Up	Big Bite Punch
300-034-100	3.4 mm	0°	Straight	Big Bite Punch
300-034-101	3.4 mm	30°	Right	Big Bite Punch
300-034-102	3.4 mm	30°	Left	Big Bite Punch
300-034-103	3.4 mm	15°	Up	Big Bite Punch
300-027-200	2.7 mm	0°	Straight	Narrow Punch
300-034-200	3.4 mm	0°	Straight	Narrow Punch
300-034-203	3.4 mm	15°	Up	Narrow Punch
300-034-300	3.4 mm	0°	Straight	Scoop Jaw Punch
300-034-301	3.4 mm	30°	Right	Scoop Jaw Punch
300-034-302	3.4 mm	30°	Left	Scoop Jaw Punch
300-027-104	2.7 mm	0°	Straight	Upshaft Big Bite Punch
300-034-104	3.4 mm	0°	Straight	Upshaft Big Bite Punch
300-034-110	3.4 mm	45°	Left	Tip Biter
300-034-111	3.4 mm	45°	Right	Tip Biter
300-034-500	3.4 mm	0°	Right	Meniscal Crescent Punch
300-034-501	3.4 mm	0°	Left	Meniscal Crescent Punch
300-034-502	3.4 mm	30°	Right	Meniscal Crescent Punch
300-034-503	3.4 mm	30°	Left	Meniscal Crescent Punch
300-034-400	3.4 mm	90°	Right	Rotary Punch
300-034-401	3.4 mm	90°	Left	Rotary Punch
300-034-800	3.4 mm	0°	Straight	Backbiter



**Big Bite Punch**



**Narrow Punch**



**Scoop Jaw Punch**



**Upshaft Big Bite Punch**



**Tip Biter**



**Meniscal Crescent Punch**



**Angled Meniscal Crescent Punch**





**Rotary Punch**






**Back Biter**


## Scissors

Part number	Outer diameter	Angled direction	Description	
300-034-600	3.4 mm	Straight	Hook Scissor	 <b>Hook Scissor</b>
300-034-601	3.4 mm	Right	Hook Scissor	
300-034-602	3.4 mm	Left	Hook Scissor	
300-027-603	2.7 mm	Straight	Micro Scissor Punch	 <b>Micro Scissor Punch</b>
300-034-603	3.4 mm	Straight	Micro Scissor Punch	

## Graspers

Part number	Outer diameter	Ratchet length	Description	
300-027-702	2.7 mm	120 mm	Soft Tissue Grasper with Ratchet	 <b>Soft Tissue Grasper</b>
300-027-703	2.7 mm	120 mm	Soft Tissue Grasper	
300-034-702	3.4 mm	120 mm	Soft Tissue Grasper with Ratchet	
300-034-703	3.4 mm	120 mm	Soft Tissue Grasper	 <b>Loose Body Grasper</b>
300-034-390	4.0 mm	120 mm	Soft Tissue Grasper	
300-034-700	3.4 mm	—	Loose Body Grasper with Ratchet	 <b>Rongeur</b>
300-034-701	3.4 mm	—	Loose Body Grasper	
300-034-380	—	—	Claw Rongeur	

## Probes

Part number	Outer diameter	Angled direction	Description	
3910-500-800	3.0 mm	Straight	Calibrated Probe (one piece)	 <b>Calibrated Probe</b>
3910-500-850	5.0 mm	Straight	Calibrated Probe (one piece)	


## Sterilization trays

Part number	Description
242-000-012	12 Instrument Arthroscopic Manual Instruments Sterilization Tray
242-000-024	23 Arthroscopic Manual Instruments Sterilization Tray

## Small-joint instruments

---

### Kit

**242-100-000** Champion Small-Joint Instrumentation Kit 

#### Kit includes the following:

**242-000-012** 12 Instrument Sterilization Tray  
L = 16.5" | W = 11.5" | H = 6"

**242-100-002** 2.1 mm Straight Blunt Nose

**242-100-003** 2.1 mm Right Blunt Nose

**242-100-004** 2.1 mm Left Blunt Nose

**242-100-005** 2.1 mm Down Blunt Nose

**242-100-006** 2.1 mm Up Blunt Nose

**242-100-007** 2.5 mm Scissors

**242-100-008** 2.5 mm Grasper

**242-100-012** 2.7 mm Straight Blunt Nose

**242-100-013** 2.7 mm Up Blunt Nose

**242-100-014** Small-Joint Probe Straight

**242-100-015** Small-Joint Probe 90°

**242-100-016** Small-Joint Probe 30°



### Additional small-joint instruments

**242-010-200** Mini 2.0 mm Small-Joint Punch

**242-010-300** Mini 2.0 mm Small-Joint Grasper

**242-010-400** Mini 2.0 mm Small-Joint Scissors



# Disposable cannulas

## Dri-Lok Cannula

### Standard 75 mm length (5/box)

	5.0 mm	6.5 mm	8.0 mm
<b>Threaded</b>	3910-075-500	3910-075-650	3910-075-800
<b>Non-Threaded</b>	3910-075-501	3910-075-651	3910-075-801
<b>Distal Threaded</b>	3910-075-502	3910-075-652	3910-075-802
<b>Reusable Cannulated Obturator</b>	—	3910-075-006	3910-075-008

### Long Hip 90 mm length (5/box)

	5.0 mm	6.5 mm	8.0 mm
<b>Threaded</b>	3910-090-500	3910-090-650	3910-090-800
<b>Distal Threaded</b>	3910-090-502	3910-090-652	3910-090-802
<b>Reusable Cannulated Obturator</b>	—	3910-090-006	3910-090-008



## Accessories

### Accessories for the Dri-Lok Cannulas

- 266-719-000** 4.0 mm Wissinger Rod (Small)  
For use with 6.5 mm Dri-Lok Cannulas  
Use with Reusable Cannulated Obturator
- 266-720-000** 5.0 mm Wissinger Rod (Large)  
For use with 8.0 mm Dri-Lok Cannulas
- 266-721-000** Wissinger Rod Handles (2/box)
- 266-722-000** 4.0 mm Switching Stick (Small)  
For use with 6.5 mm Dri-Lok Cannulas  
Use with Reusable Cannulated Obturator
- 266-723-000** 5.0 mm Switching Stick (Large)



# Micro cart



Arthroscopy

## Micro cart

### Cart

**351-600-000** Micro Cart  
Accommodates video equipment or arthroscopy systems  
Removable flat panel mounting bracket  
Includes adjustable IV pole



# Urology

## **Rigid cystoscopes**

- 78 Cystoscopes
- 78 Cystoscope hardware
- 79 Cystoscope instrumentation
- 79 Flexible instruments

## **Resection**

- 80 Resectoscope
- 81 Resectoscope accessories

## **Laser cystoscope**

- 82 Laser cystoscope system

## **Urethrotome**

- 83 Visual uretrotome

## **Ureteroscopes**

- 84 Semi-rigid autoclavable ureteroscopes
- 84 Ureteroscope accessories

## **Urology accessories**

- 85 Sterilization trays

# Rigid cystoscopes



## Cystoscopes

### Ideal Eyes Autoclavable Cystoscopes

For use with optical forceps, cysto sheaths, resectoscope, urethrotome, and laser sheaths

Part number	Outer diameter	View direction
502-990-000	4.0 mm	0°
502-990-012	4.0 mm	12°
502-990-030	4.0 mm	30°
502-990-070	4.0 mm	70°

### KS-Series Autoclavable Cystoscopes

For use with Karl Storz hardware and 20 mm coupler

Part number	Outer diameter	View direction
502-991-000	4.0 mm	0°
502-991-012	4.0 mm	12°
502-991-030	4.0 mm	30°
502-991-070	4.0 mm	70°

## Cystoscope hardware

### Sheaths and obturators




Working channel	17 Fr		19 Fr		21 Fr		23 Fr		25 Fr	
	Single	Double	Single	Double	Single	Double	Single	Double	Single	Double
	5 Fr	4 Fr	6 Fr	5 Fr	7 Fr	5 Fr	9 Fr	6 Fr	10 Fr	8 Fr
<b>Cystoscope Sheath</b>	502-880-217		502-880-219		502-880-221		502-880-223		502-880-225	
<b>Standard Obturator</b>	502-880-218		502-880-220		502-880-222		502-880-224		502-880-226	
<b>Visual Obturator</b>	502-881-217		502-881-219		502-881-221		502-881-223		502-881-225	

Note: 1 mm = 3 Fr

### Bridges

	Part number
<b>Evaluation</b>	502-880-200
<b>Single Horn</b>	502-880-201
<b>Double Horn</b>	502-880-202
<b>Albarran, Single Horn</b>	502-880-206
<b>Albarran, Double Horn</b>	502-880-203





## Cystoscope instrumentation

### Rigid optical instruments

- » For use with cystoscopes and resectoscopes
- » Use with resectoscope requires adapter, see page 73

#### For use with 0°, 12° cystoscope

- 502-880-210** Rigid Optical Biopsy Forcep
- 502-880-211** Rigid Optical Grasping Forcep

#### For use with 30° cystoscope

- 502-880-213** Rigid Optical Stone Crushing Forcep
- 502-880-215** Rigid Optical Biopsy Forcep

#### For use with 70° cystoscope

- 502-880-214** Rigid Optical Biopsy Forcep

### Cystoscope sheath adapters

- 502-880-204** Bladder Syringe Adapter, Cystoscope Sheath
- 502-880-601** Ellik Adapter, Cystoscope Sheath
- 502-880-205** Port Seal (10/box)



**502-880-204**


### Fulgurating electrodes

#### For use with rigid cystoscopes

- 504-870-040** 7 Fr Bugbee Electrode, 40 cm (3/box)
- 504-871-040** 7 Fr Ball Electrode, 40 cm (3/box)
- 504-872-040** 7 Fr Domed Electrode, 40 cm (3/box)

## Flexible instruments

41 cm, for use with rigid cystoscope hardware



		5 Fr	7 Fr
	<b>Flexible Grasping Forcep</b>	505-880-105	505-880-107
	<b>Flexible Biopsy Cup</b>	505-880-115	505-880-117
	<b>Flexible Scissors</b>	505-880-125	—

# Resection



## Resectoscope

<b>Cystoscope</b>	<b>502-990-030</b>	4.0 mm 30° Autoclavable Cystoscope	
<b>Sheaths</b>	<b>502-880-324</b>	24 Fr Standard Flow Resectoscope Sheath (Inner)	
	<b>502-880-426</b>	24/26 Fr Continuous Flow Sheath Set (Inner/Outer)	
	<b>502-880-327</b>	27 Fr Standard Flow Resectoscope Sheath (Inner)	
	<b>502-880-428</b>	27/28 Fr Continuous Flow Sheath Set (Inner/Outer)	
<b>Obturators</b>	<b>502-880-001</b>	24/26 Fr Resectoscope Standard Obturator	
	<b>502-880-002</b>	24/26 Fr Resectoscope Visual Obturator	
	<b>502-880-003</b>	24/26 Fr Resectoscope Timberlake Obturator	
	<b>502-880-427</b>	27/28 Fr Resectoscope Standard Obturator	<b>Standard</b>
	<b>502-880-429</b>	27/28 Fr Resectoscope Visual Obturator	<b>Visual</b>
	<b>502-880-425</b>	27/28 Fr Resectoscope Timberlake Obturator	<b>Timberlake</b>
<b>Working elements</b>	<b>502-880-401</b>	Working Element—Passive (Iglesias)	
	<b>502-880-402</b>	Working Element—Active (Baumrucker)	

## Electrodes

- » Sterile/disposable
- » Quantity: 6/box
- » For use with electro-surgical generator



Use with 24/26 Fr sheaths	Use with 27/28 Fr sheaths	Electrode
504-880-200	—	24 Fr Roller Ball
—	504-881-100	27 Fr Gold Coagulating
504-880-500	504-880-500	0° (Straight) Cutting Loop
504-880-600	504-880-600	Dimpled Vaporizing Roller Ball
504-880-800	504-880-800	Collings Knife
504-880-400	504-881-412	30° Cutting Loop Electrode, .012
504-880-414	504-881-414	30° Cutting Loop Electrode, .014
504-880-312	504-881-312	90° Cutting Loop Electrode, .012
504-880-314	504-881-314	90° Cutting Loop Electrode, .014

## Resectoscope accessories

### Bridges and adapters

<b>502-880-006</b>	Bladder Syringe Adapter, Inner Sheath
<b>502-880-007</b>	Bladder Syringe Adapter, Outer Sheath
<b>502-880-602</b>	Ellik Adapter, Inner Sheath
<b>502-880-603</b>	Ellik Adapter, Outer Sheath
<b>502-880-005</b>	Laser Bridge (for use with Straight Fire Laser)
<b>502-880-208</b>	Rigid Optical Forcep Adapter, Outer Sheath
<b>502-880-209</b>	Rigid Optical Forcep Adapter, Inner Sheath
<b>502-880-325</b>	24 Fr Standard Flow Resectoscope Sheath Adapter
<b>502-880-328</b>	27 Fr Standard Flow Resectoscope Sheath Adapter

### Resectoscope accessories


<b>502-880-205</b>	Port Seal (10/box)
<b>502-880-650</b>	Reusable Stopcock

# Laser cystoscope



## Laser cystoscope system

- » For use with the Greenlight Laser™
- » For PVP procedures and other side fire laser systems

<b>502-532-030</b>	4.0 mm 30° Autoclavable Cystoscope with Integrated Greenlight Filter
<b>502-880-300</b>	Continuous Flow Laser Cystoscope Sheath Kit  Includes: Continuous Flow Laser Cystoscope Inner and Outer Sheaths
<b>502-880-299</b>	Continuous Flow Laser Cystoscope, Outer Sheath
<b>502-880-303</b>	Continuous Flow Laser Cystoscope, Inner Sheath
<b>502-880-301</b>	Visual Obturator, Laser Cystoscope
<b>502-880-302</b>	Sweep Guide, Laser Cystoscope

# Urethrotome



## Visual urethrotome

» For use with 0° or 12° cystoscopes to cut structures in the urethra

- 502-880-401** Working Element—Passive (Iglesias)
- 502-880-521** 21 Fr Visual Urethrotome Sheath
- 502-880-525** 25 Fr Visual Urethrotome Outer Sheath
- 502-880-524** 21 Fr Visual Urethrotome Working/Optical Bridge
- 502-880-522** 21 Fr Urethrotome Standard Obturator
- 502-880-523** 21 Fr Urethrotome Visual Obturator



**502-880-522**  
with 502-880-502



**502-880-501**



**502-880-502**



**502-880-503**



**502-880-504**




**502-880-505**

## Cold knives

» For use with 0° or 12° cystoscopes

- 502-880-501** Cold Knife, Half Moon
- 502-880-502** Cold Knife, Straight
- 502-880-503** Cold Knife, Serrated
- 502-880-504** Cold Knife, Hook
- 502-880-505** Cold Knife, Loop

# Ureteroscopes



## Semi-rigid autoclavable ureteroscopes

<b>Ureteroscopes</b>	<b>502-880-330</b>	SRU-6 Autoclavable Semi-Rigid Ureteroscope, 6.9/10 Fr, 33 cm Includes: Cleaning Brush and Sterilization/Storage Tray
	<b>502-880-430</b>	SRU-6X Autoclavable Semi-Rigid Ureteroscope, 6.9/10 Fr, 43 cm Includes: Cleaning Brush and Sterilization/Storage Tray
<b>Accessories</b>	<b>504-999-001</b>	Cleaning Brush for Semi-Rigid Ureteroscope
	<b>233-032-890</b>	Sterilization/Storage Tray for Semi-Rigid Ureteroscope


## Ureteroscope accessories

<b>Flexible instruments</b>	<b>For use with flexible cystoscopes</b>	
	<b>505-880-205</b>	5 Fr Flexible Grasping Forcep, 60 cm
<b>Fulgurating electrodes</b>	<b>For use with flexible cystoscopes</b>	
	<b>504-860-065</b>	5 Fr Bugbee Electrode, 65 cm (3/box)
	<b>504-861-065</b>	5 Fr Ball Electrode, 65 cm (3/box)
	<b>504-862-065</b>	5 Fr Domed Electrode, 65 cm (3/box)
	<b>For use with SRU-6/SRU-6X and URT7000S/URT7000Si</b>	
<b>504-841-115</b>	2 Fr Short Tip Electrode, 115 cm	
<b>504-842-115</b>	2 Fr Long Tip Electrode, 115 cm	
<b>504-843-115</b>	3 Fr Short Tip Electrode, 115 cm	
<b>504-844-115</b>	3 Fr Long Tip Electrode, 115 cm	
<b>Accessories</b>	<b>502-880-205</b>	Port Seal (10/box)

# Urology accessories



**Urology/Gynecology Accessory Tray  
1 Tier  
233-032-880**



**Urology/Gynecology Tray  
2 Tiers  
233-032-881**



**Sterilization/Storage Tray  
for Semi-Rigid Ureteroscope  
233-032-890**

---

## Sterilization trays

- |                    |  |
|--------------------|--|
| <b>233-032-880</b> | Urology/Gynecology Accessory Tray (1 Tier)<br>L = 18"   W = 10"   H = 4"             |
| <b>233-032-881</b> | Urology/Gynecology Tray (2 Tiers)<br>L = 22"   W = 12"   H = 6"                      |
| <b>233-032-890</b> | Sterilization/Storage Tray for Semi-Rigid Ureteroscope<br>L = 29"   W = 13"   H = 4" |
-



# Gynecology

## **Rigid hysteroscopes**

- 88 Rev360 Ideal Eyes Autoclavable Hysteroscopes
- 89 Rev360 Semi-Flexible Instrumentation

## **Resection**

- 90 Rev360 22/24 Fr resection products
- 91 24/26 Fr 4 mm resection products
- 92 Resectoscope accessories
- 92 Sterilization trays

## **Gynecologic laparoscopy instruments**

- 93 Gynecologic laparoscopy instruments

## **Fluid management**

- 93 Fluid Safe Fluid Management System

# Rigid hysteroscopes

## Rev360 Ideal Eyes Autoclavable Hysteroscopes

### Hysteroscopes

Part number	Outer diameter	View direction
502-729-000	2.9 mm	0°
502-729-012	2.9 mm	12°
502-729-030	2.9 mm	30°
502-740-000	4.0 mm	0°
502-740-012	4.0 mm	12°
502-740-030	4.0 mm	30°



### Sheaths


Part number	Outer diameter	Sheath	Use	Working channel
502-729-051	2.9 mm	Inner	Diagnostic	—
502-729-052	2.9 mm	Outer	Diagnostic	—
502-729-061	2.9 mm	Inner	Operative	5 Fr
502-729-062	2.9 mm	Outer	Operative	—
502-740-051	4.0 mm	Inner	Diagnostic	—
502-740-052	4.0 mm	Outer	Diagnostic	—
502-740-061	4.0 mm	Inner	Operative	7 Fr
502-740-062	4.0 mm	Outer	Operative	—



2.9 and 4.0 mm  
Outer Operative Sheaths

### Obturator

Part number	Sheath diameter	Use
502-729-050	2.9 mm	Diagnostic
502-729-060	2.9 mm	Operative
502-740-050	4.0 mm	Diagnostic
502-740-060	4.0 mm	Operative



## Rev360 Semi-Flexible Instrumentation

5 Fr	7 Fr	Description	Length
Use with 2.9 or 4.0 mm Operative Sheath	Use with 4.0 mm Operative Sheath		
<b>502-555-100</b>	<b>502-777-100</b>	Single Action Grasper	41 cm
<b>502-555-200</b>	<b>502-777-200</b>	Biopsy Punch	41 cm
<b>502-555-300</b>	<b>502-777-300</b>	Scissors	41 cm
<b>502-555-400</b>	<b>502-777-400</b>	Biopsy Cup	41 cm
<b>502-555-500</b>	<b>502-777-500</b>	Double Action Grasper	41 cm

### Accessories

<b>502-023-029</b>	HTA® Adapter (Hydro ThermaAblator®) For use with 2.9 mm Hysteroscopes
<b>502-880-205</b>	Port Seal (10/box)

# Resection



## Rev360 22/24 Fr resection products

<b>Resectoscope</b>	<b>502-729-012</b>	2.9 mm 12° Ideal Eyes Autoclavable Hysteroscope
<b>Sheaths</b>	<b>502-990-322</b>	22 Fr Resectoscope Standard Flow Sheath (Inner)
	<b>502-990-324</b>	22/24 Fr Resectoscope Sheath (Outer)
	<b>502-990-424</b>	22/24 Fr Continuous Flow Resectoscope Sheath Set (Inner/Outer)
<b>Obturator</b>	<b>502-990-414</b>	22/24 Fr Resectoscope Standard Obturator
<b>Working element</b>	<b>502-990-401</b>	22/24 Fr Working Element—Passive For use with 2.9 mm Scope



<b>Electrodes</b> » Sterile/disposable » For use with 502-990-401 Working Element	<b>504-990-600</b>	Rev360 22 Fr Dimpled Vaporizing Roller Ball Electrode (6/box)
	<b>504-990-314</b>	Rev360 22 Fr 30° Cutting Loop Electrode, .014 (6/box)
	<b>504-990-200</b>	Rev360 22 Fr Roller Ball Electrode (6/box)
	<b>504-990-100</b>	Rev360 22 Fr Gold Coagulating Electrode (6/box)
	<b>504-990-500</b>	Rev360 22 Fr 0° (Straight) Cutting Loop Electrode, .014 (6/box)
	<b>504-990-800</b>	Rev360 22 Fr Collings Knife Electrode (6/box)



**Resectoscope**

**Resectoscope sheaths**

**Resectoscope working element**

## 24/26 Fr 4 mm resection products



<b>Resectoscope</b>	<b>502-990-030</b>	4.0 mm Scope For use with 24/26 Fr Resectoscope
<b>Sheaths</b>	<b>502-880-324</b>	24 Fr Standard Flow Resectoscope Sheath (Inner)
	<b>502-880-426</b>	24/26 Fr Continuous Flow Resectoscope Sheath Set (Inner/Outer)
<b>Obturator</b>	<b>502-880-001</b>	24/26 Fr Resectoscope Standard Obturator
	<b>502-880-002</b>	24/26 Fr Resectoscope Visual Obturator
<b>Working elements</b>	<b>502-880-401</b>	Working Element - Passive (Iglesias)
» For use with 4.0 mm Scope	<b>502-880-402</b>	Working Element - Active (Baumrucker)



### Electrodes


	<b>504-880-414</b>	24 Fr 30° Cutting Loop Electrode, .014 (6/box)
» Sterile/disposable	<b>504-880-314</b>	24 Fr 90° Cutting Loop Electrode, .014 (6/box)
» For use with 24/26 Fr Resectoscope	<b>504-880-200</b>	24 Fr Roller Ball Electrode (6/box)
» For use with 502-880-401 & 502-880-402 Working Elements	<b>504-880-600</b>	Dimpled Vaporizing Roller Ball Electrode (6/box)
	<b>504-880-100</b>	Gold Coagulating Electrode (6/box)
	<b>504-880-500</b>	0° (Straight) Cutting Loop Electrode (6/box)
	<b>504-880-800</b>	Collings Knife Electrode (6/box)
	<b>504-880-312</b>	24 Fr 90° Cutting Loop Electrode, .012 (6/box)
	<b>504-880-400</b>	24 Fr 30° Cutting Loop Electrode, .012 (6/box)

## Resectoscope accessories

<b>Cables</b>	<b>502-990-300</b>	Universal/Valleylab Cable	
<b>Rigid optical instruments</b> » For use with 24/26 Fr Resectoscope only	<b>502-880-210</b>	Rigid Optical Biopsy Forcep 0°, 12°	 <b>502-880-210</b>
	<b>502-880-211</b>	Rigid Optical Grasping Forcep 0°, 12°	
	<b>502-880-213</b>	Rigid Optical Stone Crushing Forcep 30°	 <b>502-880-213</b>
	<b>502-880-214</b>	Rigid Optical Biopsy Forcep, 70°	
	<b>502-880-215</b>	Rigid Optical Biopsy Forcep, 30°	
<b>Bridges and adapters</b>	<b>502-880-006</b>	Bladder Syringe Adapter, Inner Sheath	
	<b>502-880-007</b>	Bladder Syringe Adapter, Outer Sheath	
	<b>502-880-602</b>	Ellik Adapter, Inner Sheath	
	<b>502-880-603</b>	Ellik Adapter, Outer Sheath	
	<b>502-880-005</b>	Laser Bridge	
	<b>502-880-208</b>	Rigid Optical Forcep Adapter, Outer Sheath	
	<b>502-880-209</b>	Rigid Optical Forcep Adapter, Inner Sheath	
<b>Port seal</b>	<b>502-880-205</b>	Port Seal (10/box)	



**Urology/Gynecology Accessory Tray  
1 Tier**





**Urology/Gynecology Tray  
2 Tiers**

## Sterilization trays


<b>Trays</b>	<b>233-032-880</b>	Urology/Gynecology Accessory Tray (1 Tier) L = 18"   W = 10"   H = 4"
	<b>233-032-881</b>	Urology/Gynecology Tray (2 Tiers) L = 22"   W = 12"   H = 6"

# Gynecologic laparoscopy instruments

<b>Palpation Probe</b>	<b>250-080-135</b>	33 cm Long, 5.0 mm Palpation Probe	
	<b>250-080-136</b>	45 cm Long, 5.0 mm Palpation Probe	
<b>Cohen Intrauterine Cannula</b>	<b>250-080-137</b>	Cohen Intrauterine Cannula Complete with Acorn	

# Fluid management



<b>System</b>	<b>502-000-000</b>	Fluid Safe Hysteroscopy Pump Fluid Management System  Designed to automatically measure fluid deficit Includes: Monitor, Pump Console, and Wheel Base
	<b>502-100-000</b>	Canisters for Fluid Safe (36/pack)
	<b>502-200-000A</b>	Integrated Tubing for Fluid Safe (10/pack)



# Laparoscopy

## Laparoscopes

- 96 1588 AIM HD Autoclavable Laparoscopes
- 97 Precision Ideal Eyes HD Autoclavable Laparoscopes
- 98 Ideal Eyes Laparoscopes
- 98 Standard Laparoscopes
- 98 Laparoscope accessories

## Manual instruments

- 99 3.0 mm Laparoscopic instruments
- 100 5.0 mm Laparoscopic instruments
- 102 5.0 mm Sliding lock graspers
- 102 10.0 mm Laparoscopic instruments
- 103 Manual instruments kits
- 105 Laparoscopic instrument accessories
- 105 Laparoscopic accessories

## Electrosurgical instruments

- 106 Repposable monopolar electrosurgical probes
- 106 Bipolar instrumentation

## Suction/irrigation

- 107 StrykeFlow2 Pump
- 107 AHTO Pump
- 107 StrykeFlow PS
- 108 Suction irrigation tips
- 109 Repposable electrosurgical tips
- 109 Accessories

## Insufflators

- 110 PneumoClear
- 111 PneumoSure XL
- 111 Insufflator accessories

## ICG and infrared technology

- 112 1588 AIM Platform

## Laparoscopic training system

- 113 Laparoscopic training system

## Pneumatic scope holder

- 113 Accessories

# Laparoscopes

## 1588 AIM HD Autoclavable Laparoscopes

Part number	Outer diameter	View direction	Working length
502-537-010	5.4 mm	0°	30 cm
502-537-030	5.4 mm	30°	30 cm
502-937-010	10.0 mm	0°	33 cm
502-937-030	10.0 mm	30°	33 cm



## Precision Ideal Eyes HD Autoclavable Laparoscopes

### Regular

Part number	Outer diameter	View direction	Working length
502-503-010	5.5 mm	0°	30 cm
502-503-030	5.5 mm	30°	30 cm
502-503-045	5.5 mm	45°	30 cm
502-103-010	10.0 mm	0°	33 cm
502-103-030	10.0 mm	30°	33 cm
502-103-045	10.0 mm	45°	33 cm

### Bariatric

Part number	Outer diameter	View direction	Working length
502-513-010	5.5 mm	0°	45 cm
502-513-030	5.5 mm	30°	45 cm
502-513-045	5.5 mm	45°	45 cm
502-113-010	10.0 mm	0°	45 cm
502-113-030	10.0 mm	30°	45 cm
502-113-045	10.0 mm	45°	45 cm



## Ideal Eyes Laparoscopes

### 2.9 mm Autoclavable

Part number	Outer diameter	View direction	Working length
502-329-010	2.9 mm	0°	30 cm
502-329-030	2.9 mm	30°	30 cm



### Pediatric Autoclavable

Part number	Outer diameter	View direction	Working length
502-290-010	2.9 mm	0°	20 cm
502-290-030	2.9 mm	30°	20 cm



## Standard Laparoscopes

### Operating Non-Autoclavable

Part number	Outer diameter	View direction	Working length	Eyepiece angle	Working channel
331-010-090	10.0 mm	0°	27 cm	90°	5.0 mm
331-000-000	11.0 mm	0°	27 cm	90°	6.0 mm



## Laparoscope accessories

### Sterilization trays

**233-032-108** Laparoscope Sterilization Tray  
Holds two laparoscopes  
L = 19" | W = 5" | H = 3"



**233-032-111** Bariatric Laparoscope Sterilization Tray  
Holds two bariatric laparoscopes  
L = 28" | W = 10" | H = 4"















### Accessories

**105-189-807** Port Seal, Small (Blue)  
**105-189-808** Port Seal, Large (Green)  
**105-191-925** Tip Polishing Paste



























# Manual instruments

## 3.0 mm Laparoscopic instruments

Handles	Graspers			Dissectors			Scissors		Biopsy	Needleholders
 <p><b>PEEK Monopolar Handle</b> 20 &amp; 29 cm 250-282-045 <span>P</span></p>	 <p><b>Atraumatic Single Action</b></p>			 <p><b>Atraumatic Double Action</b></p>			 <p><b>Babcock</b></p>			
	20 cm	—	—	—	—	—	—	—		
	29 cm	250-282-099 <span>P</span>	250-282-101 <span>P</span>	250-282-103 <span>P</span>						
 <p><b>PEEK Multifunction Handle</b> 20 &amp; 29 cm 250-282-046 <span>P</span></p>	 <p><b>Dissecting Forceps</b></p>			 <p><b>Tapered Bullet</b></p>			 <p><b>Maryland</b></p>			
	29 cm	250-282-110 <span>P</span>	250-282-057 <span>P</span>	250-282-058 <span>P</span>						
	 <p><b>Curved Metzenbaum</b></p>		 <p><b>Hook</b></p>							
29 cm	250-282-047 <span>P</span>		250-282-049 <span>P</span>							
	 <p><b>Biopsy Punch</b></p>									
29 cm	250-282-060 <span>P</span>									
	 <p><b>Straight</b></p>									
29 cm	250-282-061									


















P Pediatric Kit, B Bariatric Kit, G Gynecology Kit, S Standard Kit  
Refer to page 103 and 96 for complete kits

## 5.0 mm Laparoscopic instruments

Handles	Graspers					*Listed from atraumatic to aggressive
 <b>PEEK Monopolar Handle</b> 33 cm 250-080-617 <span style="color: green;">G</span> <span style="color: blue;">S</span> 45 cm 250-181-164						
	<b>Double Action Atraumatic*</b>	<b>Fenestrated Schertl*</b>	<b>Fundus*</b>	<b>Dorsey*</b>	<b>DeBakey*</b>	
	33 cm 250-080-311	250-080-312	250-080-315	250-080-319	250-080-314	<span style="color: green;">G</span>
	45 cm 250-080-585	—	250-080-735	250-080-736 <span style="color: orange;">B</span>	250-080-748 <span style="color: orange;">B</span>	
 <b>PEEK Multifunction Handle</b> 33 cm 250-181-106 45 cm 250-181-108						
	<b>Serrated*</b>	<b>Blunt Grasper with Spoon*</b>	<b>Alligator*</b>	<b>Cobra*</b>	<b>Allis*</b> (Single Row of Teeth)	
	33 cm 250-080-286 <span style="color: blue;">S</span>	250-080-313	250-080-316	250-080-317	250-080-591 <span style="color: green;">G</span>	
 <b>Monopolar Handle</b> 33 cm 250-080-233 45 cm 250-080-595						
	<b>Retention*</b>	<b>Single Action Atraumatic</b>	<b>Babcock</b>	<b>Endo</b>		
	33 cm 250-080-697	250-080-310	250-080-321	250-080-699		
	45 cm 250-080-725	250-080-584	250-080-586 <span style="color: orange;">B</span>	250-080-726		
 <b>Ratcheting Handle</b> 33 cm 250-080-234 <span style="color: green;">G</span> 45 cm 250-080-596	<b>Dissectors</b>					
						
	<b>Dolphin with Spoon</b>	<b>Maryland</b>	<b>Curved Kelly</b>	<b>Mixer</b>	<b>Right Angle</b>	
	33 cm 250-080-280 <span style="color: blue;">S</span>	250-080-282 <span style="color: green;">G</span> <span style="color: blue;">S</span>	250-080-283	250-080-285 <span style="color: blue;">S</span>	250-080-694 <span style="color: blue;">S</span>	
	45 cm —	250-080-578 <span style="color: orange;">B</span>	—	—	250-080-729	
 <b>Needleholder Handle</b> 33 & 45 cm 250-080-235						
	<b>Right Angle (Long Jaw)</b>	<b>Dissecting Forceps</b>				
	33 cm 250-080-757	—				
	45 cm —	250-080-762				


P Pediatric Kit, B Bariatric Kit, G Gynecology Kit, S Standard Kit  
 Refer to page 103 and 96 for complete kits

## 5.0 mm Laparoscopic instruments (continued)












Handles	Scissors			
 <b>PEEK Monopolar Handle</b> 33 cm 250-080-617 45 cm 250-181-164 <b>B</b>	 <b>Hook</b>			
	 <b>Curved Metzenbaum (Long Jaws)</b>			
 <b>Mini Metzenbaum (Curved)</b>				
 <b>Endo Metzenbaum (Curved)</b>				
33 cm	250-080-260	250-080-265 <b>G S</b>	250-080-266	250-080-267
45 cm	250-080-573	250-080-752 <b>B</b>		250-080-575
Biopsy				
 <b>Punch</b>				
 <b>Double Action</b>				
33 cm	250-080-290 <b>G</b>	—		
45 cm	—	250-080-581		
Forceps				
 <b>Tenaculum</b>				
 <b>Park</b>				
 <b>Johann Forceps</b>				
33 cm	250-080-698 <b>G</b>	250-080-733	250-080-763	
Needleholder				
 <b>Straight</b>				
 <b>Curved Left</b>				
 <b>Curved Right</b>				
33 cm	250-080-340	250-080-341	250-080-342	
45 cm	250-080-588	—	—	
 <b>PEEK Multifunction Handle</b> 33 cm 250-181-106 45 cm 250-181-108				
	 <b>Monopolar Handle</b> 33 cm 250-080-233 45 cm 250-080-595			
 <b>Ratcheting Handle</b> 33 cm 250-080-234 45 cm 250-080-596 <b>B</b>				
 <b>Needleholder Handle</b> 33 & 45 cm 250-080-235				

**P** Pediatric Kit, **B** Bariatric Kit, **G** Gynecology Kit, **S** Standard Kit  
 Refer to page 103 and 96 for complete kits

## 5.0 mm Sliding lock graspers

Handle	Graspers		
		<b>Single Action Atraumatic (Non-Rotating)</b>	<b>Double Action Atraumatic (Rotating)</b>
	<b>33 cm</b>	250-080-765 <b>G S</b>	250-080-767 <b>G S</b>
	<b>45 cm</b>	250-080-766 <b>B</b>	250-080-768 <b>B</b>

## 10.0 mm Laparoscopic instruments

Handles	Graspers			
 <p><b>PEEK Monopolar Handle</b> 33 cm 250-080-618</p>	  <p><b>Babcock</b></p>	 <p><b>Single Action Claw</b></p>	 <p><b>Double Action Claw</b></p>	 <p><b>Biopsy Spoon</b></p>
	<b>33 cm</b>	250-080-241	250-080-244	250-080-245 <b>G S</b>
 <p><b>PEEK Multifunction Handle</b> 33 cm 250-181-107</p>	 <p><b>Paddle Babcock</b></p>			
	<b>33 cm</b>	250-080-250		
<b>Dissectors</b>				
 <p><b>Monopolar Handle</b> 33 cm 250-080-231 <b>B G S</b></p>	 <p><b>Mixer</b></p>			
	<b>33 cm</b>	250-080-249 <b>B</b>		
 <p><b>Ratcheting Handle</b> 33 cm 250-080-230 <b>S</b></p>				

**P** Pediatric Kit, **B** Bariatric Kit, **G** Gynecology Kit, **S** Standard Kit  
Refer to page 103 and 96 for complete kits

## Manual instruments kits

---

### **Pediatric** P

#### **250-080-780K** Pediatric Instrument Kit 3

**Kit includes the following:**

- 250-282-060** 3 mm x 29 cm Biopsy Punch Insert
  - 250-282-057** 3 mm x 29 cm Bullet Forceps Insert
  - 250-282-058** 3 mm x 29 cm Maryland Forceps Curved Insert
  - 250-282-110** 3 mm x 29 cm Dissecting Forceps Insert
  - 250-282-099** 3 mm x 29 cm Single Action Atraumatic Grasper Insert
  - 250-282-101** 3 mm x 29 cm Double Action Atraumatic Grasper Insert
  - 250-282-103** 3 mm x 29 cm Babcock Forceps Insert
  - 250-282-047** 3 mm x 29 cm Curved Metzenbaum Long Scissors Insert
  - 250-282-049** 3 mm x 29 cm Hook Scissors Insert
  - 250-282-045** 3 mm Peek Monopolar Handle
  - 250-282-046** 3 mm Peek Multi-Function Handle
- 


### **Bariatric** B

#### **250-080-781K** Bariatric Instrument Kit 3

**Kit includes the following:**


- 250-080-703** 45 cm Aspiration Needle
  - 250-040-118** 45 cm J-Tip Monopolar Electrosurgical Probe
  - 250-080-136** 5 mm x 45 cm Graduated Palpation Probe
  - 250-080-249** Mixer Forceps
  - 250-080-578** 5 mm x 45 cm Curved Left Maryland Dissecting Forceps
  - 250-080-736** 5 mm x 45 cm Dorsey Grasper Forceps Insert
  - 250-080-748** 5 mm x 45 cm Debaquey Forceps Insert
  - 250-080-586** 5 mm x 45 cm Babcock Grasper Forceps Insert
  - 250-080-766** Single Action Sliding Lock Atraumatic Grasper
  - 250-080-768** Double Action Sliding Lock Atraumatic Grasper
  - 250-080-752** 5 mm x 45 cm Metzenbaum Curved Scissors Long Jaw Insert
  - 250-080-596** 5 mm x 45 cm Rotating Handle with Ratchet Insulated Shaft
  - 250-080-231** Rotating Handle with Ratchet Insulated Shaft
  - 250-181-164** 5 mm x 45 cm Peek Handle
  - 250-015-704** 45 cm Laparoscopic Instruments Tray  
L = 27" | W = 11" | H = 9"
-

---

**Standard** **250-080-782K** Standard Instrument Kit **Kit includes the following:**

- 250-080-702** 33 cm Aspiration Needle
- 250-040-113** 33 cm J-Tip Monopolar Electrosurgical Probe
- 250-080-280** Serrated Spoon Dolphin Forceps
- 250-080-282** Curved Left Maryland Forceps
- 250-080-694** 5 mm x 33 cm Right Angle Forcep Insert
- 250-080-285** Mixer Forceps
- 250-080-286** Serrated Grasper Forceps
- 250-080-245** Double Action Claw Forceps
- 250-080-246** Biopsy Spoon
- 250-080-765** Single Action Sliding Lock
- 250-080-767** Double Action Sliding Lock Atraumatic Grasper
- 250-080-265** Curved Long Metzenbaum Scissors
- 250-080-230** Rotating Handle with Ratchet Insulated Shaft
- 250-080-231** Rotating Handle with Ratchet Insulated Shaft
- 250-080-617** 5 mm Peek Monopolar Handle
- 250-015-500** Laparoscopic Instruments Tray  
L = 24" | W = 12.5" | H = 8.5"
- 250-080-619** Sealing Cap

---

**Gynecology** **250-080-783K** Gynecology Instrument Kit **Kit includes the following:**

- 250-080-702** 33 mm Aspiration Needle
- 250-040-113** 33 mm J-Tip Monopolar Electrosurgical Probe
- 250-080-135** 5 mm Graduated Palpation Probe
- 250-080-360** 33 mm Fenestrated Bipolar Forceps
- 250-080-290** Punch Biopsy Forceps
- 250-080-282** Curved Left Maryland Forceps
- 250-080-314** Debakey Forceps
- 250-080-245** Double Action Claw Forceps
- 250-080-765** Single Action Sliding Lock Atraumatic Grasper
- 250-080-767** Double Action Sliding Lock Atraumatic Grasper
- 250-080-591** 5 mm x 33 cm Allis Single Row Teeth Insert
- 250-080-698** 5 mm x 33 cm Tenaculum Insert
- 250-080-265** Curved Long Metzenbaum Scissors
- 250-080-231** Rotating Handle with Ratchet Insulated Shaft
- 250-080-236** Ring Handle
- 250-080-234** 5 mm Ratcheting Handle
- 250-080-617** 5 mm Peek Monopolar Handle
- 250-080-137** Cohen Intrauterine Cannula Complete

## Laparoscopic instrument accessories

### Trays

**250-015-500** Laparoscopic Instrument Sterilization Tray **S**  
 3-tiered tray holds 12 instruments in rack  
 Additional space for instruments, trocars,  
 cannulas and cables

Accommodates:  
 3.0 mm, 20 cm and 29 cm instruments  
 5.0 mm, 33 cm instruments  
 10.0 mm, 33 cm instruments  
 L = 24" | W = 12.5" | H = 8.5"



**250-015-704** 45 cm Bariatric Laparoscopic Instruments Tray **B**  
 Rack holds 11 instruments  
 Additional space for instruments,  
 trocars and cannulas  
 L = 27" | W = 11" | H = 9"



### Port caps

**250-080-619** Replacement Flush Port Caps **S**

## Laparoscopic accessories

### Replacement flush port

**250-080-619** Replacement Flush Port Caps (5/box)

### Aspiration needle

**250-080-702** 5.5 mm x 33 cm Aspiration Needle **S**  
 17 Gauge Needle

**250-080-703** 5.5 mm x 45 cm Aspiration Needle **B**  
 17 Gauge Needle



### Palpation probes

**250-080-135** 5.0 mm x 33 cm Palpation Probe **B** **G**

**250-080-136** 5.0 mm x 45 cm Palpation Probe **B**



**P** Pediatric Kit, **B** Bariatric Kit, **G** Gynecology Kit, **S** Standard Kit  
 Refer to page 103 and 96 for complete kits

# Electrosurgical instruments



**Spatula Tip**



**L-Tip**



**J-Tip**

## Reusable monopolar electrosurgical probes

<b>3.0 mm</b>	<b>250-040-104</b>	29 cm L-Tip Probe (3/box)
<b>5.0 mm</b>	<b>250-040-111</b>	33 cm Spatula Tip Probe (3/box)
	<b>250-040-116</b>	45 cm Spatula Tip Probe (3/box)
	<b>250-040-112</b>	33 cm L-Tip Probe (3/box)
	<b>250-040-117</b>	45 cm L-Tip Probe (3/box)
	<b>250-040-113</b>	33 cm J-Tip Probe (3/box) <b>S</b>
	<b>250-040-118</b>	45 cm J-Tip Probe (3/box) <b>B</b>



**Bipolar Ring Handle**



**Bipolar Spring Handle**



**Fenestrated Forceps**



**Paddle Forceps**

## Bipolar instrumentation

<b>5.0 mm</b>	<b>250-080-236</b>	5.0 mm Bipolar Ring Handle <b>G</b> For use with 33 cm and 45 cm instruments
	<b>250-080-360</b>	33 cm Bipolar Fenestrated Forceps (Insert) <b>G</b>
	<b>250-080-371</b>	33 cm Bipolar Metal Shaft

**P** Pediatric Kit, **B** Bariatric Kit, **G** Gynecology Kit, **S** Standard Kit  
Refer to page 103 and 96 for complete kits

# Suction Irrigation



## StrykeFlow2 Pump

- 250-070-500** StrykeFlow2 Pump and Handpiece Assembly with 10 ft of Tubing (6/box)  
Battery-powered
- 250-070-520** StrykeFlow2 with Disposable Tip (6/box)  
Battery-powered

## AHTO Pump

- 250-070-601** AHTO Irrigation Pump
- 250-070-600** AHTO Suction/Irrigation Tube Set (6/box)
- 250-070-620** AHTO Suction/Irrigation Tube Set with Disposable Tip (6/box)
- 250-070-640** AHTO Suction/Irrigation Dual Spike Tube Set (6/box)
- 250-070-602** AHTO Console Replacement Battery
- 105-204-101** AHTO Replacement Screw










## StrykeFlow PS

- 250-070-540** StrykeFlow PS, Dual Spike, with 10 ft of Tubing (6/box)
- 250-070-530** StrykeFlow PS Single Spike Tubing (6/box)







## Suction irrigation tips

		Tip	Size	Reflective metal finish	Non-reflective finish
<b>Reusable</b>	Regular (Vented)		3.0 mm x 32 cm	250-070-490	—
			5.0 mm x 24 cm	250-070-411	—
			5.0 mm x 28 cm	250-070-402	250-070-482
			5.0 mm x 32 cm	250-070-403	250-070-483
			5.0 mm x 45 cm	250-070-408	250-070-488
			10.0 mm x 32 cm	250-070-404	250-070-484
	Regular (Non-vented)		3.0 mm x 32 cm	250-070-491	—
			5.0 mm x 32 cm	—	250-070-489
	Pool Suction		5.0 mm x 32 cm	250-070-406	250-070-486
			10.0 mm x 32 cm	250-070-405	—
	Hydrodissection		5.0 mm x 32 cm	250-070-407	250-070-487
	Aspiration Needle		5.0 mm x 32 cm	250-070-437	—
	Stone Scooper		10.0 mm x 32 cm	250-070-492	—
<b>Disposable</b>	Regular (Vented)		5.0 mm x 32 cm	250-070-505	—

## Reusable electrosurgical tips

### StrykeProbe Electrosurgical Suction Tips

	Tip	32 cm	45 cm
<b>Reusable</b> » 20 autoclavable cycles	Spatula 	250-070-441	250-070-451
	J-Tip 	250-070-442	250-070-452
	L-Tip 	250-070-443	250-070-453
	Ball 	250-070-444	—
	Needle 	250-070-445	250-070-455
	Spoon 	250-070-446	—
	Outer Sheath Replacement	250-070-460	250-070-450

## Accessories

### Suction/irrigation accessories



- 250-070-419** Dual Irrigation Adapter (10/box)
- 250-070-435** Adapter for Davol Nezhat/Dorsey Suction/Irrigation Probes
- 250-070-510** Suction Irrigator Tips Steam Sterilization Tray  
L = 21.5" | W = 11.5" | H = 4"

# Insufflators



**PneumoClear Plus  
CO<sub>2</sub> Conditioning Insufflator  
620-050-000**



## PneumoClear

<b>Insufflator</b>	<b>620-050-000</b>	Pneumoclear Plus CO <sub>2</sub> Conditioning Insufflator Includes the following: SIDNE Smart 50 L Insufflator, Bariatric Mode, Pediatric Mode, Advanced Mode, TAMIS Mode, Vessel Harvesting Mode
<b>Kits</b>	<b>620-050-001</b>	Pneumoclear Plus CO <sub>2</sub> Conditioning Insufflator for Bottle Gas Includes the following: PneumoClear CO <sub>2</sub> Conditioning Insufflator, CO <sub>2</sub> Tank Hose, CO <sub>2</sub> Tank Yoke 
	<b>620-050-002</b>	Pneumoclear Plus CO <sub>2</sub> Conditioning Insufflator for House Gas Includes the following: PneumoClear Plus CO <sub>2</sub> Conditioning Insufflator, DISS House Gas Connector, DISS House Gas Hose 
<b>Tubing</b>	<b>620-050-100</b>	PneumoClear High Flow Tube Set (10/box)
	<b>620-050-200</b>	PneumoClear Heated High Flow Tube Set (10/box)
	<b>620-050-250</b>	PneumoClear Smoke Evacuation High Flow Tube Set (10/box)
	<b>620-050-300</b>	PneumoClear Heated Humidified Tube Set (10/box)
	<b>620-050-350</b>	PneumoClear Heated Humidified Smoke Evacuation Tube Set (10/box)




**PneumoSure XL High Flow Insufflator  
620-040-610**

## PneumoSure XL

<b>Insufflator</b>	<b>620-040-610</b> High Flow Insufflator Includes the following: SIDNE Smart 45 L Insufflator, High Flow Mode, Pediatric Mode, Bariatric Mode, Vessel Harvesting Mode
<b>Kits</b>	<p><b>620-040-654</b> High Flow Insufflator for Bottle Gas Includes the following: Pneumosure XL Insufflator, CO<sub>2</sub> Tank Hose, CO<sub>2</sub> Tank Yoke </p> <p><b>620-040-652</b> High Flow Insufflator for House Gas Includes the following: Pneumosure XL Insufflator, DISS House Gas Connector, DISS House Gas Hose </p>

## Insufflator accessories

<b>Tubing</b>	<p><b>620-040-660</b> PneumoSure High Flow Tubing (10/box)</p> <p><b>620-040-680</b> PneumoSure High Flow Tubing—RTP (10/box)</p> <p><b>620-040-690</b> PneumoSure Heated Tubing—RTP (10/box)</p>	
<b>Accessories</b>	<p><b>620-040-650</b> PneumoSure Tubeset Adapter</p> <p><b>620-010-103</b> CO<sub>2</sub> Tank Yoke</p> <p><b>620-010-104</b> CO<sub>2</sub> Tank Hose</p> <p><b>620-030-503</b> CO<sub>2</sub> Switching Valve</p> <p><b>620-040-002</b> DISS House Gas Connector for PneumoSure</p> <p><b>620-040-003</b> DISS House Gas Hose</p> <p><b>620-050-913</b> DISS House Gas Connector for PneumoClear</p> <p><b>620-050-914</b> Bottle Gas Connector for PneumoClear</p>	

# ICG and infrared technology



Consoles (top to bottom)  
220-220-300, 1588-010-000

Consoles	220-220-300	L10 LED Light Source with AIM
	1588-010-000	1588 AIM Camera Control Unit (CCU)

Accessories	220-180-518	IRIS Ureteral Kit
	PP9036	SPY-MIS ICG Pack (6 Kits per)



## 1588 AIM HD Autoclavable Laparoscopes

Part number	Outer diameter	View direction	Working length
502-537-010	5.4 mm	0°	30 cm
502-537-030	5.4 mm	30°	30 cm
502-937-010	10.0 mm	0°	33 cm
502-937-030	10.0 mm	30°	33 cm

# Laparoscopic training system



---

**System**

- 240-100-100** Park Trainer Laparoscopic Cart
  - 240-100-110** Park Trainer Laparoscopic Adjustable Module
  - 240-100-115** Park Trainer Laparoscopic Skin
  - 240-095-200** StrykerVision Flat Panel Mounting Arm
- 

# Pneumatic scope holder

---

**Accessories**

- 240-240-002** Wingman Nitrogen Gas Tanks (6/box)
  - 240-240-003** Wingman Disposable Tube Set/Camera Button (12/box)
-



# Services from Stryker

- 116** OnSite Services
- 117** ProCare Services
- 118** Replacement parts
- 120** Repair process
- 121** Loaner and replacement policy

# Trusted partners

## OnSite Services

Stryker's OnSite Services program offers customizable solutions in the operating room and sterile processing department designed to facilitate the workflow of your minimally invasive equipment. Our trained Specialists focus on decreasing the peri-operative interruptions that impact your hospital financially, operationally and clinically.

### OnSite in the operating room

OnSite Specialists understand the unique challenges and demands faced by caregivers and are committed to helping alleviate stress to ensure that your staff can focus on patient care. Specialists are experts in:

#### Room set-up & equipment management

Specialists verify that all equipment is set to surgeon specifications and is ready for each case.

#### Case cart management

OnSite Specialist's assist with case cart preparation and post procedure transportation in an effort to reduce overall turnover times.

#### Troubleshooting & in-room support

Our OnSite program is designed to manage issues in the field, helping to minimize potential OR downtime and increase surgeon satisfaction.

#### Disposable inventory management

Unnecessary expenses should be eliminated. Specialists help ensure only required disposable items are selected and opened.

### OnSite in the Sterile Processing Department

Productivity within the SPD is essential as it directly correlates to the operational success of the OR. OnSite assumes full ownership for the processing and preparation of minimally invasive equipment to assist with timely turnover.

#### Preventative maintenance

Routine maintenance can help sustain proper equipment functionality, longevity and patient safety while reducing repair frequency and costs.

#### Instrument, camera & scope management

Specialists focus on providing sets that are accurate, available and properly cleaned and sterilized.





## ProCare Services

Making it easier for you to get the most out of your equipment investment.

Stryker's ProCare Protect service contract is designed to decrease downtime, improve employee satisfaction and increase efficiency at an affordable price.

### The ProCare Protect advantage

#### Improve efficiency

A Protect agreement minimizes OR downtime by providing loaners within 24 hours\* while your equipment is being repaired. Save time and money by eliminating individual repair approvals.

#### Standardize costs

Eliminate the guesswork. With a Protect agreement, you will know the cost of owning your equipment for the life of the contract. Contracts can range from 1-5 years and payment can be scheduled on a recurring basis.

#### Original manufacturer advantage

No one is more qualified to service and repair your Stryker equipment than the team that designed and manufactured it. Our certified repair technicians have the Stryker components, specifications, and knowledge to get your equipment working for you as quickly as possible.

\* Please note that inventory and material constraints can cause delays in loaner and repair/replace product availability.

# Replacement parts

## Camera and coupler parts


- 105-187-384** C-Mount Microscope Adapter
- 105-207-652** 1188/1288 Non A/C Soaking Cap
- P17542** 1488/1588/Precision AC Soaking Cap
- P10261** 1188 A/C Soaking Cap
- P24765** 1488/1588 Soaking Lanyard
- P26805** Precision A/C Soaking Lanyard
- P30313** 1488/1588 Cable O-Ring, bags of 10
- P35920** 1188/1288 Cable O-Ring, bags of 10

## Video accessories parts

- 105-160-710** Soft Foot Rubber Pegs
- 105-207-367** Micro Cart IV Pole
- 105-208-427** SDC Ultra DVD Tray Cover
- 105-201-570** Plastic Extrusion for Styrker Vision Mount
- 105-210-667** Swivel Caster for Video Cart, Single Wheel with Brake
- 105-210-668** Swivel Caster for Video Cart, Single Wheel
- P12811** SDP1000 Pink Paper Roll Holder
- P12812** SDP1000 Blue Paper Roll Holder
- P12814** Cleaning Ribbon
- P16009** SDC3 LCD Screen
- P16007** SDC3 Chassis Cover
- P16008** SDC3 Power Supply
- P16016** SDC3 Hard Drive
- P16020** SDC3 Front Panel
- P16032** SDC3 DVD Tray Cover
- P16386** SDC3 DVD Writer Sata-Lite-On IHAS124
- P18993** SDC3 DVD Tray Cover Interface
- P25876** VisionPro Accessory Kit, Cable Cover
- P25877** VisionPro Accessory Kit, Power Supply
- P31664** Plastic Extrusion for Heavy Duty Styrker Vision Mount
- 105-208-393** SDC3 System Fan





<b>Lightsource parts</b>	<p> <b>105-199-547</b> Jaw Spring L8/L9/L10  <b>P10526</b> 1288/1488 CCU and L9000 Replacement LCD Touch Screen  <b>P18917</b> X8000 Ballast (CEP301) Mounting Bracket  <b>P19114</b> X8000 Cable Assy, Ballast to Control Bd.  <b>P19115</b> X8000 Cable Assy, Ballast to Control Bd.  <b>P19116</b> X8000 Ballast  <b>P19118</b> X8000 Cable Assy, Bulb Anode  <b>P23669</b> X8000 Ballast (CEP301) Mounting Bracket Kit  </p>
<b>Scope and hardware parts</b>	<p> <b>105-202-057</b> iSwitch Battery Cap  <b>105-204-101</b> AHTO Pump Screw Clamp  <b>105-207-096</b> Wingman Screw Clamp  <b>240-240-003</b> Wingman Scope Holder Tube Set         </p>
<b>Shaver handpiece parts</b>	<p> <b>275-701-599</b> 12K Sterilization Cap  <b>375-701-000</b> Formula Sterilization Cap         </p>
<b>Arthroscopy pump parts</b>	<p> <b>105-203-714</b> Pad, Clamp, Cassette Pump  <b>105-207-646</b> FloSteady Pole Clamp  <b>105-210-561</b> FluidSafe Container Holder         </p>
<b>Laparoscopy parts</b>	<p> <b>105-195-003</b> Insufflator Bottle Gas Connector  <b>105-210-562</b> Black Locking Notch  <b>620-040-650</b> PneumoSure Tube Set Adapter         </p>

# Repair process

Stryker Endoscopy products sent in for maintenance or repair should be sent to the below addresses and reference the associated RMA number.

## **Stryker Scopes**

(Except green eye piece AIM scopes)

Stryker Endoscopy  
135 Schofield Avenue  
Dudley, MA 01571

## **All other Stryker Endoscopy products**

(Including green eye piece AIM scopes)

Stryker Endoscopy  
Attn: Service Unit  
5900 Optical Court  
San Jose, CA 95138

## **The repair process**

Call repair customer service. 1.800.624.4422, option 2 or e-mail at [EndoCSRepairTeam@Stryker.com](mailto:EndoCSRepairTeam@Stryker.com). Please have the following information on-hand:

- » Account number
- » Product number
- » Serial number
- » Valid purchase order
- » Description of product failure
- » Patient/user safety questions
- » Contact for the repair (name and phone number)
- » Bill-to and ship-to address

## **Stryker facility repair**

1. You will be eligible to receive a loaner or replacement product specific to your selected service program
2. Repair customer service will open an RMA (Return Material Authorization) order
3. Receive the loaner or replacement product, place your device in the same box, and write the RMA number on the shipping label. If no label is provided, please contact 1.800.624.4442, option 6 or email [EndoCSLoanerTeam@Stryker.com](mailto:EndoCSLoanerTeam@Stryker.com)
4. Ship to the addresses listed on the left and keep tracking information on file

## **In-facility repair\***

1. Repair customer service will open a repair order for the device
2. A Stryker-certified field technician will contact you directly to schedule the service date
3. The field technician will travel to your facility to perform the repair

\*Applicable to Spy Elite only

## **myProCare**

### **Features and benefits**

- » Create your own RMAs online
- » Easy review of all repair details and tracking information
- » Better understanding of what is covered on Service Contracts
- » Approve repair pricing online

### **To sign up**

1. Go to [www.myProCare.Stryker.com](http://www.myProCare.Stryker.com)
2. Click on register
3. Fill in the form including your account number and shipping address and submit
4. Within 24 hours your request will be approved and you will receive an e-mail with login details



# Loaner and replacement policy

## Repair/return

Stryker Endoscopy will provide loaners within 24 hours\* from the time a repair order is placed. Once the product is analyzed, Stryker will obtain approval to proceed with the repair.

## Repair/replace

Stryker Endoscopy will provide a quality replacement within 24 hours\*. Customers keep the replacement and return the damaged item to Stryker. The repair/replace program is a pre-approved pricing program. Charges will automatically be billed once the unit is analyzed.

## Delinquency

All loaners and damaged items are required to be returned to Stryker within 7 business days. Unreturned product will be considered delinquent and is subject to invoice at the replacement cost. If the customer has 3 or more items delinquent, they will be put on hold for repair/replace and loaner requests. Stryker Endoscopy reserves the right to charge the customer full replacement price of a product in the event the loaner or damaged item is not returned to Stryker Endoscopy.

## Products covered

The following products are supported under the Repair/Replace program:

- » Rigid, Semi-Rigid and Flexible Scopes
- » Printers and Monitors
- » Arthroscopy Footswitches
- » Formula Shavers
- » FloSteady
- » CrossFlow Pump
- » Fluid Safe Pump
- » Laparoscopic and Arthroscopic Manual Instruments
- » 1188, 1188 Autoclavable, 1288, 1488, 1588, S1, Precision Camera Heads and SPY-PHI
- » Camera Couplers for 1188, 1188, 1288, 1488, 1588, Precision and Urology Camera Heads

\* Please note that inventory and material constraints can cause delays in loaner and repair/replace product availability.



# Index

Page	Numbers	Description	Page	Numbers	Description
●	<b>84-959-010</b>	Universal Centrifuge	17	<b>105-206-758</b>	Locking 2.5 mm to 3.5 mm Phone Cable
17	<b>103-166-002</b>	BNC Cable (10 ft)	17	<b>105-206-813</b>	Cable, Y Remote, Locking 2.5 mm to 2 x 3.5 mm
17	<b>105-033-001</b>	Hospital Power Cord, 6 ft (110 V)	31	<b>105-206-869</b>	SV Mounting Arm Bracket
17	<b>105-150-908</b>	S-Video Cable (12 ft)	121	<b>105-207-096</b>	Wingman Scope Holder Arm Connector Handle
120	<b>105-160-710</b>	Soft Foot	120	<b>105-207-367</b>	Micro Cart IV Pole
17	<b>105-160-911</b>	S-Video Cable (30 ft)	121	<b>105-207-646</b>	FLOSTEADY Repair Part: Clamp with Handle
17	<b>105-184-963</b>	S-VHS Cable (50 ft)	120	<b>105-207-652</b>	1188 Camera Cable Soaker Cap (Black)
120	<b>105-187-384</b>	C-Mount Adapter	120	<b>105-208-393</b>	SDC3 System Fan
22, 26	<b>105-187-988</b>	Serial USB Cable USB A-B (6 ft)	120	<b>105-208-427</b>	Chassis SK18, DVD Tray Cover
98	<b>105-189-807</b>	Sealing Cap, Wave 3 Instruments	120	<b>105-210-561</b>	FLUID SAFE Container Holder
98	<b>105-189-808</b>	Port Seal for Operating Laparoscope, Large (Green)	121	<b>105-210-562</b>	Locking Notch
17	<b>105-190-647</b>	Hospital Power Cord, 2 ft (110 V)	120	<b>105-210-667</b>	Standard Cart Wheel with Brake
98	<b>105-191-925</b>	Tip-Polishing Paste	120	<b>105-210-668</b>	Standard Cart Wheel without Brake
●	<b>105-194-585R</b>	12K Hand Control Cable Programmed for Hand Control Shaver	●	<b>220-180-517</b>	InfraVision Universal Ureteral Kit (5/box)
●	<b>105-194-586R</b>	12K Shaver Cable Programmed for Non-Hand Control Shaver	21, 112	<b>220-180-518</b>	IRIS Ureteral Kit
119	<b>105-195-003</b>	Back Gas Connector	●	<b>220-200-000</b>	x8000 Xenon Light Source
●	<b>105-195-990R</b>	Formula Cable Programmed for Non-Hand Control	●	<b>220-201-000</b>	Replacement Bulb for x8000 (300 Watts)
●	<b>105-195-991R</b>	Formula Cable Programmed for Hand Control	●	<b>220-210-000</b>	L9000 LED Light Source
●	<b>105-199-040</b>	Mode Warm Wheel Gear	●	<b>220-210-000</b>	L9000 LED Light Source
120	<b>105-201-570</b>	Plastic Extrusion for Styrker Vision Mount	21, 112	<b>220-220-300</b>	L10 LED Light Source with AIM
121	<b>105-202-057</b>	iSwitch Battery Cap	●	<b>233-032-008</b>	Wingman Sterilization Tray
●	<b>105-202-057R</b>	Cap Assembly	49, 61	<b>233-032-100</b>	Sterilization Case
121	<b>105-203-714</b>	Pad, Clamp, AHTO Cassette Pump	61	<b>233-032-104</b>	Autoclavable Arthroscope Sterilization Tray (holds 2 scopes)
107, 121	<b>105-204-101</b>	AHTO Screw Clamp	61	<b>233-032-105</b>	Arthroscope and Camera Sterilization Tray
17, 31	<b>105-205-295</b>	Hospital Power Cord, 20 ft (110 V)	61	<b>233-032-107</b>	Endoscopic Scope and Camera Sterilization Tray
31	<b>105-205-854</b>	Mounting Plate for Flat-Panel Roll Stand			

Page	Numbers	Description
98	<b>233-032-108</b>	Laparoscope Sterilization Tray (holds 2 laparoscopes)
98	<b>233-032-111</b>	Bariatric Laparoscope Tray
●	<b>233-032-113</b>	Flexible Cystoscopes and Ureteroscopes Tray
18	<b>233-032-114</b>	Articulating Laparoscope Sterilization Tray (10 mm/5 mm)
18	<b>233-032-115</b>	Bariatric Articulating Laparoscope Tray
61	<b>233-032-116</b>	Autoclavable Arthroscope and Hardware Sterilization Tray
49, 61	<b>233-032-200</b>	Sterilization Tray for Parallel Portal Instrumentation
62	<b>R233-032-201</b>	ParallelPortal Instrument Rental Kit
18	<b>233-032-301</b>	AIM Sterilization Tray
18	<b>233-032-302</b>	Endoscope and Camera Sterilization Tray
●	<b>233-032-800</b>	Flexvision Tray
95, 92	<b>233-032-880</b>	Urology/Gynecology Accessory Tray, 1 Tier
85, 92	<b>233-032-881</b>	Urology/Gynecology Tray, 2 Tier
84, 85	<b>233-032-890</b>	Sterilization/Storage Tray for Semi-Rigid Ureteroscope
22	<b>233-050-064</b>	5.0 mm x 10 ft, Clear Case Fiberoptic Light Cable (Storz scope and Stryker Light Source fittings, screw-on)
22	<b>233-050-065</b>	5.0 mm x 10 ft, Fiberoptic Light Cable (Stryker Scope and Stryker Light Source Fittings)
22	<b>233-050-067</b>	2.0 mm x 7.5 ft Clear Case Fiberoptic Light Cable (Stryker Scope and Stryker Light Source Fittings)
22	<b>233-050-069</b>	5.0 mm x 10 ft, Clear Case Fiberoptic Light Cable (Wolf Scope and Stryker Light Source Fittings, Snap-On)
22	<b>233-050-071</b>	Light Source Adapter with Fiber Scopes
22	<b>233-050-072</b>	Olympus Light Source Adapter
22	<b>233-050-073</b>	Storz Light Source Adapter
22	<b>233-050-074</b>	Wolf/Dyonics Light Source Adapter
23	<b>233-050-075</b>	Stryker/ACMI Scope Adapter
23	<b>233-050-076</b>	Wolf/Dyonics Scope Adapter

Page	Numbers	Description
23	<b>233-050-077</b>	Storz/Olympus Scope Adapter
22	<b>233-050-084</b>	5.0 mm x 10 ft, Non-Transparent Fiberoptic Cable
22	<b>233-050-086</b>	Safelight Olympus Scope Adapter
22	<b>233-050-087</b>	Safelight Stryker/Henke/ Dyonics/ Storz Scope Adapter
22	<b>233-050-088</b>	Safelight Wolf Scope Adapter
22	<b>233-050-090</b>	5.0 mm x 10 ft, Fiberoptic Light Cable (Universal Scope and Stryker Light Source Fittings)
22	<b>233-050-100</b>	5.0 mm x 10 ft, Clear-Case Safelight Fiberoptic Light Cable
22	<b>233-050-192</b>	Safelight Circon/ACMI Scope Adapter
22	<b>233-050-199</b>	Safelight Kit: Cable and Scope Adapter
22	<b>233-050-200</b>	5.0 mm x 10 ft, Opaque-Case Safelight Fiberoptic Light Cable
22	<b>233-050-300</b>	AIM Safelight Fiber Optic Cable, 5.0 mm x 10 ft / 3.05 m
23	<b>233-060-000</b>	ACMI Universal Scope Adapter
22	<b>233-065-010</b>	6.5 mm x 10 ft Fiberoptic Light Cable (Wolf Scope and Stryker Light Source Fittings)
23	<b>233-080-000</b>	ACMI Adapter for Non-Autoclavable Scopes
23	<b>233-082-000</b>	Storz Adapter for Non-Autoclavable Scopes
18	<b>233-410-000</b>	Autoclavable Camera Tray
18	<b>233-410-002</b>	Camera Sterilization Tray
●	<b>240-020-331</b>	Standard Headset
●	<b>240-020-812</b>	Wireless Mic System, 3000 Series
29	<b>240-030-922</b>	Flat Panel Monitor Stand
●	<b>240-030-925</b>	SV-2 Monitor Cover
●	<b>240-030-931</b>	Power Supply for 21" Vision Elect Flat Monitor
●	<b>240-030-935</b>	Vision Elect Monitor Cover
●	<b>240-030-950</b>	Power Supply for 26" Vision Elect HDTV
28, 29	<b>240-030-951</b>	15 ft DC Extension Cable for Vision Elect HDTV
28, 29	<b>240-030-952</b>	75 ft DC Extension Cable for Vision Elect HDTV

Page	Numbers	Description
●	<b>240-030-961</b>	Monitor Cover for 26" Vision Elect HDTV
●	<b>240-030-971</b>	WiSe HDTV Transmitter
●	<b>240-030-972</b>	WiSe Receiver
30	<b>240-030-974</b>	SYNK Token Keys (3/pkg)
●	<b>240-030-975</b>	WiSe Channel Upgrade Token (Green)
●	<b>240-030-976</b>	Wise Default Setting Token (Yellow)
30	<b>240-030-977</b>	SYNK/WiSe Permanent Link Token (Red)
●	<b>240-030-990</b>	WiSe 19" Surgical Display
●	<b>240-030-992</b>	Power Supply for WiSe 19" HDTV Surgical Display
30	<b>240-031-000</b>	VisionPro SYNK 26" Wireless LED Display
29	<b>240-031-002</b>	VisionPro 26" Display Cover
28, 29	<b>240-031-004</b>	26" Display Medical Power Supply
26, 30	<b>240-031-006</b>	SYNK Display Device Control Cable
30	<b>240-031-010</b>	SYNK Wireless Transmitter
29	<b>240-031-020</b>	VisionPro 26" LED Display
26, 29	<b>240-031-021</b>	VisionPro Display Device Control Cable
28	<b>240-031-050</b>	32" 4K Surgical Display
28	<b>240-031-051</b>	4K Display Cover
28	<b>240-031-052</b>	4K Display with S-Video Converter Box Kit
28	<b>240-031-053</b>	4K Display VGA Converter Box Kit
28	<b>240-031-054</b>	4K Display DVI Converter Box Kit
28	<b>240-031-055</b>	4K Display 3G-SDI Converter Box Kit
28, 31	<b>240-031-057</b>	4K Display with Video Cart Upgrade Kit
28	<b>240-030-922</b>	Flat Panel Monitor Stand
●	<b>240-040-001</b>	Isolation Transformer (Medical Grade)
26	<b>240-050-704</b>	SDC Media, Verbatim CD-R Discs (10/pkg)
27	<b>240-050-717</b>	HP Advanced Glossy Photo Paper (50 sheets)

Page	Numbers	Description
26	<b>240-050-811</b>	SDC Media, Verbatim DVD+RW Discs (10/pkg)
17, 26	<b>240-050-845</b>	DVI Cable Kit
26	<b>240-050-875</b>	DICOM Upgrade Kit for SDC HD
●	<b>240-050-903</b>	USB 2 Hard Drive, 160GB
26	<b>240-050-995</b>	DICOM Upgrade Kit for SDC Ultra
24	<b>240-060-100</b>	SDC3 HD Information Management System
24	<b>240-060-101</b>	SDC3 Voice Control Package Kit
24	<b>240-060-102</b>	SDC3 Device Control Package
24	<b>240-060-103</b>	SDC3 DICOM Software
●	<b>240-060-105</b>	My SDC3 iPad Application
26	<b>240-060-112</b>	Jabra Wireless Headset and Base Station
26	<b>240-060-113</b>	Jabra Base Station Mounting Bracket
●	<b>240-060-115</b>	SDC3 Voice Control Replacement Activation Key
●	<b>240-060-116</b>	SDC3 Device Control Replacement Activation Key
26	<b>240-060-127</b>	SDC3 Infrared Remote Control Replacement
●	<b>240-060-133</b>	Stryker Surgeon Profile Manager
●	<b>240-060-135</b>	EDAM for Berchtold® F-Series Surgical Lights
●	<b>240-060-136</b>	EDAM for Berchtold® Camera System
26	<b>240-060-147</b>	Video Editing and Telestration License
25	<b>240-060-557</b>	SDC3 SLM Powershare License
24	<b>240-060-558</b>	SDC3 EMR Connectivity Package
●	<b>240-060-559</b>	SDC3 EMR Connectivity Replacement Activation Key
17, 31	<b>240-060-845</b>	DVI-D Cable (30 ft)
25	<b>240-060-900</b>	SDC3 Base with Voice Control Kit
25	<b>240-060-901</b>	SDC3 Base with Device Control Kit
25	<b>240-060-903</b>	SDC3 Base with Voice Control and Device Control Kit
25	<b>240-060-905</b>	SDC3 Base with Device Control and DICOM Kit

Page	Numbers	Description
25	<b>240-060-906</b>	SDC3 Base with Voice Control, Device Control and DICOM Kit
25	<b>240-060-907</b>	SDC3 Base with DICOM
25	<b>240-060-917</b>	SDC3 Base with SDP1000 Printer Kit
25	<b>240-060-918</b>	SDC3 Base with Voice Control and SDP1000 Printer Kit
25	<b>240-060-919</b>	SDC3 Base with Device Control and SDP1000 Printer Kit
25	<b>240-060-921</b>	SDC3 Base with DICOM and SDP1000 Printer Kit
25	<b>240-060-922</b>	SDC3 Base with Voice Control, Device Control and SDP1000 Printer Kit
25	<b>240-060-923</b>	SDC3 Base with Voice Control, DICOM and SDP1000 Printer Kit
25	<b>240-060-924</b>	SDC3 Base with Device Control, DICOM and SDP1000 Printer Kit
25	<b>240-060-925</b>	SDC3 Base with Voice Control, Device Control, DICOM and SDP1000 Kit
25	<b>240-060-928</b>	SDC3 Base with Device Control and EMR Connectivity Kit
25	<b>240-060-929</b>	SDC3 Base with Device Control, Voice Control and EMR Connectivity Kit
25	<b>240-060-930</b>	SDC3 Base with Device Control, SDP1000 Printer and EMR Connectivity Kit
25	<b>240-060-931</b>	SDC3 Base with Device Control, Voice Control, SDP1000 Printer and EMR Connectivity Kit
25	<b>240-060-932</b>	SDC3 Base with Voice Control and EMR Connectivity Kit
25	<b>240-061-101</b>	Voice and Device Control with EMR Connectivity Kit
25	<b>240-061-102</b>	Voice and Device Control with DICOM Kit
25	<b>240-061-103</b>	Voice and Device Control Kit
25	<b>240-061-104</b>	Voice Control and EMR Connectivity Kit
25	<b>240-061-105</b>	Voice Control with DICOM Kit
25	<b>240-061-106</b>	Device Control and EMR Connectivity Kit
25	<b>240-061-107</b>	Device Control with DICOM Kit
25	<b>240-061-558</b>	SDC3 Base with EMR Connectivity Kit

Page	Numbers	Description
25	<b>240-080-226</b>	Kodak ESP 7250 Color Ink Cartridge
25	<b>240-080-227</b>	Kodak ESP 7250 Black Ink Cartridge
25	<b>240-080-230</b>	SDP1000 Digital Color Printer
25	<b>240-080-231</b>	Letter Size Print Media for SDP1000 (100 sheets)
27	<b>240-080-232</b>	SEPC-100 - Box Of A4 Size Media for SDP1000 Printer
28, 29, 31, 113	<b>240-095-200</b>	StrykerVision Flat-Panel Mounting Arm
●	<b>240-099-001</b>	Stryker Auxiliary Video Cart with Isolation Transformer
31	<b>240-099-001K</b>	Auxilliary Cart Kit
31	<b>240-099-011K</b>	Standard Video Cart Kit
●	<b>240-099-015</b>	Circuit Breaker with Delayed Trip
●	<b>240-099-016</b>	Circuit Breaker with Delayed Trip for Pre-2005 Carts
●	<b>240-099-020</b>	Stryker Multi-Specialty Cart
31	<b>240-099-050</b>	Isolation Transformer
31	<b>240-099-052</b>	CO <sub>2</sub> Tank Bracket for Cart
31	<b>240-099-054</b>	LCD Side Mount Velcro Strap
31	<b>240-099-059</b>	Additional Shelf (for Auxiliary and Standard Cart)
31	<b>240-099-069</b>	Power Cord Replacement for Video Carts
17	<b>240-099-071</b>	DVI-I Cable (3 ft)
●	<b>240-099-072</b>	Stackable Demo Cart
31	<b>240-099-074</b>	Auxiliary Video Connector
31	<b>240-099-075</b>	Shelf with Pin Rails (Standard Cart)
31	<b>240-099-076</b>	Pull-Out Shelf with Pin Rail (Standard Cart)
31	<b>240-099-109</b>	Flat-Panel Roll Stand Base
31	<b>240-099-110</b>	Flat-Panel Roll Stand Pole
31	<b>240-099-110K</b>	Flat Panel Roll Stand Kit
28	<b>240-099-250</b>	S-Video Converter Box
28	<b>240-099-255</b>	VGA Converter Box
28	<b>240-099-260</b>	3G-SDI Coverter Box
28	<b>240-099-265</b>	DVI Converter Box

Page	Numbers	Description
113	<b>240-100-100</b>	Park Trainer Laparoscopic Cart
113	<b>240-100-110</b>	Park Trainer Laparoscopic Adjustable Module
113	<b>240-100-115</b>	Park Trainer Laparoscopic Skin
●	<b>240-240-000</b>	Wingman Scope Holder
113	<b>240-240-002</b>	N2 Tank (6/box)
113, 121	<b>240-240-003</b>	Scope Holder Tube Set/Button (12/box)
●	<b>240-240-005</b>	Wingman Foot Pedal
●	<b>240-240-007</b>	Dyna-Com N2 Male Adapters
●	<b>240-240-009</b>	Wingman Diss Male N2 Adapter
●	<b>240-240-011</b>	Schrader N2 Male Adapter
●	<b>240-240-012</b>	Wingman Pressure Release Tool
●	<b>240-240-100</b>	Wingman Rail Clamp
●	<b>240-240-200</b>	Wingman Base
●	<b>240-240-300</b>	Wingman Outer Arm
●	<b>240-240-400</b>	Wingman Inner Arm
19	<b>240-260-000</b>	Clarity Console Box
19	<b>240-260-001</b>	Clarity with SDC3 Base Kit
19	<b>240-260-002</b>	Clarity with SDC3 Base and SDP1000 Printer Kit
19	<b>240-260-003</b>	Clarity with SDC3 Base and Device Control Kit
19	<b>240-260-004</b>	Clarity with SDC3 Base, Device Control and SDP1000 Printer Kit
19	<b>240-260-005</b>	Clarity with SDC3 Base, Device and Voice Control, and SDP1000 Printer Kit
19	<b>240-260-006</b>	Clarity with SDC3 Base, Device and Voice Control, and SDP1000 Printer Kit
49, 72, 73	<b>242-000-012</b>	12 Position Sterilization Tray
49, 72	<b>242-000-024</b>	23 Instrument Sterilization Tray
49, 65	<b>242-000-112</b>	Stryker Hip Arthroscopy Instruments Sterilization Tray
73	<b>242-010-200</b>	Mini 2 mm Small Joint Punch
73	<b>242-010-300</b>	Mini 2 mm Small Joint Grasper
73	<b>242-010-400</b>	Mini 2 mm Small Joint Scissor
73	<b>242-100-000</b>	Small-Joint Instrumentation Kit
73	<b>242-100-002</b>	2.1 mm Blunt Nose, Straight

Page	Numbers	Description
73	<b>242-100-003</b>	2.1 mm Blunt Nose, Right
73	<b>242-100-004</b>	2.1 mm Blunt Nose, Left
73	<b>242-100-005</b>	2.1 mm Blunt Nose, Down
73	<b>242-100-006</b>	2.1 mm Blunt Nose, Up
73	<b>242-100-007</b>	2.5 mm Scissors
73	<b>242-100-008</b>	2.5 mm Grasper
73	<b>242-100-012</b>	2.7 mm Blunt Nose, Straight
73	<b>242-100-013</b>	2.7 mm Blunt Nose, Up
73	<b>242-100-014</b>	Small Joint Probe, Straight
73	<b>242-100-015</b>	Small Joint Probe 90°
73	<b>242-100-016</b>	Small Joint Probe 30°
65	<b>242-200-000</b>	Stryker Hip Arthroscopy Instruments Kit
65	<b>R242-200-000</b>	Hip Instruments Rental Kit
65	<b>242-200-001</b>	5.5 mm Slotted Cannula
65	<b>242-200-002</b>	6 mm Slotted Cannula
65	<b>242-200-003</b>	4 mm Cannulated Switching Stick
65	<b>242-200-004</b>	5.5 mm Cannulated Switching Stick
65	<b>242-200-005</b>	6 mm Cannulated Switching Stick
65	<b>242-200-006</b>	4 mm Hip Biter, Straight
65	<b>242-200-007</b>	4 mm Hip Biter, 15° Up
65	<b>242-200-008</b>	4 mm Hip Grasper, Right
65	<b>242-200-009</b>	4 mm Hip Grasper, Left
65	<b>242-200-010</b>	4 mm Hip Grasper, Straight
66	<b>242-200-011</b>	4 mm Hip Suture Passer, Left
66	<b>242-200-012</b>	4 mm Hip Suture Passer, Right
66	<b>242-200-013</b>	4 mm Hip Suture Passer, Straight
66	<b>242-200-014</b>	4 mm Suture Passer, 35° Up
66	<b>242-200-015</b>	4 mm Hip Suture Grasper
66	<b>242-200-016</b>	5 mm Suture Cutter
66	<b>242-200-017</b>	Hip Knot Pusher
66	<b>242-200-018</b>	4 mm Hip Curette, 20°
66	<b>242-200-019</b>	4 mm Rasp, 30° Up
66	<b>242-200-020</b>	4 mm Hip Tissue Liberator
66	<b>242-200-021</b>	Hip Probe, 90°

Page	Numbers	Description
66	<b>242-200-022</b>	Curved Hip Probe
66	<b>242-200-023</b>	Straight Micro Fracture Pick
66	<b>242-200-024</b>	Curved Hip Blade
66	<b>242-200-025</b>	Straight Hip Blade, Blunt Tip
66	<b>242-200-026</b>	Straight Hip Blade, Sharp Tip
66	<b>242-200-027</b>	Switching Stick Handle
●	<b>242-720-025</b>	Hip Set Sterilization Tray
104, 105	<b>250-015-500</b>	Laparoscopic Instruments Sterilization Tray
103, 105	<b>250-015-704</b>	45 cm Laparoscopic Instruments Tray
●	<b>250-040-012</b>	High Frequency Monopolar Cable (10/box)
●	<b>250-040-103</b>	3 mm x 29 cm, Spatula Tip Electrosurgical Probe (3/box)
106	<b>250-040-104</b>	3 mm x 29 cm, L-Tip Electrosurgical Probe (3/box)
106	<b>250-040-111</b>	5 mm x 33 cm, Spatula Tip Electrosurgical Probe (3/box)
106	<b>250-040-112</b>	5 mm x 33 cm, L-Tip Electrosurgical Probe (3/box)
104, 106	<b>250-040-113</b>	5 mm x 33 cm, J-Tip Electrosurgical Probe (3/box)
106	<b>250-040-116</b>	5 mm x 45 cm, Spatula Tip Electrosurgical Probe (3/box)
106	<b>250-040-117</b>	5 mm x 45 cm, L-Tip Electrosurgical Probe (3/box)
103, 106	<b>250-040-118</b>	5 mm x 45 cm, J-Tip Electrosurgical Probe (3/box)
108	<b>250-070-402</b>	5 mm x 28 cm, Regular Tip, Vented, Metal Finish
108	<b>250-070-403</b>	5 mm x 32 cm, Regular Tip, Vented, Metal Finish
108	<b>250-070-404</b>	10 mm x 32 cm, Regular Tip, Vented, Metal Finish
108	<b>250-070-405</b>	10 mm x 32 cm, Pool Suction Tip, Metal Finish
108	<b>250-070-406</b>	5 mm x 32 cm, Pool Suction Tip, Metal Finish
108	<b>250-070-407</b>	5 mm x 32 cm, Hydrodissection Tip, Metal Finish
108	<b>250-070-408</b>	5 mm x 45 cm, Regular Tip, Vented, Metal Finish
●	<b>250-070-409</b>	5 mm x 32 cm Regular Tip, Non-Vented, Metal Finish

Page	Numbers	Description
108	<b>250-070-411</b>	5 mm x 24 cm, Regular Tip, Vented, Metal Finish
●	<b>250-070-412</b>	Flexible Laser Fiber Guide, 28 cm
●	<b>250-070-413</b>	Laser Fiber Guide
●	<b>250-070-414</b>	Flexible Laser Fiber Guide, 32 cm
60, 109	<b>250-070-419</b>	Dual Irrigation Adapter, Disposable (10/box)
109	<b>250-070-435</b>	Adapter for Davot Nezhad/ Dorsey Suction/Irrigation Probes
108	<b>250-070-437</b>	5 mm x 32 cm, Aspiration Needle Tip
109	<b>250-070-441</b>	5 mm x 32 cm, Strykeprobe Spatula Tip
109	<b>250-070-442</b>	5 mm x 32 cm, Strykeprobe J-Tip
109	<b>250-070-443</b>	5 mm x 32 cm, Strykeprobe L-Tip
109	<b>250-070-444</b>	5 mm x 32 cm, Strykeprobe Ball Tip
109	<b>250-070-445</b>	5 mm x 32 cm, Strykeprobe Needle Tip
109	<b>250-070-446</b>	5 mm x 32 cm, Strykeprobe Spoon Tip
109	<b>250-070-450</b>	5 mm x 45 cm, Strykeprobe Outer Sheath Replacement
109	<b>250-070-451</b>	5 mm x 45 cm, Strykeprobe Spatula Tip
109	<b>250-070-452</b>	5 mm x 45 cm, Strykeprobe J-Tip
109	<b>250-070-453</b>	5 mm x 45 cm, Strykeprobe L-Tip
109	<b>250-070-455</b>	5 mm x 45 cm, Strykeprobe Needle Tip
109	<b>250-070-460</b>	5 mm x 32 cm, Strykeprobe Outer Sheath Replacement
●	<b>250-070-472</b>	2 mm x 32 cm, Regular Tip with 2 Holes
108	<b>250-070-482</b>	5 mm x 28 cm, Regular Tip, Vented, Non-Reflective Finish
108	<b>250-070-483</b>	5 mm x 32 cm, Regular Tip, Vented, Non-Reflective Finish
108	<b>250-070-484</b>	10 mm x 32 cm, Regular Tip, Vented, Non-Reflective Finish
●	<b>250-070-485</b>	10 mm x 32 cm, Pool Suction Tip, Non-Reflective Finish
108	<b>250-070-486</b>	5 mm x 32 cm, Pool Suction Tip, Non-Reflective Finish

Page	Numbers	Description
108	<b>250-070-487</b>	5 mm x 32 cm, Hydrodissection Tip, Non-Reflective Finish
108	<b>250-070-488</b>	5 mm x 45 cm, Regular Tip, Vented, Non-Reflective Finish
108	<b>250-070-489</b>	5 mm x 32 cm, Regular Tip with No Holes
108	<b>250-070-490</b>	3 mm x 32 cm, Regular Tip, Vented, Metal Finish
108	<b>250-070-491</b>	3 mm x 32 cm, Regular Tip, Non-Vented, Metal Finish
108	<b>250-070-492</b>	10 mm x 32 cm, Stone Scooper
107	<b>250-070-500</b>	StrykeFlow2 without Tip (6/box), SD (Softer Durometer)
108	<b>250-070-505</b>	5 mm x 32 cm Regular Tip, Vented, Metal Finish
109	<b>250-070-510</b>	Suction Irrigator Tips Steam Sterilization Tray
107	<b>250-070-520</b>	StrykeFlow2 with Disposable Tip (6/box)
107	<b>250-070-530</b>	StrykeFlow Single Spike Tubing (6/box)
107	<b>250-070-540</b>	StrykeFlowPS, Dual Spike, 10 ft of Tubing (6/box)
107	<b>250-070-600</b>	AHTO Suction/Irrigation Tube Set (6/box)
107	<b>250-070-601</b>	AHTO Irrigation Pump
107	<b>250-070-602</b>	AHTO Rechargeable Battery Pack
107	<b>250-070-620</b>	AHTO Suction/Irrigation Tube Set with Disposable Tip (6/box)
107	<b>250-070-640</b>	AHTO Suction/Irrigation Dual Spike Tube Set
●	<b>250-080-130</b>	5 mm Fixation Clamp
●	<b>250-080-133</b>	5 mm Myoma Drill
●	<b>250-080-134</b>	10 mm Myoma Drill
93, 104, 105	<b>250-080-135</b>	5 mm Palpation Probe, 33 cm Long
93, 103, 105	<b>250-080-136</b>	5 mm Palpation Probe, 45 cm Long
93, 104	<b>250-080-137</b>	Cohen Intrauterine Cannula (Complete with Acorn)
●	<b>250-080-138</b>	Cohen Cannula (Cannula Only)
●	<b>250-080-139</b>	Small Acorn
●	<b>250-080-140</b>	Large Acorn

Page	Numbers	Description
●	<b>250-080-154</b>	Trocar, Pyramidal Tip, 5.5 mm
●	<b>250-080-156</b>	Trocar, Pyramidal Tip, 11 mm
●	<b>250-080-157</b>	5.5 mm Obturator for Hasson Cannula
●	<b>250-080-171</b>	5.5 mm Cannula, Automatic Valve, Stopcock without Trocar
●	<b>250-080-174</b>	11 mm Cannula, Automatic Valve, Stopcock without Trocar
●	<b>250-080-179</b>	11 mm Hasson Cannula, Automatic Valve, Stopcock
●	<b>250-080-180</b>	11 mm Fixable Cone for Hasson Cannula
●	<b>250-080-204</b>	Reducer, 12.5 mm/11.0 mm-5.5 mm
●	<b>250-080-207</b>	Male Luer Lock for 6 mm Tubing
102, 104	<b>250-080-230</b>	10 mm x 33 cm, Ratcheting Handle
102, 103, 104	<b>250-080-231</b>	10 mm x 33 cm, Monopolar Handle
100, 101	<b>250-080-233</b>	5 mm x 33 cm, Monopolar Handle
100, 101, 104	<b>250-080-234</b>	5 mm x 33 cm, Ratcheted Handle
100, 101	<b>250-080-235</b>	5 mm x 33 cm, Needleholder Handle
104, 106	<b>250-080-236</b>	5 mm x 33 cm, Bipolar Ring Handle
●	<b>250-080-237</b>	5 mm x 33 cm, Bipolar Spring Handle
●	<b>250-080-240</b>	10 mm x 33 cm, Allis Grasper
102	<b>250-080-241</b>	10 mm x 33 cm, Babcock Grasper
●	<b>250-080-242</b>	10 mm x 33 cm, Pennington Grasper
102	<b>250-080-244</b>	10 mm x 33 cm, Single Action Claw
102, 104	<b>250-080-245</b>	10 mm x 33 cm, Double Action Claw
102, 104	<b>250-080-246</b>	10 mm x 33 cm, Biopsy Spoon
●	<b>250-080-247</b>	10 mm x 33 cm, Operating Scissors, Serrated

Page	Numbers	Description
102, 103	<b>250-080-249</b>	10 mm x 33 cm, Mixer
102	<b>250-080-250</b>	10 mm Paddle Babcock Grasper
101	<b>250-080-260</b>	5 mm x 33 cm, Hook Scissors
101	<b>250-080-262</b>	5 mm x 33 cm, Peritoneal Scissors
●	<b>250-080-263</b>	5 mm x 33 cm, Straight Metzenbaum Scissors (Long Jaws)
●	<b>250-080-264</b>	5 mm x 33 cm, Straight Metzenbaum Scissors
101, 104	<b>250-080-265</b>	5 mm x 33 cm, Curved Metzenbaum Scissors (Long Jaws)
101	<b>250-080-266</b>	5 mm x 33 cm, Mini Metzenbaum Scissors (Curved)
101	<b>250-080-267</b>	5 mm x 33 cm, Endo Metzenbaum Scissors (Curved)
100, 104	<b>250-080-280</b>	5 mm x 33 cm, Dolphin with Spoon Dissector
100, 104	<b>250-080-282</b>	5 mm x 33 cm, Maryland Dissector
100	<b>250-080-283</b>	5 mm x 33 cm, Curved Kelly Dissector
●	<b>250-080-284</b>	5 mm x 33 cm, Tissue Grasper Dissector, 45°
100, 104	<b>250-080-285</b>	5 mm x 33 cm, Mixer Dissector
100, 104	<b>250-080-286</b>	5 mm x 33 cm, Serrated Grasper
●	<b>250-080-287</b>	5 mm x 33 cm, Narrow Jaw Grasper
●	<b>250-080-288</b>	5 mm x 33 cm, Needle Nose Dissector
101, 104	<b>250-080-290</b>	5 mm x 33 cm, Biopsy Punch
●	<b>250-080-292</b>	5 mm x 33 cm, Blakesly Biopsy
●	<b>250-080-293</b>	5 mm x 33 cm, Single Action Biopsy Spoon with Pin
100	<b>250-080-310</b>	5 mm x 33 cm, Single Action Atraumatic Grasper
100	<b>250-080-311</b>	5 mm x 33 cm, Double Action Atraumatic Grasper
100	<b>250-080-312</b>	5 mm x 33 cm, Fenestrated Schertl Grasper
100	<b>250-080-313</b>	5 mm x 33 cm, Blunt Grasper with Spoon

Page	Numbers	Description
100, 104	<b>250-080-314</b>	5 mm x 33 cm, Debakey Grasper
100	<b>250-080-315</b>	5 mm x 33 cm, Fundus Grasper
100	<b>250-080-316</b>	5 mm x 33 cm, Alligator Grasper
100	<b>250-080-317</b>	5 mm x 33 cm, Cobra Grasper
100	<b>250-080-319</b>	5 mm x 33 cm, Dorsey Grasper
●	<b>250-080-320</b>	5 mm x 33 cm, Strong Grasper (Fenestrated)
100	<b>250-080-321</b>	5 mm x 33 cm, Babcock Grasper
●	<b>250-080-323</b>	5 mm x 33 cm, Meso-Ovarian Forceps
●	<b>250-080-324</b>	5 mm x 33 cm, Oviduct Forceps
●	<b>250-080-325</b>	5 mm x 33 cm, Micro Grasper
101	<b>250-080-340</b>	5 mm x 33 cm, Straight Needleholder
101	<b>250-080-341</b>	5 mm x 33 cm, Curved Left Needleholder
101	<b>250-080-342</b>	5 mm x 33 cm, Curved Right Needleholder
●	<b>250-080-350</b>	45 cm Bipolar Fenestrated Forceps (Insert)
●	<b>250-080-351</b>	5 mm x 45 cm, Bipolar Paddle Forceps (Insert)
104, 106	<b>250-080-360</b>	5 mm x 33 cm, Bipolar Fenestrated Forceps (Insert)
●	<b>250-080-361</b>	5 mm, 33 cm, Bipolar Paddle Forceps (Insert)
●	<b>250-080-362</b>	5 mm x 33 cm, Bipolar Micro Tip Forceps (Insert)
106	<b>250-080-371</b>	5 mm x 33 cm, Bipolar Shaft
●	<b>250-080-558</b>	10 mm Clip-Applying Forceps, Ethicon M1 (LC300 or LT300 Compatible)
101	<b>250-080-573</b>	5 mm x 45 cm, Hook Scissors
101	<b>250-080-575</b>	5 mm x 45 cm, Endo Metzenbaum Scissors Curved
100, 103	<b>250-080-578</b>	5 mm x 45 cm, Maryland Dissector
●	<b>250-080-579</b>	5 mm x 45 cm, Serrated Grasper
101	<b>250-080-581</b>	5 mm x 45 cm, Double Action Biopsy Spoon with Pin
100	<b>250-080-584</b>	5 mm x 45 cm, Single Action Atraumatic Grasper

Page	Numbers	Description
100	<b>250-080-585</b>	5 mm x 45 cm, Double Action Atraumatic Grasper
100, 103	<b>250-080-586</b>	5 mm x 45 cm, Babcock Grasper
101	<b>250-080-588</b>	5 mm x 45 cm, Straight Needleholder
●	<b>250-080-590</b>	5 mm x 45 cm, Curved Right Needleholder
100, 104	<b>250-080-591</b>	5 mm x 33 cm, Allis Grasper (Single Row Of Teeth)
●	<b>250-080-592</b>	5 mm x 33 cm, Allis Grasper (Double Row Of Teeth)
100, 101	<b>250-080-595</b>	5 mm x 45 cm, Monopolar Handle
100, 101, 103	<b>250-080-596</b>	5 mm x 45 cm, Ratcheting Handle
100, 101, 104	<b>250-080-617</b>	5 mm x 33 cm, Peek Monopolar Handle
102	<b>250-080-618</b>	10 mm x 33 cm, Peek Monopolar Handle
104, 105	<b>250-080-619</b>	Replacement Flush Port Caps (5/box)
●	<b>250-080-628</b>	Replacement Inner Seal for 5.5 mm Cannulas
●	<b>250-080-630</b>	Replacement Inner Seal for 11 mm Cannulas
●	<b>250-080-634</b>	3.5 mm Cannula, Automatic Valve, Stopcock, without Trocar (55 mm)
●	<b>250-080-690</b>	Replacement Inner Seal for 5.5 mm and 8 mm Cannulas
●	<b>250-080-691</b>	Replacement Inner Seal for 11 mm and 12.5 mm Cannulas
●	<b>250-080-692</b>	Trocar, Pyramidal Tip, 3.5 mm (105 mm Length)
100, 104	<b>250-080-694</b>	5 mm x 33 cm, Right Angle Dissector
100	<b>250-080-697</b>	5 mm x 33 cm, Retention Grasper
101, 104	<b>250-080-698</b>	5 mm x 33 cm, Tenaculum Forceps
100	<b>250-080-699</b>	5 mm x 33 cm, Endo Grasper
●	<b>250-080-701</b>	5 mm Endoloop Applicator
104, 105	<b>250-080-702</b>	5 mm Aspiration Needle, 33 cm Long, 17 Gauge Needle

Page	Numbers	Description
103, 105	<b>250-080-703</b>	5 mm Aspiration Needle, 45 cm Long, 17 Gauge Needle
100	<b>250-080-725</b>	5 mm x 45 cm, Retention Grasper
100	<b>250-080-726</b>	5 mm x 45 cm, Endo Grasper
●	<b>250-080-727</b>	5 mm x 45 cm, Paddle Babcock Grasper
100	<b>250-080-729</b>	5 mm x 45 cm, Right Angle Dissector
●	<b>250-080-730</b>	3.5 mm Pyramidal Trocar, Long
101	<b>250-080-733</b>	5 mm x 33 cm, Park Forceps
100	<b>250-080-735</b>	5 mm x 45 cm, Fundus Grasper
100, 103	<b>250-080-736</b>	5 mm x 45 cm, Dorsey Grasper
101	<b>250-080-745</b>	5 mm x 45 cm, Park Forceps
100, 103	<b>250-080-748</b>	5 mm x 45 cm, Debakey Grasper
101	<b>250-080-751</b>	5 mm x 45 cm, Peritoneal Scissors
101, 103	<b>250-080-752</b>	5 mm x 45 cm, Curved Metzenbaum (Long Jaws) Scissors
100	<b>250-080-753</b>	5 mm x 45 cm, Curved Kelly Dissector
●	<b>250-080-754</b>	5 mm x 45 cm, Allis Grasper (Double Row Of Teeth)
●	<b>250-080-755</b>	5 mm x 33 cm, Fenestrated Grasper
100	<b>250-080-757</b>	5 mm x 33 cm, Right Angle (Long Jaw)
100	<b>250-080-760</b>	5 mm x 33 cm, Dissecting Forceps
100	<b>250-080-761</b>	5 mm x 45 cm, Right Angle (Long Jaw)
100	<b>250-080-762</b>	5 mm x 45 cm, Dissecting Forceps
101	<b>250-080-763</b>	5 mm x 33 cm, Johan Forceps
101	<b>250-080-764</b>	5 mm x 45 cm, Johan Forceps
102, 104	<b>250-080-765</b>	5 mm x 33 cm, Sliding Lock Single Action Atraumatic Grasper, Non-Rotating
102, 103	<b>250-080-766</b>	5 mm x 45 cm, Sliding Lock Single Action Atraumatic Grasper

Page	Numbers	Description
102, 104	<b>250-080-767</b>	5 mm x 33 cm, Sliding Lock Double Action Atraumatic Grasper
102, 103	<b>250-080-768</b>	5 mm x 45 cm, Sliding Lock Double Action Atraumatic Grasper
103	<b>250-080-780K</b>	Pediatric Lap Instrument Kit
103	<b>250-080-781K</b>	Bariatric Lap Instrument Kit
104	<b>250-080-782K</b>	Standard Lap Instrument Kit
104	<b>250-080-783K</b>	Gyn Lap Instrument Kit
●	<b>250-090-010</b>	Outlet Connector OO0509-Ohio/Oxygen
●	<b>250-099-600</b>	Flush Port Caps (5/bag)
100, 101	<b>250-181-106</b>	5 mm Peek Multifunction Handle
102	<b>250-181-107</b>	10 mm x 33 cm, Peek Multi-Function Handle
100, 101	<b>250-181-108</b>	5 mm x 45 cm, Peek Multi-Function Handle
100, 101, 103	<b>250-181-164</b>	5 mm x 45 cm, Peek Monopolar Handle
●	<b>250-282-000</b>	3 mm x 20 cm, Insert, Curved Metzenbaum Scissors
●	<b>250-282-002</b>	3 mm Hook Scissors
●	<b>250-282-003</b>	3 mm x 20 cm, Insert, Fundus Grasper
●	<b>250-282-004</b>	3 mm x 20 cm, Insert, Alligator Grasper
●	<b>250-282-005</b>	3 mm x 20 cm, Insert, Needle Nose Dissectors
●	<b>250-282-006</b>	3 mm x 20 cm, Insert Fenestrated Schertel Grasper
●	<b>250-282-009</b>	3 mm x 20 cm, Insert Blunt Grasper
●	<b>250-282-010</b>	3 mm x 20 cm, Insert Tapered Bullet
●	<b>250-282-011</b>	3 mm x 20 cm, Insert Maryland Dissectors
●	<b>250-282-012</b>	3 mm x 20 cm, Insert Biopsy Forceps
●	<b>250-282-013</b>	3 mm x 20 cm, Biopsy Punch
●	<b>250-282-014</b>	3 mm x 20 cm, Insert Straight Needleholder

Page	Numbers	Description
99, 103	<b>250-282-045</b>	3 mm Peek Monopolar Handle
99, 103	<b>250-282-046</b>	Peek Multifunction Handle
99, 103	<b>250-282-047</b>	3 mm x 29 cm, Insert Curved Metzenbaum Scissors
●	<b>250-282-048</b>	3 mm x 29 cm, Insert Peritoneal Scissors
99, 103	<b>250-282-049</b>	3 mm x 29 cm, Insert Hook Scissors
●	<b>250-282-050</b>	3 mm x 29 cm, Insert Fundus Grasper
●	<b>250-282-051</b>	3 mm x 29 cm, Insert Alligator Grasper
●	<b>250-282-052</b>	3 mm x 29 cm, Insert Needle Nose Dissectors
●	<b>250-282-056</b>	3 mm x 29 cm, Insert Blunt Grasper
99, 103	<b>250-282-057</b>	3 mm x 29 cm, Insert Tapered Bullet
99, 103	<b>250-282-058</b>	3 mm x 29 cm, Insert Maryland Dissectors
●	<b>250-282-059</b>	3 mm x 29 cm, Insert Biopsy Forceps
99, 103	<b>250-282-060</b>	3 mm x 29 cm, Insert Biopsy Punch
99	<b>250-282-061</b>	3 mm x 29 cm, Insert Straight Needleholder
●	<b>250-282-096</b>	3 mm, 20 cm, Insert Dorsey Grasper
99	<b>250-282-097</b>	3 mm x 29 cm, Insert Dorsey Grasper
99, 103	<b>250-282-099</b>	3 mm x 29 cm, Single Action Atraumatic Grasper
99	<b>250-282-100</b>	3 mm x 20 cm, Double Action Atraumatic Grasper
99, 103	<b>250-282-101</b>	3 mm x 29 cm, Double Action Atraumatic Grasper
99, 103	<b>250-282-103</b>	3 mm x 29 cm, Babcock Grasper
●	<b>250-282-105</b>	3 mm x 29 cm, Insert Right Angle Dissectors
99, 103	<b>250-282-110</b>	3 mm x 29 cm, Dissecting Forceps
74	<b>266-719-000</b>	4 mm Wissinger Rod (Small)
74	<b>266-720-000</b>	5 mm Wissinger Rod (Large)
74	<b>266-721-000</b>	Wissinger Rod Handles (2/box)

Page	Numbers	Description
64	<b>266-721-100</b>	Hip Cannula Plug
74	<b>266-722-000</b>	4 mm Switching Stick (Small)
64	<b>266-722-100</b>	4 mm Hip Switching Stick
74	<b>266-723-000</b>	5 mm Switching Stick (Large)
64	<b>266-723-100</b>	5 mm Hip Switching Stick
57, 74	<b>266-724-000</b>	Irrigation Adapter
57, 74	<b>266-725-000</b>	Sealing Cap
●	<b>268-000-100</b>	Ideal Eyes Flexible Control Unit (FCU), 10 mm/5 mm/Digital Cystoscope/Video Ureteroscope compatible
56	<b>270-713-100</b>	SE-4 Trocar
56	<b>270-713-200</b>	5.0 mm Obturator
56	<b>270-713-300</b>	5 mm Cutter Cannula with Holes
57	<b>272-099-000</b>	Competitive Cannula Adapter
57	<b>272-100-000</b>	Stryker Dyonics Fluid Seal Adapter
●	<b>272-100-100</b>	Stryker Dyonics Adaptor Bridge, One Rotating Stopcock
57	<b>272-100-200</b>	Stryker Dyonics Adaptor Bridge, Two Rotating Stopcocks
49	<b>272-700-000</b>	Shaver Handpiece Tray
49, 56	<b>272-707-000</b>	Cutter Accessory Tray
●	<b>275-035-100</b>	3.5 mm Trocar
70	<b>275-035-200</b>	3.5 mm Obturator
69, 70	<b>275-035-300</b>	Small-Joint Cap
70	<b>275-035-302</b>	3.5 mm Small Joint Cutter Cannula
52	<b>275-601-500</b>	TPS Small Joint Handpiece
70	<b>275-627-000</b>	2.5 mm Small Joint Full Radius Cutter (5/box)
70	<b>275-628-000</b>	2.5 mm Small Joint Aggressive Cutter (5/box)
70	<b>275-637-000</b>	3.5 mm Small Joint Full Radius Cutter (5/box)
70	<b>275-638-000</b>	3.5 mm Small Joint Aggressive Cutter (5/box)
70	<b>275-641-000</b>	2 mm Small Joint Hooded Abrasion Bur (5/box)
70	<b>275-647-000</b>	3 mm Small Joint Hooded Abrasion Bur (5/box)
51	<b>275-701-400</b>	Arthroscopy Footswitch

Page	Numbers	Description
121	<b>275-701-599</b>	Soaking Cap
56	<b>275-719-000</b>	5.6 mm Cutter Cannula
56	<b>275-719-100</b>	5.6 mm Trocar
56	<b>275-719-200</b>	5.6 mm Obturator
56	<b>275-719-300</b>	5.6 mm Cutter Cannula with Irrigation Holes at Distal Tip
56	<b>275-720-000</b>	5 mm Bur Cannula
56	<b>275-720-100</b>	5 mm Trocar
56	<b>275-720-200</b>	5 mm Obturator
56	<b>275-720-300</b>	Hip Needle
64	<b>275-720-500</b>	Nitinol Guide Wires (3/box)
●	<b>275-720-705</b>	Long Hip Knife Handle
56	<b>275-721-000</b>	6 mm Bur Cannula
56	<b>275-721-100</b>	6 mm Trocar
56	<b>275-721-200</b>	6 mm Obturator
56	<b>275-722-000</b>	4.5 mm Cutter Cannula
56	<b>275-722-100</b>	4.5 mm Trocar
56	<b>275-722-200</b>	4.5 mm Obturator
56	<b>275-722-300</b>	4.5 mm Cutter Cannula with Irrigation Holes at Distal Tip
●	<b>275-723-100</b>	5 mm Hip Cannula
●	<b>275-723-110</b>	5 mm Hip Trocar
●	<b>275-723-120</b>	5 mm Hip Obturator
●	<b>275-724-100</b>	4.5 mm Hip Cannula
●	<b>275-724-110</b>	4.5 mm Hip Trocar
●	<b>275-724-120</b>	4.5 mm Hip Obturator
●	<b>275-725-100</b>	5.6 mm Hip Cannula
●	<b>275-725-110</b>	5.6 mm Hip Trocar
●	<b>277-300-100</b>	iSWITCH Battery Pack
●	<b>277-400-100</b>	TPS Connector
●	<b>277-400-200</b>	iSWITCH SERFAS Cable
●	<b>277-600-100</b>	iSWITCH Valleylab Integration Kit
●	<b>278-400-000</b>	Probe Bender
70	<b>279-250-101</b>	2.5 mm Micro-Claw SERFAS Energy Small Joint Probe
70	<b>279-250-201</b>	2.5 mm Micro-Brush SERFAS Energy Small Joint Probe

Page	Numbers	Description
58, 70	<b>279-251-101</b>	2.5 mm Aardvark SERFAS Energy Suction Probe
58	<b>279-350-201</b>	3.5 mm Lateral SERFAS Energy Probe
58	<b>279-350-301</b>	3.5 mm Contour SERFAS Energy Probe
58	<b>279-350-401</b>	3.5 mm Direct SERFAS Energy Probe
58	<b>279-350-501</b>	3.5 mm Hook SERFAS Energy Probe
68	<b>279-350-502</b>	SERFAS Energy XL Hook
58	<b>279-351-100</b>	3.5 mm 90-S SERFAS Energy Suction Probe
68	<b>279-351-103</b>	SERFAS Energy XL 90-S
58	<b>279-351-230</b>	3.5 mm 30-S SERFAS Energy Suction Probe
58	<b>279-351-250</b>	3.5 mm 50-S SERFAS Energy Suction Probe
68	<b>279-351-253</b>	SERFAS Energy XL 50-S
58	<b>279-351-400</b>	90-S Accelerator
58	<b>279-401-100</b>	4 mm 90-S Max SERFAS Energy Suction Probe
58	<b>279-401-200</b>	SERFAS Energy 90-S Cruise
17	<b>280-121-000</b>	Spacer Ring
64	<b>295-720-000</b>	Arthroscopy Access Hip Kit
64	<b>R295-720-000</b>	Hip Access System Rental Kit
64	<b>295-723-100</b>	Hip 4 mm Cannula
64	<b>295-723-110</b>	Hip 4 mm Cannula, with Distal Holes
64	<b>295-723-120</b>	Hip Cannulated Obturator for 4 mm Cannula
64	<b>295-723-130</b>	Hip Cannulated Obtrocar for 4 mm Cannula
64	<b>295-723-140</b>	Hip Cannulated Trocar for 4 mm Cannula
64	<b>295-724-100</b>	Hip 5 mm Cannula
64	<b>295-724-110</b>	Hip 5 mm Cannula, with Distal Holes
64	<b>295-724-120</b>	Hip Cannulated Obturator for 5 mm Cannula
64	<b>295-724-130</b>	Hip Cannulated Obtrocar for 5 mm Cannula
64	<b>295-724-140</b>	Hip Cannulated Trocar for 5 mm Cannula

Page	Numbers	Description
64	<b>295-725-100</b>	Hip 5.5 mm Cannula
64	<b>295-725-110</b>	Hip 5.5 mm Cannula, with Distal Holes
64	<b>295-725-120</b>	Hip Cannulated Obturator for 5.5 mm Cannula
64	<b>295-725-130</b>	Hip Cannulated Obtrocar for 5.5 mm Cannula
64	<b>295-725-140</b>	Hip Cannulated Trocar for 5.5 mm Cannula
64	<b>295-726-100</b>	Screwdriver Handle
64	<b>295-727-100</b>	Hip Bridge, Single Rotating Stopcocks
64	<b>295-727-101</b>	Hip Bridge, Single Fixed Stopcocks
64	<b>295-727-200</b>	Hip Bridge, Dual Rotating Stopcocks
64	<b>295-727-202</b>	Hip Bridge, Dual Fixed Stopcocks
49, 64	<b>295-800-000</b>	Arthroscopy Access Sterilization Tray Lid
49, 64	<b>295-800-200</b>	Arthroscopy Access Hardware XL Sterilization Tray
49, 64	<b>295-800-300</b>	Arthroscopy Access Arthroscope Sterilization Tray
71	<b>300-027-100</b>	2.7 mm Big Bite Punch, Straight
71	<b>300-027-101</b>	2.7 mm, 30° Big Bite Punch, Right
71	<b>300-027-102</b>	2.7 mm, 30° Big Bite Punch, Left
71	<b>300-027-103</b>	2.7 mm 15° Big Bite Punch, Up
71	<b>300-027-104</b>	2.7 mm Big Bite Punch, Upshaft
71	<b>300-027-200</b>	2.7 mm Narrow Punch
72	<b>300-027-603</b>	2.7 mm Micro Scissor Punch
72	<b>300-027-702</b>	2.7 mm x 120 mm, Soft Tissue Grasper with Ratchet
72	<b>300-027-703</b>	2.7 mm x 120 mm, Soft Tissue Grasper without Ratchet
71	<b>300-034-100</b>	3.4 mm Big Bite Punch, Straight
71	<b>300-034-101</b>	3.4 mm, 30° Big Bite Punch, Right
71	<b>300-034-102</b>	3.4 mm, 30° Big Bite Punch, Left
71	<b>300-034-103</b>	3.4 mm Big Bite Punch, 15° Up
71	<b>300-034-104</b>	3.4 mm Big Bite Punch, Upshaft
71	<b>300-034-110</b>	3.4 mm Tip Biter, 45° Left
71	<b>300-034-111</b>	3.4 mm Tip Biter, 45° Right

Page	Numbers	Description
71	<b>300-034-200</b>	3.4 mm Narrow Punch
71	<b>300-034-203</b>	3.4 mm Narrow Punch, 15° Up
71	<b>300-034-300</b>	3.4 mm Scoop Jaw Punch, Straight
71	<b>300-034-301</b>	3.4 mm Scoop Jaw Punch, 30° Right
71	<b>300-034-302</b>	3.4 mm Scoop Jaw Punch, 30° Left
72	<b>300-034-380</b>	3.4 mm Claw Rongeur
72	<b>300-034-390</b>	4 mm x 120 mm, Soft Tissue Grasper without Ratchet
71	<b>300-034-400</b>	3.4 mm Rotary Punch, 90° Right
71	<b>300-034-401</b>	3.4 mm Rotary Punch, 90° Left
71	<b>300-034-500</b>	3.4 mm Meniscal Crescent Punch, Right
71	<b>300-034-501</b>	3.4 mm Meniscal Crescent Punch, Left
71	<b>300-034-502</b>	3.4 mm Meniscal Crescent Punch, 30° Right
71	<b>300-034-503</b>	3.4 mm Meniscal Crescent Punch, 30° Left
72	<b>300-034-600</b>	3.4 mm Hook Scissor
72	<b>300-034-601</b>	3.4 mm Hook Scissor, Right Angled
72	<b>300-034-602</b>	3.4 mm Hook Scissor, Left Angled
72	<b>300-034-603</b>	3.4 mm Micro Scissor Punch
72	<b>300-034-700</b>	3.4 mm Grasper with Ratchet
72	<b>300-034-701</b>	3.4 mm Grasper
72	<b>300-034-702</b>	3.4 mm x 120 mm Soft Tissue Grasper with Ratchet
72	<b>300-034-703</b>	3.4 mm x 120 mm, Soft Tissue Grasper without Ratchet
71	<b>300-034-800</b>	3.4 mm Backbiter
65	<b>300-034-900</b>	3.4 mm Hip Grasper
65	<b>300-034-901</b>	3.4 mm Hip Punch, Straight
●	<b>310-034-100</b>	3.4 mm Square Punch, Straight
●	<b>310-034-103</b>	3.4 mm Square Punch, 15° Uptip
●	<b>310-034-104</b>	3.4 mm Square Punch, 15° Upshaft
●	<b>310-034-110</b>	3.4 mm Punch, 45° Left-Tip
●	<b>310-034-111</b>	3.4 mm Punch, 45° Right-Tip

Page	Numbers	Description
●	<b>310-034-114</b>	3.4 mm Square Punch, 9° Upshaft
●	<b>310-034-701</b>	3.4 mm Loose Body Grasper, No Ratchet
●	<b>310-034-703</b>	3.4 mm Soft Tissue Grasper, No Ratchet
98	<b>331-000-000</b>	11 mm Operating Laparoscope
23	<b>331-000-100</b>	ACMI Adapter for Autoclavable Scopes
23	<b>331-000-200</b>	Wolf/Dyonics Adapter for Autoclavable Scopes
23	<b>331-000-300</b>	Storz Adapter for Autoclavable Scopes
23	<b>331-000-400</b>	Right Angle Adapter for Autoclavable Scopes
98	<b>331-010-090</b>	10 mm, 90° Eyepiece, Operating Laparoscope
57	<b>333-000-001</b>	Cannula Irrigation Adapter with Stopcock and Luer Lock
57	<b>333-070-000</b>	70 mm Drain Cannula Kit
57	<b>333-070-001</b>	70 mm Drain Cannula
57	<b>333-070-002</b>	Trocar for 70 mm Drain Cannula
57	<b>333-070-003</b>	Obturator for 70 mm Drain Cannula
57	<b>333-100-000</b>	100 mm Drain Cannula Kit
57	<b>333-100-001</b>	100 mm Drain Cannula
57	<b>333-100-002</b>	Trocar for 100 mm Drain Cannula
57	<b>333-100-003</b>	Obturator for 100 mm Drain Cannula
45	<b>343-331-410</b>	Obturator for 4 mm Speed-Lock Cannula, Pencil Tip
45	<b>343-331-411</b>	Obturator for 4 mm Speed-Lock Cannula, Blunt Tip
45	<b>343-331-420</b>	Trocar for 4 mm Speed-Lock Cannula
45	<b>343-331-430</b>	4 mm Cannula, 1-Rotating Stopcock
45	<b>343-331-450</b>	4 mm Cannula, 2-Rotating Stopcocks
60	<b>350-195-000</b>	2-Spike Gravity Flow Tube Set (10/box)
60	<b>350-195-004</b>	4-Spike Gravity Flow Tube Set (10/box)
●	<b>350-202-000</b>	Arthroscopy Pump Tube Set (10/box)

Page	Numbers	Description
60	<b>350-220-000</b>	Autoclavable Hand Control
●	<b>350-600-001</b>	Flocontrol Arthroscopy Pump (Hand Control Included)
●	<b>350-600-006</b>	Integrated Tubing (10/box)
●	<b>350-600-008</b>	Outflow Tubing (10/box)
60	<b>350-800-001</b>	FloSteady Arthroscopy Pump
60	<b>350-800-006</b>	Disposable Cassette Tubing (10/box)
●	<b>350-800-501</b>	Flosteady Model 200 - Arthroscopy Pole Pump
●	<b>350-800-502</b>	Flosteady Model 200 - Arthroscopy Pole Pump
●	<b>350-800-503</b>	Flosteady Model 200 - Arthroscopy Pole Pump
75	<b>351-600-000</b>	Micro Cart
69	<b>375-023-027</b>	2.7 mm Formula Scope Bridge
56, 69	<b>375-035-100</b>	3.5 mm Formula Trocar
56, 69	<b>375-035-302</b>	3.5 mm Formula Small Joint Cutter Cannula
55	<b>375-450-500</b>	5 mm Auger Bur, Formula (5/box)
●	<b>375-531-000</b>	3.5 mm Cougar Cutter, Formula (5/box)
54	<b>375-532-000</b>	3.5 mm Resector Cutter, Formula (5/box)
54	<b>375-534-000</b>	3.5 mm Aggressive Plus Cutter, Formula (5/box)
54	<b>375-535-000</b>	3.5 mm Tomcat Shaver Blade
54	<b>375-541-000</b>	4 mm Cougar Cutter, Formula (5/box)
54	<b>375-542-000</b>	4 mm Resector Cutter, Formula (5/box)
54	<b>375-543-000</b>	4 mm, Double Bite Cutter, Formula (5/box)
54	<b>375-544-000</b>	4 mm Aggressive Plus Cutter, Formula (5/box)
54	<b>375-545-000</b>	4 mm Tomcat Cutter, Formula (5/box)
54	<b>375-546-000</b>	4 mm Scalloped Cutter, Formula (5/box)
54	<b>375-548-000</b>	4 mm Slotted Whisker Cutter, Formula (5/box)
54	<b>375-549-000</b>	4 mm Whisker Cutter, Formula (5/box)

Page	Numbers	Description
●	<b>375-551-000</b>	5 mm Cougar Cutter, Formula (5/box)
54	<b>375-552-000</b>	5 mm Resector Cutter, Formula (5/box)
54	<b>375-554-000</b>	5 mm Aggressive Plus Cutter, Formula (5/box)
54	<b>375-555-000</b>	5 mm Tomcat Cutter, Formula (5/box)
●	<b>375-558-000</b>	5 mm Slotted Whisker Cutter, Formula (5/box)
54	<b>375-562-000</b>	5.5 mm, Resector Cutter, Formula (5/box)
54	<b>375-564-000</b>	5.5 mm Aggressive Plus Cutter, Formula (5/box)
54	<b>375-565-000</b>	5.5 mm Tomcat Cutter, Formula (5/box)
●	<b>375-566-000</b>	5.5 mm Scalloped Cutter, Formula (5/box)
69	<b>375-627-000</b>	2.5 mm Small Joint Full Radius Cutter, Formula (5/box)
69	<b>375-628-000</b>	2.5 mm Small Joint Aggressive Plus Cutter, Formula (5/box)
69	<b>375-636-000</b>	3.5 mm Small Joint Tomcat Shaver Blade, Formula (5/box)
69	<b>375-637-000</b>	3.5 mm Small Joint Full Radius Cutter, Formula (5/box)
69	<b>375-638-000</b>	3.5 mm Small Joint Aggressive Plus Cutter, Formula (5/box)
69	<b>375-641-000</b>	2 mm Small Joint Hooded Abrasion Bur, Formula (5/box)
69	<b>375-647-000</b>	3 mm Small Joint Hooded Abrasion Bur, Formula (5/box)
52, 121	<b>375-701-000</b>	Formula Sterilization Cap
52	<b>375-701-500</b>	Formula Shaver Handpiece (no buttons)
52	<b>375-704-500</b>	Formula Shaver Handpiece (with buttons)
52	<b>375-708-500</b>	Formula 180 Shaver Handpiece (with buttons)
●	<b>375-737-000</b>	3.5 mm End Cutter, Formula (5/box)
54	<b>375-747-000</b>	4 mm End Cutter, Formula (5/box)
●	<b>375-757-000</b>	5 mm End Cutter, Formula (5/box)

Page	Numbers	Description
55	<b>375-832-000</b>	4 mm Subchondral Drill, Formula (1.5 mm Drill Tip) (5/box)
●	<b>375-884-000</b>	4 mm TRUE End Cutter, Formula (5/box)
55	<b>375-930-000</b>	3.5 mm 6 Flute Round Bur, Formula (5/box)
55	<b>375-940-000</b>	4 mm 6 Flute Round Bur, Formula (5/box)
55	<b>375-940-012</b>	4 mm 12 Flute Round Bur, Formula (5/box)
55	<b>375-940-200</b>	4 mm 6 Flute Unhooded Round Bur, Formula (5/box)
55	<b>375-941-000</b>	4 mm 6 Flute Barrel Bur, Formula (5/box)
55	<b>375-941-012</b>	4 mm 12 Flute Barrel Bur, Formula (5/box)
55	<b>375-941-200</b>	4 mm 6 Flute Unhooded Barrel Bur, Formula (5/box)
55	<b>375-941-500</b>	4 mm 6 Flute SLAP Bur, Formula (5/box)
55	<b>375-950-000</b>	5.5 mm, 6 Flute Round Bur, Formula (5/box)
55	<b>375-950-012</b>	5.5 mm 12 Flute Round Bur, Formula (5/box)
55	<b>375-950-100</b>	5 mm 6 Flute Round Bur, Formula (5/box)
55	<b>375-950-112</b>	5 mm 12 Flute Round Bur, Formula (5/box)
55	<b>375-950-200</b>	5.5 mm 6 Flute Unhooded Round Bur, Formula (5/box)
55	<b>375-951-000</b>	5.5 mm 6 Flute Barrel Bur, Formula (5/box)
55	<b>375-951-012</b>	5.5 mm 12 Flute Barrel Bur, Formula (5/box)
55	<b>375-951-100</b>	5 mm 6 Flute Barrel Bur, Formula (5/box)
55	<b>375-951-112</b>	5 mm, 12 Flute Barrel Bur, Formula (5/box)
55	<b>375-951-200</b>	5.5 mm 6 Flute Unhooded Barrel Bur, Formula (5/box)
55	<b>375-952-000</b>	5.5 mm 6 Flute Egg Bur, Formula (5/box)
55	<b>375-953-000</b>	5.5 mm 6 Flute Left Helix Barrel Bur, Formula (5/box)
55	<b>375-953-012</b>	5.5 mm 12 Flute Left Helix Barrel Bur, Formula (5/box)

Page	Numbers	Description
●	<b>R377-000-100</b>	Glick Hip Kit Rental
●	<b>377-030-200</b>	Single Stopcock High Flow Sheath
●	<b>377-030-201</b>	Dual Stopcock High Flow Sheath
64	<b>377-030-300</b>	Cannulated Hip Scope Trocar
64	<b>377-030-400</b>	Cannulated Hip Scope Obturator
44	<b>377-031-129</b>	5 mm Obturator Speed Lock Cannula
44	<b>377-031-144</b>	5 mm Cannula, 2-Rotating Stopcocks
●	<b>377-031-145</b>	5 mm Cannula, 1-Rotating Stopcock
44	<b>377-031-229</b>	Trocar for 5 mm Speed-Lock Cannula
44	<b>377-031-610</b>	Obturator for 6.5 mm Speed-Lock Cannula, Pencil Tip
44	<b>377-031-611</b>	Obturator for 6.5 mm Speed-Lock Cannula, Blunt Tip
44	<b>377-031-620</b>	Trocar for 6.5 mm Speed-Lock Cannula
44	<b>377-031-630</b>	6.5 mm Cannula, 1-Rotating Stopcock
44	<b>377-031-650</b>	6.5 mm Cannula, 2-Rotating Stopcocks
57	<b>377-031-900</b>	Speed-Lock Syringe Adapter for 4 mm Arthroscope
57	<b>377-031-901</b>	Speed-Lock Cannula Plug for 4 mm Arthroscope
57	<b>377-727-530</b>	Speed-Lock Bridge, 1-Rotating Stopcock (Sapphire View Scopes)
57	<b>377-727-540</b>	Speed-Lock Bridge, 2-Rotating Stopcocks (Sapphire View Scopes)
64	<b>377-727-550</b>	Hip Scope Bridge, 2-Rotating Stopcocks
61	<b>377-829-500</b>	Obturator for 4.6 x 200 mm Cannula
61	<b>377-829-501</b>	Obtrocar for 4.6 x 200 mm Cannula
61	<b>377-829-502</b>	Trocar for 4.6 x 200 mm Cannula
61	<b>377-829-510</b>	4.6 x 200 mm Cannula, 1-Rotating Stopcock, No Distal Holes
61	<b>377-829-520</b>	4.6 x 200 mm Cannula, 1-Rotating Stopcock

Page	Numbers	Description
61	<b>377-829-530</b>	4.6 x 200 mm Cannula, 2-Rotating Stopcocks, No Distal Holes
61	<b>377-829-531</b>	4.6 x 200 mm Cannula, 2-Rotating Stopcocks
61	<b>377-829-540</b>	4.6 x 200 mm Cannula, 1-Fixed Stopcock, No Distal Holes
61	<b>377-829-541</b>	4.6 x 200 mm Cannula, 1-Fixed Stopcock
61	<b>377-829-550</b>	4.6 x 200 mm Cannula, 2-Fixed Stopcocks, No Distal Holes
61	<b>377-829-551</b>	4.6 x 200 mm Cannula, 2-Fixed Stopcocks
61	<b>377-829-590</b>	4.6 x 200 mm Cannula, 2-Rotating Stopcocks at 95°
61	<b>377-829-595</b>	4.6 x 200 mm, Cannula, 2-Rotating Stopcocks at 95°, No Distal Holes
61	<b>377-829-600</b>	Cannulated Obturator for 4.6 x 200 mm Cannula
61	<b>377-829-601</b>	Cannulated Obtrocator for 4.6 x 200 mm Cannula
61	<b>377-829-602</b>	Cannulated Trocar for 4.6 x 200 mm Cannula
61	<b>377-829-690</b>	4.6 x 200 mm Cannula, 2-Fixed Stopcocks at 95°
61	<b>377-829-695</b>	4.6 x 200 mm Cannula, 2-Fixed Stopcocks at 95°, No Distal Holes
●	<b>377-829-700</b>	3.5 mm Switching Stick
62	<b>377-829-701</b>	ParallelPortal Probe
62	<b>380-532-300</b>	ParallelPortal Cutter, Single Bend Resector 3.5 mm (5/box)
62	<b>380-534-300</b>	ParallelPortal Cutter, Single Bend Aggressive Plus 3.5 mm (5/box)
62	<b>380-534-400</b>	ParallelPortal Cutter, Double Bend Aggressive Plus 3.5 mm (5/box)
62	<b>380-535-300</b>	ParallelPortal Cutter, Single Bend Tomcat 3.5 mm (5/box)
62	<b>380-535-400</b>	ParallelPortal Cutter, Double Bend Tomcat 3.5 mm (5/box)
54	<b>380-542-150</b>	4.5 mm Angled Resector Cutter, Formula (5/box)
62	<b>380-542-300</b>	ParallelPortal Cutter, Single Bend Resector 4.0 mm (5/box)

Page	Numbers	Description
54	<b>380-543-150</b>	4.5 mm Angled Double Bite Cutter, Formula (5/box)
54	<b>380-544-100</b>	4 mm Angled Aggressive Plus Cutter, Formula (5/box)
54	<b>380-544-150</b>	4.5 mm Angled Aggressive Plus Cutter, Formula (5/box)
62	<b>380-544-300</b>	ParallelPortal Cutter, Single Bend Aggressive Plus 4.0 mm (5/box)
62	<b>380-544-400</b>	ParallelPortal Cutter, Double Bend Aggressive Plus 4.0 mm (5/box)
54	<b>380-545-100</b>	4.0 mm Angled Tomcat Cutter, Formula (5/box)
54	<b>380-545-150</b>	4.5 mm Angled Tomcat Cutter, Formula (5/box)
62	<b>380-545-300</b>	ParallelPortal Cutter, Single Bend Tomcat 4.0 mm (5/box)
62	<b>380-545-400</b>	ParallelPortal Cutter, Double Bend Tomcat 4.0 mm (5/box)
●		
54	<b>380-554-100</b>	5 mm Angled Aggressive Plus Cutter, Formula (5/box)
54	<b>380-555-100</b>	5 mm Angled Tomcat Cutter, Formula (5/box)
67	<b>385-544-000</b>	4 mm Aggressive Plus, Long Hip Blade, Formula (5/box)
67	<b>385-544-100</b>	4 mm Angled Aggressive Plus, Long Hip Blade, Formula (5/box)
67	<b>385-545-000</b>	4 mm Tomcat, Long Hip Blade, Formula (5/box)
67	<b>385-545-100</b>	4 mm Angled Tomcat, Long Hip Blade, Formula (5/box)
67	<b>385-552-000</b>	5 mm Resector, XL
67	<b>385-554-000</b>	5 mm Aggressive Plus, XL
67	<b>385-943-000</b>	4 mm 8 Flute Long Hip Pear Bur, Formula (5/box)
67	<b>385-950-008</b>	5.5 mm 8-Flute Round Bur, XL
67	<b>385-951-008</b>	5.5 mm 8-Flute Barrel Bur, XL
67	<b>385-953-008</b>	5.5 mm 8-Flute Pear Bur, XL
59	<b>450-000-000</b>	CrossFlow Integrated Arthroscopy Pump
59	<b>450-000-100</b>	CrossFlow Inflow Cassette Tubing
59	<b>450-000-115</b>	Crossflow Day-Use Inflow Cassette Tubing

Page	Numbers	Description
59	<b>450-000-125</b>	Crossflow Patient-Use Tubing
59	<b>450-000-200</b>	CrossFlow Outflow Cassette Tubing
59	<b>450-000-300</b>	CrossFlow Integrated Cassette Tubing
59	<b>450-000-500</b>	CrossFlow Footswitch
●	<b>450-100-000</b>	Stryker Console Customizer
50	<b>475-000-100</b>	Crossfire Footswitch
50	<b>475-100-000</b>	Crossfire 2 Console
53	<b>475-331-000</b>	3.5 mm Dual Edge Shaver Blade
53	<b>475-333-000</b>	3.5 mm Smooth Bite Shaver Blade
53	<b>475-337-000</b>	3.5 mm Aggressive Max Shaver Blade
53	<b>475-341-000</b>	4.0 mm Dual Edge Shaver Blade
53	<b>475-345-000</b>	4.0 Tomcat HC Shaver Blade
53	<b>475-355-000</b>	5.0 Tomcat HC Shaver Blade
53	<b>475-361-000</b>	5.5 mm Dual Edge Shaver Blade
67	<b>485-840-000</b>	4.0 mm XL Round Diamond Bur
67	<b>485-860-000</b>	5.5 mm XL Round Diamond Bur
83	<b>502-000-000</b>	Fluid Safe Fluid Management System (3 Piece Kit)
●	<b>502-000-001</b>	Pump for Fluid Safe Fluid Management System
●	<b>502-000-002</b>	Weighing System for Fluid Safe Fluid Management System
●	<b>502-000-003</b>	Roller Base for Fluid Safe Fluid Management System
90	<b>502-023-029</b>	HTA Adapter for 2.9 mm Hysteroscope
42	<b>502-027-010</b>	Ideal Eyes 2.7 mm, 0° AC Stubby Eyepiece, J-Lock (75 mm)
42	<b>502-027-030</b>	Ideal Eyes 2.7 mm, 30° Autoclavable Stubby Eyepiece, J-Lock (75 mm)
42	<b>502-027-070</b>	Ideal Eyes 2.7 mm, 70° Autoclavable Stubby Eyepiece, J-Lock (75 mm)
93	<b>502-100-000</b>	Canisters for Fluid Safe
97	<b>502-103-010</b>	10 mm x 33 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
97	<b>502-103-030</b>	10 mm x 33 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°

Page	Numbers	Description
97	<b>502-103-045</b>	10 mm x 33 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°
42	<b>502-104-010</b>	Ideal Eyes 4 mm, 0° Autoclavable Arthroscope, 140 mm Working
42	<b>502-104-030</b>	Ideal Eyes 4 mm, 30° Autoclavable Arthroscope, 140 mm Working
42	<b>502-104-045</b>	Ideal Eyes 4 mm, 45° Autoclavable Arthroscope, 140 mm Working
42	<b>502-104-070</b>	Ideal Eyes 4 mm, 70° Autoclavable Arthroscope, 140 mm Working
42	<b>502-104-130</b>	Ideal Eyes 4 mm, 30° Autoclavable Reverse Cant Arthroscope, 140 mm
●	<b>502-110-001</b>	Articulating Laparoscope Leak Tester (10 mm)
●	<b>502-110-002</b>	Articulating Laparoscope Venting Cap (10 mm)
●	<b>502-110-004</b>	Leak Tester
●	<b>502-110-006</b>	Trocar Introducer for 5 mm Articulating Laparoscope
●	<b>502-110-010</b>	10 mm Ideal Eyes Articulating Laparoscope (NTSC Scope)
●	<b>502-110-110</b>	5 mm Ideal Eyes Articulating Laparoscope (NTSC Scope)
●	<b>502-110-122</b>	Cleaning Brush for Ureteroscope
●	<b>502-110-145</b>	5 mm Ideal Eyes Bariatric Articulating Laparoscope (NTSC Scope)
97	<b>502-113-010</b>	10 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
97	<b>502-113-030</b>	10 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
97	<b>502-113-045</b>	10 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°
42	<b>502-119-010</b>	Ideal Eyes 1.9 mm, 0° Autoclavable Arthroscope J-Lock
42	<b>502-119-030</b>	Ideal Eyes 1.9 mm, 30° Autoclavable Arthroscope, J-Lock
42	<b>502-123-010</b>	Ideal Eyes 2.3 mm, 0° Autoclavable Arthroscope, J-Lock

Page	Numbers	Description
42	<b>502-123-030</b>	Ideal Eyes 2.3 mm, 30° Autoclavable Arthroscope, J-Lock
42	<b>502-123-070</b>	Ideal Eyes 2.3 mm, 70° Autoclavable Arthroscope, J-Lock
42	<b>502-123-130</b>	Ideal Eyes 2.3 mm, 30° Autoclavable Reverse Cant Arthroscope, J-Lock
42	<b>502-127-010</b>	Ideal Eyes 2.7 mm, 0° Autoclavable Arthroscope, Speed-Lock
42	<b>502-127-030</b>	Ideal Eyes 2.7 mm, 30° Autoclavable Arthroscope, Speed-Lock
42	<b>502-127-070</b>	Ideal Eyes 2.7 mm, 70° Autoclavable Arthroscope, Speed-Lock
61	<b>502-129-030</b>	Ideal Eyes 30° Arthroscope, 2.9 x 200 mm, Eyepiece, Speedlock Autoclavable
●	<b>502-144-010</b>	1.9 mm, 0° Autoclavable Arthroscope, Speed-Lock
●	<b>502-144-030</b>	1.9 mm, 30° Autoclavable Arthroscope, Speed-Lock
47	<b>502-144-500</b>	1.9 mm Pencil Tip Obturator, Speed-Lock
47	<b>502-144-510</b>	1.9 mm Obturator, Speed-Lock
47	<b>502-144-530</b>	2.8 mm Cannula, 1-Rotating Stopcock, Speed-Lock
47	<b>502-144-550</b>	2.8 mm Cannula, 1-Fixed Stopcock, Speed-Lock
47	<b>502-144-560</b>	2.8 mm Cannula, 2-Rotating Stopcocks, Speed-Lock
93	<b>502-200-000A</b>	Integrated Tubing
42	<b>502-204-010</b>	Ideal Eyes 4 mm, 0° Long Autoclavable Arthroscope, 165 mm
42, 63	<b>502-204-030</b>	Ideal Eyes 4 mm, 30° Long Autoclavable Arthroscope, 165 mm
42, 63	<b>502-204-070</b>	Ideal Eyes 4 mm, 70° Long Autoclavable Arthroscope, 165 mm
●	<b>502-205-010</b>	HD 5 mm 0° Bariatric Autoclavable Laparoscope
●	<b>502-205-030</b>	HD 5 mm 30° Bariatric Autoclavable Laparoscope
●	<b>502-205-045</b>	HD 5 mm 45° Bariatric Autoclavable Laparoscope

Page	Numbers	Description
●	<b>502-206-030</b>	HD 5 mm 30° Bariatric IR Autoclavable Laparoscope
●	<b>502-206-045</b>	HD 5 mm 45° Bariatric IR Autoclavable Laparoscope
●	<b>502-210-010</b>	HD 10 mm 0° Bariatric Autoclavable Laparoscope
●	<b>502-210-030</b>	HD 10 mm 30° Bariatric Autoclavable Laparoscope
●	<b>502-210-045</b>	HD 10 mm 45° Bariatric Autoclavable Laparoscope
●	<b>502-211-030</b>	HD 10 mm 30° Bariatric IR Autoclavable Laparoscope
●	<b>502-211-045</b>	HD 10 mm 45° Bariatric IR Autoclavable Laparoscope
●	<b>502-244-030</b>	2.7 mm, 30° Autoclavable Stubby Arthroscope, Speed-Lock
45	<b>502-244-500</b>	2.7 mm, Pencil Tip Obturator, Speed-Lock
45	<b>502-244-510</b>	2.7 mm Obturator, Speed-Lock (High Flow)
45	<b>502-244-520</b>	2.7 mm Trocar, Speed-Lock (High Flow)
45	<b>502-244-530</b>	4 mm Cannula, 1-Rotating Stopcock, Speed-Lock (High Flow)
45	<b>502-244-550</b>	4 mm Cannula, 1-Fixed Stopcock, Speed-Lock (High Flow)
45	<b>502-244-560</b>	4 mm Cannula, 2-Rotating Stopcocks, Speed-Lock (High Flow)
98	<b>502-290-010</b>	2.9 mm, 0° Ideal Eyes Autoclavable Pediatric
98	<b>502-290-030</b>	2.9 mm, 30° Ideal Eyes Autoclavable Pediatric
41, 63	<b>502-304-030</b>	4.0 mm x 165 mm, 30° Autoclavable Arthroscope, C-Mount, Speed-Lock
41, 63	<b>502-304-070</b>	4.0 mm x 165 mm, 70° Autoclavable Arthroscope, C-Mount, Speed-Lock
41	<b>502-304-130</b>	4.0 mm x 165 mm, 30° Autoclavable Arthroscope, C-Mount, Speed-Lock,
97	<b>502-329-010</b>	2.9 mm x 30 cm, Laparoscope, 0°
97	<b>502-329-030</b>	2.9 mm x 30 cm, Laparoscope, 30°
●	<b>502-344-010</b>	2.3 mm, 0° Autoclavable Arthroscope, Speed-Lock

Page	Numbers	Description
●	<b>502-344-030</b>	2.3 mm, 30° Autoclavable Arthroscope, Speed-Lock
45, 46	<b>502-344-500</b>	2.3 mm Pencil Tip Obturator, Speed-Lock
45, 46	<b>502-344-510</b>	2.3 mm Obturator, Speed-Lock
45, 46	<b>502-344-520</b>	2.3 mm Trocar, Speed-Lock
45, 46	<b>502-344-530</b>	3.2 mm Cannula, 1-Rotating Stopcock, Speed-Lock
45, 46	<b>502-344-540</b>	3.2 mm Cannula, 2-Fixed Stopcocks, Speed-Lock
45, 46	<b>502-344-550</b>	3.2 mm Cannula, 1-Fixed Stopcock, Speed-Lock
45, 46	<b>502-344-560</b>	3.2 mm Cannula, 2-Rotating Stopcocks, Speed-Lock
●	<b>502-427-030</b>	4 mm, 30° C-Mount Non-Autoclavable Arthroscope
●	<b>502-427-070</b>	4 mm, 70° C-Mount Non-Autoclavable Arthroscope
●	<b>502-427-130</b>	4 mm, 30° C-Mount Non-Autoclavable Reverse Cant Arthroscope
●	<b>502-428-030</b>	2.7 mm, 30° C-Mount Non-Autoclavable Arthroscope
●	<b>502-457-030</b>	10 mm, 30° Autoclavable Laparoscope
●	<b>502-457-045</b>	10 mm, 45° Autoclavable Laparoscope
●	<b>502-477-011</b>	4 mm Autoclavable Arthroscope
●	<b>502-477-031</b>	4 mm Autoclavable Arthroscope
97	<b>502-503-010</b>	5.5 mm x 30 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
97	<b>502-503-030</b>	5.5 mm x 30 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
97	<b>502-503-045</b>	5.5 mm x 30 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°
97	<b>502-513-010</b>	5.5 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
97	<b>502-513-030</b>	5.5 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
97	<b>502-513-045</b>	5.5 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°

Page	Numbers	Description
●	<b>502-523-030</b>	2.3 mm, 30° C-Mount Autoclavable Arthroscope, Speed-Lock
●	<b>502-526-130</b>	2.7 mm x 30° C-Mount, Reverse Cant, Autoclavable
43	<b>502-527-030</b>	4 mm, 30° C-Mount Autoclavable Arthroscope
●	<b>502-527-070</b>	4 mm, 70° C-Mount Autoclavable Arthroscope
43	<b>502-527-130</b>	4 mm, 30° C-Mount Autoclavable Reverse Cant Arthroscope
82	<b>502-532-030</b>	4 mm, 30° Autoclavable Cystoscope with Integrated Green Light Filter
96, 112	<b>502-537-010</b>	AIM 5.4 mm 0°, HD Laparoscope, 30 cm
96, 112	<b>502-537-030</b>	AIM 5.4 mm 30°, HD Laparoscope, 30 cm
●	<b>502-539-010</b>	HD 5 mm 0° Autoclavable Laparoscope
●	<b>502-539-030</b>	HD 5 mm 30° Autoclavable Laparoscope
●	<b>502-539-045</b>	HD 5 mm 45° Autoclavable Laparoscope
●	<b>502-540-010</b>	HD 5 mm 0° IR Autoclavable Laparoscope
●	<b>502-540-030</b>	HD 5 mm 30° IR Autoclavable Laparoscope
89	<b>502-555-100</b>	Semi-Flexible (Single Action) Grasper, 5 Fr, 41 cm
89	<b>502-555-200</b>	Semi-Flexible Biopsy Punch, 5 Fr, 41 cm
89	<b>502-555-300</b>	Semi-Flexible Scissors, 5 Fr, 41 cm
89	<b>502-555-400</b>	Semi-Flexible Biopsy Cup, 5 Fr, 41 cm
89	<b>502-555-500</b>	Semi-Flexible (Double Action) Grasper, 5 Fr, 41 cm
63	<b>502-577-015</b>	5.8 mm Long Pencil Tip Cannulated Obturator
44	<b>502-577-510</b>	Blunt Tip Obturator for 4 mm Long Arthroscope
44, 63	<b>502-577-515</b>	Pencil Tip Obturator for 4 mm Long Arthroscope
44	<b>502-577-520</b>	Trocar for 4 mm Long Arthroscope

Page	Numbers	Description
44, 63	<b>502-577-550</b>	5.8 Cannula, 2-Rotating Stopcocks for 4 mm Long Arthroscope
43	<b>502-623-030</b>	2.3 mm, 30° C-Mount Non-Autoclavable Arthroscope, Speed-Lock
46	<b>502-623-500</b>	2.3 mm Autoclavable Pencil Tip Obturator, Speed-Lock
46	<b>502-623-510</b>	2.3 mm Autoclavable Blunt Tip Obturator, Speed-Lock
46	<b>502-623-530</b>	2.9 mm Autoclavable Cannula, 1-Rotating Stopcock, Speed-Lock
43	<b>502-624-030</b>	1.9 mm, 30° C-Mount Non-Autoclavable Arthroscope, Speed-Lock
43	<b>502-626-030</b>	2.7 mm, 30° C-Mount Non-Autoclavable Stubby Arthroscope, Speed-Lock
●	<b>502-627-030</b>	HD 2.7 mm x 30° Stubby Arthroscope, J-Lock, C-Mount, Autoclavable
63	<b>502-677-030</b>	4 mm, 30° Autoclavable Hip Arthroscope
63	<b>502-677-070</b>	4 mm, 70° Autoclavable Hip Arthroscope
●	<b>502-704-010</b>	Ideal Eyes 4 mm, 0° C-Mount, Autoclavable Arthroscope
●	<b>502-704-030</b>	HD 4 mm x 30° Arthroscope, Speedlock, C-Mount, Autoclavable
●	<b>502-704-070</b>	HD 4 mm x 70° Arthroscope, Speedlock, C-Mount, Autoclavable
47	<b>502-711-500</b>	Pencil Tip Obturator for 2.8 mm Cannula, J-Lock
47	<b>502-711-510</b>	Blunt Tip Obturator for 2.8 mm Cannula, J-Lock
47	<b>502-711-520</b>	Trocar for 2.8 mm Cannula, J-Lock
47	<b>502-711-530</b>	2.8 mm Cannula, 1-Rotating Stopcock, J-Lock
47	<b>502-711-550</b>	2.8 mm Cannula, 1-Fixed Stopcock, J-Lock
47	<b>502-711-560</b>	2.8 mm Cannula, 2-Rotating Stopcocks, J-Lock
46	<b>502-712-500</b>	Pencil Tip Obturator for 2.9 mm Cannula, J-Lock
46	<b>502-712-520</b>	Trocar for 2.9 mm Cannula, J-Lock

Page	Numbers	Description
46	<b>502-712-530</b>	2.9 mm Cannula, 1-Rotating Stopcock, J-Lock
45, 46	<b>502-713-500</b>	Pencil Tip Obturator for 3.2 mm Cannula, J-Lock
45, 46	<b>502-713-510</b>	Blunt Tip Obturator for 3.2 mm Cannula, J-Lock
45, 46	<b>502-713-520</b>	Trocar for 3.2 mm Cannula, J-Lock
45, 46	<b>502-713-530</b>	3.2 mm Cannula, 1-Rotating Stopcock, J-Lock
45, 46	<b>502-713-540</b>	3.2 mm Cannula, 2-Fixed Stopcocks, J-Lock
45, 46	<b>502-713-550</b>	3.2 mm Cannula, 1-Fixed Stopcock, J-Lock
45, 46	<b>502-713-560</b>	3.2 mm Cannula, 2-Rotating Stopcocks, J-Lock
45	<b>502-714-500</b>	Pencil Tip Obturator for 4 mm Cannula, J-Lock
45	<b>502-714-510</b>	Blunt Tip Obturator for 4 mm Cannula, J-Lock
45	<b>502-714-520</b>	Trocar for 4 mm Cannula J-Lock
45	<b>502-714-530</b>	4 mm Cannula, 1-Rotating Stopcock, J-Lock
45	<b>502-714-550</b>	4 mm Cannula, 1-Fixed Stopcock, J-Lock
45	<b>502-714-560</b>	4 mm Cannula 2-Rotating Stopcocks, J-Lock
●	<b>502-719-030</b>	HD 1.9 mm x 30° Arthroscope, J-Lock, C-Mount, Autoclavable
●	<b>502-727-030</b>	HD 2.7 mm x 30° Arthroscope, Speedlock, C-Mount, Autoclavable
88	<b>502-729-000</b>	Ideal Eyes 2.9 mm, 0° Autoclavable Hysteroscope
88, 90	<b>502-729-012</b>	Ideal Eyes 2.9 mm, 12° Autoclavable Hysteroscope
88	<b>502-729-030</b>	Ideal Eyes 2.9 mm, 30° Autoclavable Hysteroscope
88	<b>502-729-050</b>	Obturator for 2.9 mm Diagnostic Hysteroscope Sheath
88	<b>502-729-051</b>	2.9 mm Hysteroscope Diagnostic Sheath (Inner)
88	<b>502-729-052</b>	2.9 mm Hysteroscope Diagnostic Sheath (Outer)
88	<b>502-729-060</b>	Obturator for 2.9 mm Operative Hysteroscope Sheath

Page	Numbers	Description
88	<b>502-729-061</b>	2.9 mm Hysteroscope Operative Sheath (Inner)
88	<b>502-729-062</b>	2.9 mm Hysteroscope Operative Sheath (Outer)
88	<b>502-740-000</b>	4 mm, 0° Autoclavable Hysteroscope
88	<b>502-740-012</b>	4 mm, 12° Autoclavable Hysteroscope
88	<b>502-740-030</b>	4 mm, 30° Autoclavable Hysteroscope
88	<b>502-740-050</b>	Obturator for 4 mm Diagnostic Hysteroscope Sheath
88	<b>502-740-051</b>	4 mm Hysteroscope Diagnostic Sheath (Inner)
88	<b>502-740-052</b>	4 mm Hysteroscope Diagnostic Sheath (Outer)
88	<b>502-740-060</b>	Obturator for 4 mm Operative Hysteroscope Sheath
88	<b>502-740-061</b>	4 mm Hysteroscope Operative Sheath (Inner)
88	<b>502-740-062</b>	4 mm Hysteroscope Operative Sheath (Outer)
89	<b>502-777-100</b>	Semi-Flexible (Single Action) Grasper, 7 Fr, 41 cm
89	<b>502-777-200</b>	Semi-Flexible Biopsy Punch, 7 Fr, 41 cm
89	<b>502-777-300</b>	Semi-Flexible Scissors, 7 Fr, 41 cm
89	<b>502-777-400</b>	Semi-Flexible Biopsy Cup, 7 Fr, 41 cm
89	<b>502-777-500</b>	Semi-Flexible (Double Action) Grasper, 7 Fr, 41 cm
●	<b>502-804-030</b>	HD 4 mm x 30° Long Arthroscope, Speedlock, C-Mount, Autoclavable
●	<b>502-804-070</b>	HD 4 mm x 70° Long Arthroscope, Speedlock, C-Mount, Autoclavable
41	<b>502-819-010</b>	Ideal Eyes Precision HD, 1.9 mm, 0° Autoclavable Arthroscope, J-Lock, C-Mount
41	<b>502-819-030</b>	Ideal Eyes Precision HD, 1.9 mm, 30° Autoclavable Arthroscope, J-Lock, C-Mount
41	<b>502-820-030</b>	Ideal Eyes Precision HD, 1.9 mm, 30° Autoclavable Arthroscope, Speedlock, C-Mount

Page	Numbers	Description
41	<b>502-822-030</b>	Ideal Eyes Precision HD, 2.3 mm, 30°, Autoclavable Arthroscope, Speedlock, C-Mount
41	<b>502-823-010</b>	Ideal Eyes Precision HD, 2.3 mm, 0°, Autoclavable Arthroscope, J-Lock, C-Mount
41	<b>502-823-030</b>	Ideal Eyes Precision HD, 2.3 mm, 30°, Autoclavable Arthroscope, J-Lock, C-Mount
41	<b>502-823-070</b>	Ideal Eyes Precision HD, 2.3 mm, 70°, Autoclavable Arthroscope, J-Lock, C-Mount
41	<b>502-823-130</b>	Ideal Eyes Precision HD, 2.3 mm, 30°, Autoclavable Arthroscope, Reverse Cant, J-Lock, C-Mount
41	<b>502-826-030</b>	Ideal Eyes Precision HD, 2.7 mm, 30°, Autoclavable Arthroscope, Speedlock, C-Mount, 75 mm
41	<b>502-826-070</b>	Ideal Eyes Precision HD, 2.7 mm, 70°, Autoclavable Arthroscope, Speedlock, C-Mount, 75 mm
41	<b>502-827-010</b>	Ideal Eyes Precision HD, 2.7 mm, 0°, Autoclavable Arthroscope, J-Lock, C-Mount, 75 mm
41	<b>502-827-030</b>	Ideal Eyes Precision HD, 2.7 mm, 30°, Autoclavable Arthroscope, J-Lock, C-Mount, 75 mm
41	<b>502-827-070</b>	Ideal Eyes Precision HD, 2.7 mm, 70°, Autoclavable Arthroscope, J-Lock, C-Mount, 75 mm
41	<b>502-827-130</b>	Ideal Eyes Precision HD, 2.7 mm, 30°, Autoclavable Arthroscope, Reverse Cant, J-Lock, C-Mount, 75 mm
61	<b>502-829-030</b>	Ideal Eyes Precision HD, 30° Arthroscope, 2.9 x 200 mm, C-Mount, Speed-Lock, Autoclavable
●	<b>502-859-010</b>	HD 10 mm 0° Autoclavable Laparoscope
●	<b>502-859-030</b>	HD 10 mm 30° Autoclavable Laparoscope
●	<b>502-859-045</b>	HD 10 mm 45° Autoclavable Laparoscope
●	<b>502-860-010</b>	HD 10 mm 0° IR Autoclavable Laparoscope
●	<b>502-860-030</b>	HD 10 mm 30° IR Autoclavable Laparoscope
●	<b>502-860-045</b>	HD 10 mm 45° IR Autoclavable Laparoscope

Page	Numbers	Description
80, 91	<b>502-880-001</b>	24/26 Fr Resectoscope Standard Obturator
80, 91	<b>502-880-002</b>	24/26 Fr Resectoscope Visual Obturator
80	<b>502-880-003</b>	24/26 Fr Resectoscope Timberlake Obturator
81, 92	<b>502-880-005</b>	Laser Bridge (For use with Straight Fire Laser)
81, 92	<b>502-880-006</b>	Bladder Syringe Adapter, (Inner Sheath)
81, 92	<b>502-880-007</b>	Bladder Syringe Adapter, (Outer Sheath)
78	<b>502-880-200</b>	Evaluation Bridge
78	<b>502-880-201</b>	Single Horn Bridge
78	<b>502-880-202</b>	Double Horn Bridge
78	<b>502-880-203</b>	Albarran Bridge, Double Horn
79	<b>502-880-204</b>	Bladder Syringe Adapter Cystoscope Sheath
79, 81, 89, 84	<b>502-880-205</b>	Port Seal (10/box)
78	<b>502-880-206</b>	Albarran Bridge, Single Horn
81, 92	<b>502-880-208</b>	Rigid Optical Forcep Adapter, Outer Sheath
81, 92	<b>502-880-209</b>	Rigid Optical Forcep Adapter, Inner Sheath
81, 92	<b>502-880-210</b>	Rigid Optical Biopsy Forcep, 0°, 12°
81, 92	<b>502-880-211</b>	Rigid Optical Grasping Forcep, 0°, 12°
81, 92	<b>502-880-213</b>	Rigid Optical Stone Crushing Forcep 30°
81, 92	<b>502-880-214</b>	Rigid Optical Biopsy Forcep 70°
81, 92	<b>502-880-215</b>	Rigid Optical Biopsy Forcep 30°
78	<b>502-880-217</b>	17 Fr Cystoscope Sheath
78	<b>502-880-218</b>	17 Fr Cystoscope Standard Obturator
78	<b>502-880-219</b>	19 Fr Cystoscope Sheath
78	<b>502-880-220</b>	19 Fr Cystoscope Standard Obturator
78	<b>502-880-221</b>	21 Fr Cystoscope Sheath
78	<b>502-880-222</b>	21 Fr Cystoscope Standard Obturator
78	<b>502-880-223</b>	23 Fr Cystoscope Sheath

Page	Numbers	Description
78	<b>502-880-224</b>	23 Fr Cystoscope Standard Obturator
78	<b>502-880-225</b>	25 Fr Cystoscope Sheath
78	<b>502-880-226</b>	25 Fr Cystoscope Standard Obturator
82	<b>502-880-299</b>	Continuous Flow Laser Cystoscope Sheath (Outer)
82	<b>502-880-300</b>	Continuous Flow Laser Cystoscope Sheath
82	<b>502-880-301</b>	Visual Obturator, Laser Cystoscope
82	<b>502-880-302</b>	Sweep Guide, Laser Cystoscope Sidem Fire Laser Sheath
82	<b>502-880-303</b>	Continuous Flow Laser Cystoscope Sheath (Inner)
80, 91	<b>502-880-324</b>	24 Fr Standard Flow Resectoscope Sheath
81	<b>502-880-325</b>	24 Fr Standard Flow Resectoscope Sheath Adapter
80	<b>502-880-327</b>	27 Fr Standard Flow Resectoscope Sheath
81	<b>502-880-328</b>	27 Fr Standard Flow Resectoscope Sheath Adapter
84	<b>502-880-330</b>	SRU-6 Autoclavable Semi-Rigid Ureteroscope, 6.9/10 Fr, 33 cm
80, 83, 91	<b>502-880-401</b>	Working Element, Passive (Iglesias)
80, 91	<b>502-880-402</b>	Working Element, Active (Baumrucker)
80	<b>502-880-425</b>	27/28 Fr Resectoscope Timberlake Obturator
80, 91	<b>502-880-426</b>	24/26 Fr Continuous Flow Inner/Outer Sheath
80	<b>502-880-427</b>	27/28 Fr Resectoscope Standard Obturator
80	<b>502-880-428</b>	27/28 Fr Continuous Flow Inner/Outer Sheath
80	<b>502-880-429</b>	27/28 Fr Resectoscope Visual Obturator
84	<b>502-880-430</b>	SRU-6x Autoclavable Semi-Rigid Ureteroscope, 6.9/10 Fr, 43 cm
83	<b>502-880-501</b>	Cold Knife, Half Moon
83	<b>502-880-502</b>	Cold Knife, Straight
83	<b>502-880-503</b>	Cold Knife, Serrated
83	<b>502-880-504</b>	Cold Knife, Hook

Page	Numbers	Description
83	<b>502-880-505</b>	Cold Knife, Loop
83	<b>502-880-521</b>	21 Fr Visual Urethrotome Sheath
83	<b>502-880-522</b>	21 Fr Urethrotome Standard Obturator
83	<b>502-880-523</b>	21 Fr Urethrotome Visual Obturator
83	<b>502-880-524</b>	21 Fr Visual Urethrotome Working/Optical Bridge
83	<b>502-880-525</b>	25 Fr Visual Urethrotome (Outer Sheath)
79	<b>502-880-601</b>	Ellik Adapter Cysto Sheath
81, 92	<b>502-880-602</b>	Ellik Adapter Inner Sheath
81, 92	<b>502-880-603</b>	Ellik Adapter Outer Sheath
●	<b>502-880-605</b>	Urethral Dilator Set, Curved
81	<b>502-880-650</b>	Reusable Stopcock
78	<b>502-881-217</b>	17 Fr Cysto Visual Obturator
78	<b>502-881-219</b>	19 Fr Cysto Visual Obturator
78	<b>502-881-221</b>	21 Fr Cysto Visual Obturator
78	<b>502-881-223</b>	23 Fr Cysto Visual Obturator
78	<b>502-881-225</b>	25 Fr Cysto Visual Obturator
41	<b>502-904-010</b>	Ideal Eyes Precision HD, 4 mm, 0°, Autoclavable Arthroscope, C-Mount, 140 mm
41	<b>502-904-030</b>	Ideal Eyes Precision HD, 4 mm, 30°, Autoclavable Arthroscope, C-Mount, 140 mm
41	<b>502-904-070</b>	Ideal Eyes Precision HD, 4 mm, 70°, Autoclavable Arthroscope, C-Mount, 140 mm
41	<b>502-904-130</b>	Ideal Eyes Precision HD, 4 mm, 30°, Autoclavable Arthroscope, Reverse Cant, C-Mount, 140 mm
41	<b>502-927-010</b>	Ideal Eyes Precision HD, 2.7 mm, 0°, Autoclavable Arthroscope, Speed-Lock, C-Mount, 120 mm
41	<b>502-927-030</b>	Ideal Eyes Precision HD, 2.7 mm, 30°, Autoclavable Arthroscope, Speed-Lock, C-Mount, 120 mm
41	<b>502-927-070</b>	Ideal Eyes Precision HD, 2.7 mm, 70°, Autoclavable Arthroscope, Speed-Lock, C-Mount, 120 mm
96, 112	<b>502-937-010</b>	AIM 10 mm 0°, HD Laparoscope, 33 cm
96, 112	<b>502-937-030</b>	AIM 10 mm 30°, HD Laparoscope, 33 cm

Page	Numbers	Description
●	<b>502-977-030</b>	4 mm Diagnostic Sheath
●	<b>502-978-030</b>	Operation Sheath for 4 mm Hysteroscope
78	<b>502-990-000</b>	4 mm, 0° Autoclavable Cystoscope
78	<b>502-990-012</b>	4 mm, 12° Autoclavable Cystoscope
78, 80, 91	<b>502-990-030</b>	4 mm, 30° Autoclavable Cystoscope
78	<b>502-990-070</b>	4 mm, 70° Autoclavable Cystoscope
92	<b>502-990-300</b>	Universal/Valleylab Cable
90	<b>502-990-322</b>	22/24 Fr Resectoscope Sheath (Inner)
90	<b>502-990-324</b>	22/24 Fr Resectoscope Sheath (Outer)
90	<b>502-990-401</b>	22/24 Fr Working Element—Passive
90	<b>502-990-414</b>	22/24 Fr Resectoscope Standard Obturator
90	<b>502-990-424</b>	22/24 Fr Continuous Flow Resectoscope Sheath (Inner/Outer)
78	<b>502-991-000</b>	4 mm, 0° KS-Series Autoclavable Cystoscope
78	<b>502-991-012</b>	4 mm, 12° KS-Series Autoclavable Cystoscope
78	<b>502-991-030</b>	4 mm, 30° KS-Series Autoclavable Cystoscope
78	<b>502-991-070</b>	4 mm, 70° KS-Series Autoclavable Cystoscope
84	<b>504-841-115</b>	2 Fr Short Tip Electode, 115 cm (3/box)
84	<b>504-842-115</b>	2 Fr Long Tip Electode, 115 cm (3/box)
84	<b>504-843-115</b>	3 Fr Short Tip Electrode, 115 cm (3/box)
84	<b>504-844-115</b>	3 Fr Long Tip Electrode, 115 cm (3/box)
84	<b>504-860-065</b>	5 Fr Bugbee Electrode, 65 cm (3/box)
84	<b>504-861-065</b>	5 Fr Ball Electrode, 65 cm (3/box)
84	<b>504-862-065</b>	5 Fr Domed Electrode, 65 cm (3/box)
79	<b>504-870-040</b>	7 Fr Bugbee Electrode, 40 cm (3/box)

Page	Numbers	Description
79	<b>504-871-040</b>	7 Fr Ball Electrode, 40 cm (3/box)
79	<b>504-872-040</b>	7 Fr Domed Electrode, 40 cm (3/box)
91	<b>504-880-100</b>	Gold Coagulating Electrode (6/box)
81, 91	<b>504-880-200</b>	Roller Ball Electrode (6/box)
81, 91	<b>504-880-312</b>	24 Fr 90° Cutting Loop Electrode, 0.012 (6/box)
81, 91	<b>504-880-314</b>	24 Fr 90° Cutting Loop Electrode, 0.014 (6/box)
81, 91	<b>504-880-400</b>	24 Fr 30° Cutting Loop Electrode, 0.012 (6/box)
81, 91	<b>504-880-414</b>	24 Fr 30° Cutting Loop Electrode, 0.014 (6/box)
81, 91	<b>504-880-500</b>	0° (Straight) Cutting Loop Electrode (6/box)
81, 91	<b>504-880-600</b>	Dimpled Vaporizing Rollar Ball Electrode (6/box)
81, 91	<b>504-880-800</b>	Collings Knife Electrode (6/box)
81	<b>504-881-100</b>	27 Fr Gold Coagulating Electrode (6/box)
81	<b>504-881-312</b>	27 Fr 90° Cutting Loop Electrode, 0.012 (6/box)
81	<b>504-881-314</b>	27 Fr 90° Cutting Loop Electrode, 0.014 (6/box)
81	<b>504-881-412</b>	27 Fr 30° Cutting Loop Electrode, 0.012 (6/box)
81	<b>504-881-414</b>	27 Fr 30° Cutting Loop Electrode, 0.014 (6/box)
●	<b>504-882-115</b>	2.4 Fr Nitinol Basket, 115 cm
90	<b>504-990-100</b>	Rev360 Gold Coagulating Electrode (6/box)
90	<b>504-990-200</b>	Rev360 Roller Ball Electrode (6/box)
90	<b>504-990-314</b>	Rev360 30° Cutting Loop Electrode, 0.014 (6/box)
90	<b>504-990-500</b>	Rev360 0° (Straight) Cutting Loop Electrode, 0.014 (6/box)
90	<b>504-990-600</b>	Rev360 Dimpled Vaporizing Roller Ball Electrode (6/box)
90	<b>504-990-800</b>	Rev360 Collings Knife Electrode (6/box)
84	<b>504-999-001</b>	Cleaning Brush for Semi-Rigid Ureteroscope
79	<b>505-880-105</b>	5 Fr Flexible Grasping Forcep

Page	Numbers	Description
79	<b>505-880-107</b>	7 Fr Flexible Grasping Forcep
79	<b>505-880-115</b>	5 Fr Flexible Biopsy Cup Forcep
79	<b>505-880-117</b>	7 Fr Flexible Biopsy Cup Forcep
79	<b>505-880-125</b>	Flexible Scissor, 5 Fr
84	<b>505-880-205</b>	5 Fr Flexible Grasping Forcep, 60 cm
●	<b>620-010-101</b>	Veress Needle
111	<b>620-010-103</b>	CO <sub>2</sub> Tank Yoke
111	<b>620-010-104</b>	CO <sub>2</sub> Tank Hose
●	<b>620-030-100</b>	PureView Buffalo Filter (10/box)
●	<b>620-030-201</b>	16 Liter Insufflator Tubing (10/box)
111	<b>620-030-301</b>	High Flow Insufflator Tubing (10/box)
111	<b>620-030-407</b>	High Flow Heated Insufflator Tubing (5/box)
111	<b>620-030-503</b>	CO <sub>2</sub> Switching Valve
111	<b>620-040-002</b>	Central Gas Connector for PneumoSure
111	<b>620-040-003</b>	Central Gas Hose
111	<b>620-040-610</b>	PneumoSure XL
●	<b>620-040-620</b>	PneumoSure Mode Upgrade Kit to XL
121	<b>620-040-650</b>	TubeSet Adapter for PneumoSure
111	<b>620-040-652</b>	High Flow Insufflator for House Gas
111	<b>620-040-654</b>	High Flow Insufflator for Bottle Gas
111	<b>620-040-660</b>	PneumoSure High Flow Tubing (10/box)
111	<b>620-040-680</b>	PneumoSure High Flow Tubing - RTP (10/box)
111	<b>620-040-690</b>	PneumoSure Heated Tubing - RTP (10/box)
110	<b>620-050-000</b>	Pneumoclear Plus CO <sub>2</sub> Conditioning Insufflator
110	<b>620-050-001</b>	Pneumoclear Plus CO <sub>2</sub> Conditioning Insufflator for House Gas
110	<b>620-050-002</b>	Pneumoclear Plus CO <sub>2</sub> Conditioning Insufflator for Bottle Gas
110	<b>620-050-100</b>	PneumoClear High Flow Tube Set (10/box)

Page	Numbers	Description
110	<b>620-050-200</b>	PneumoClear Heated High Flow Tube Set (10/box)
110	<b>620-050-250</b>	PneumoClear Smoke Evacuation High Flow Tube Set (10/box)
110	<b>620-050-300</b>	PneumoClear Heated Humidified Tube Set (10/box)
110	<b>620-050-350</b>	PneumoClear Heated Humidified Smoke Evacuation Tube Set (10/box)
111	<b>620-050-913</b>	DISS House Gas Connector for PneumoClear
●	<b>620-050-914</b>	US Adapter for PneumoClear
●	<b>620-050-915</b>	Universal Gas Connector, Angled
●	<b>620-050-916</b>	Sinter Filter for Universal Gas Connection
16	<b>700-000-111</b>	Precision AC 3-Chip Autoclavable Camera, C-Mount, Precision AC Coupler, C-Mount, Fiber Optic Cable 5.0 mm x 10 ft (3.05 m), and Camera Sterilization Tray Kit
16	<b>700-000-222</b>	Precision AC 3-Chip Autoclavable Camera, C-Mount and Precision AC Coupler, C-Mount, Fiber Optic Cable 5.0 mm x 10 ft (3.05 m), and Camera Sterilization Tray Kit
16	<b>700-010-000</b>	Precision AC 3-Chip Camera Control Unit (CCU)
16	<b>700-010-001</b>	Precision AC 3-Chip Camera Control Unit (CCU) with DVI Fiber Output
17	<b>700-020-122</b>	Precision 20 mm Autoclavable Coupler, C-Mount
16	<b>700-410-105</b>	Precision AC 3-Chip Autoclavable Camera Head, C-Mount
16	<b>700-410-122</b>	Precision AC 3-Chip Autoclavable Camera Head and 20 mm Coupler Kit
44	<b>747-031-510</b>	Obturator for 5.8 mm Speed-Lock Cannula, Pencil Tip
44	<b>747-031-511</b>	Obturator for 5.8 mm Speed-Lock Cannula, Blunt Tip
44	<b>747-031-520</b>	Trocar for 5.8 mm Speed-Lock Cannula
44	<b>747-031-530</b>	5.8 mm Cannula, 1-Rotating Stopcock
44	<b>747-031-540</b>	5.8 mm Cannula, 1-Fixed Stopcock
44	<b>747-031-550</b>	5.8 mm Cannula, 2-Rotating Stopcocks

Page	Numbers	Description
44	<b>747-031-560</b>	5.8 mm Cannula, 2-Fixed Stopcocks
44	<b>747-031-650</b>	Inflow with Outflow Cannula
●	<b>882-010-110</b>	Zeiss Microscope Adapter for Standard 882/810/782
17	<b>882-210-110</b>	Zeiss/Leica C-Mount Microscope Adapter
15	<b>950-00009-000</b>	Tamper Evident Seals, Sterrad (Pack of 1000)
15	<b>950-00013-000</b>	Tamper Evident Seals, Sterrad (Pack of 1000)
15	<b>950-00014-000</b>	Polypro 7.5" DIA, Sterrad/Steam Pre Vac Filters (Pack of 1000)
●	<b>1188-010-000</b>	1188 HD CCU
17	<b>1188-020-122</b>	1188 C-Mount Coupler
●	<b>1188-210-105</b>	1188 HD Camera Head
●	<b>1188-410-110</b>	1188 HD 3-Chip Autoclavable Coupler
●	<b>1288-000-020</b>	1288 HD Camera Extension Cable
●	<b>1288-010-000</b>	1288 HD Camera Control Unit
●	<b>1288-010-001</b>	1288 HD Camera Control Unit with Fiber Output
●	<b>1288-020-122</b>	1288 HD Coupler, C-Mount
●	<b>1288-210-105</b>	1288 HD Camera Head, C-Mount
●	<b>1288-310-130</b>	1288 HD Urology Camera Head
●	<b>1288-710-105</b>	1288 HD Inline Camera Head
14	<b>1488-000-020</b>	1488 HD 3-Chip Camera Extension Cable (20 ft)
14	<b>1488-010-000</b>	1488 HD 3-Chip Camera Control Unit (CCU)
14	<b>1488-010-001</b>	1488 HD 3-Chip Camera Control Unit (CCU) with DVI Fiber Output
17	<b>1488-020-122</b>	1488 HD 18 mm Coupler, C-Mount
17	<b>1488-020-125</b>	Ideal Eyes Zoom Coupler, C-Mount
14	<b>1488-210-105</b>	1488 HD 3-Chip Camera Head, C-Mount
14	<b>1488-210-122</b>	1488 HD 3-Chip Camera Head and 18 mm Coupler Kit
14	<b>1488-310-130</b>	1488 HD 3-Chip Pendulum Camera Head with Integrated Coupler

Page	Numbers	Description
14	<b>1488-610-122</b>	1488 HD 3-Chip Camera Head with Integrated Coupler
14	<b>1488-710-105</b>	1488 HD 3-Chip Inline Camera Head, C-Mount
14	<b>1488-710-122</b>	1488 HD 3-Chip Inline Camera and 18 mm Coupler Kit
14	<b>1588-000-080</b>	Extension Cable
13, 112	<b>1588-010-000</b>	1588 AIM Camera Control Unit (CCU)
17	<b>1588-020-122</b>	AIM Coupler, 18 mm, C-Mount
13	<b>1588-210-105</b>	1588 AIM Camera Head, C-Mount
13	<b>1588-210-122</b>	1588 AIM Camera Head and AIM Coupler Kit
13	<b>1588-310-130</b>	1588 Pendulum Camera Head with Integrated Coupler
13	<b>1588-610-122</b>	1588 AIM Camera Head with Integrated Coupler
13, 18	<b>1588-668-257P</b>	1588 AIM Camera Control Unit with L10 AIM Light Source Kit
13	<b>1588-710-105</b>	1588 AIM Inline Camera Head, C-Mount
13	<b>1588-710-122</b>	1588 AIM Inline Camera Head and AIM Coupler Kit
13, 18, 19, 21	<b>1588-878-096P</b>	1588 AIM Camera Control Unit with L10 AIM Light Source and Clarity Kit
74	<b>3910-075-006</b>	6.5 mm x 75 mm, Reusable Cannulated Obturator
74	<b>3910-075-008</b>	8 mm x 75 mm, Reusable Cannulated Obturator
74	<b>3910-075-500</b>	5 mm x 75 mm, Threaded Dri-Lok Cannula (5/box)
74	<b>3910-075-501</b>	5 mm x 75 mm, Non-Threaded Dri-Lok Cannula (5/box)
74	<b>3910-075-502</b>	5 mm x 75 mm, Distal Thread Dri-Lok Cannula (5/box)
74	<b>3910-075-650</b>	6.5 mm x 75 mm, Threaded Dri-Lok Cannula (5/box)
74	<b>3910-075-651</b>	6.5 mm x 75 mm, Non-Threaded Dri-Lok Cannula (5/box)
74	<b>3910-075-652</b>	6.5 mm x 75 mm, Distal Thread Dri-Lok Cannula (5/box)
74	<b>3910-075-800</b>	8 mm x 75 mm, Threaded Dri-Lok Cannula (5/box)

Page	Numbers	Description
74	<b>3910-075-801</b>	8 mm x 75 mm, Non-Threaded Dri-Lok Cannula (5/box)
74	<b>3910-075-802</b>	8 mm x 75 mm, Distal Thread Dri-Lok Cannula (5/box)
68, 74	<b>3910-090-006</b>	6.5 mm x 90 mm, Reusable Cannulated Obturator
68, 74	<b>3910-090-008</b>	8 mm x 90 mm, Reusable Cannulated Obturator
68, 74	<b>3910-090-500</b>	5 mm x 90 mm, Threaded Dri-Lok Cannula (5/box)
68, 74	<b>3910-090-502</b>	5 mm x 90 mm, Distal Thread Dri-Lok Cannula (5/box)
68, 74	<b>3910-090-650</b>	6.5 mm x 90 mm, Threaded Dri-Lok Cannula (5/box)
68, 74	<b>3910-090-652</b>	6.5 mm x 90 mm, Distal Thread Dri-Lok Cannula (5/box)
68, 74	<b>3910-090-800</b>	8 mm x 90 mm, Threaded Dri-Lok Cannula (5/box)
68, 74	<b>3910-090-802</b>	8 mm x 90 mm, Distal Thread Dri-Lok Cannula (5/box)
●	<b>3910-200-036</b>	5.5 mm Peek Zip Anchor
72	<b>3910-500-800</b>	3 mm Probe
72	<b>3910-500-850</b>	5 mm Probe
62	<b>3911-004-000</b>	ParallelPortal Cannula with Zero Tube
62	<b>3911-004-025</b>	4.5 mm x 25 mm, ParallelPortal Cannula
62	<b>3911-004-055</b>	4.5 mm x 55 mm, ParallelPortal Cannula
51	<b>5100-008-000</b>	TPS Footswitch
51	<b>5400-050-000</b>	CORE Console
22, 50, 59	<b>6000-001-020</b>	2 m Firewire Cable
36	<b>DCELL200</b>	DermACELL (ADM) 0.75 - 1.50mm, 4 x 12 cm,
36	<b>DCELL201</b>	DermACELL (ADM) 0.75 - 1.50mm, 6 x 12 cm
36	<b>DCELL202</b>	DermACELL (ADM) 0.75 - 1.50mm, 4 x 16 cm
36	<b>DCELL203</b>	DermACELL (ADM) 0.75 - 1.50mm, 5 x 16 cm
36	<b>DCELL204</b>	DermACELL (ADM) 0.75 - 1.50mm, 6 x 16 cm
36	<b>DCELL205</b>	DermACELL (ADM) 0.75 - 1.50mm, 8 x 16 cm

Page	Numbers	Description
36	<b>DCELL206</b>	DermACELL (ADM) 0.75 - 1.50mm, 8 x 20 cm
36	<b>DCELL207</b>	DermACELL (ADM) 0.75 - 1.50mm, 16 x 20 cm
36	<b>DCELL208</b>	DermACELL (ADM) 0.75 - 1.50mm, 20 x 20 cm
36	<b>DCELL214</b>	DermACELL (ADM) 0.6 - 1.05mm, 6 x 16 cm
36	<b>DCELL214M</b>	DermACELL (ADM) 0.6 - 1.05mm, 6 x 16 cm - Microperforated
36	<b>DCELL215</b>	DermACELL (ADM) 0.6 - 1.05mm, 8 x 16 cm
36	<b>DCELL215M</b>	DermACELL (ADM) 0.6 - 1.05mm, 8 x 16 cm - Microperforated
36	<b>DCELL216</b>	DermACELL (ADM) 0.6 - 1.05mm, 8 x 20 cm
36	<b>DCELL216M</b>	DermACELL (ADM) 0.6 - 1.05mm, 8 x 20 cm - Microperforated
36	<b>DCELL217M</b>	DermACELL (ADM) 0.6 - 1.05mm, 16 x 20 cm - Microperforated
36	<b>DCELL250</b>	DermACELL (ADM) 1.25 - 2.00mm, 4 x 12 cm
36	<b>DCELL251</b>	DermACELL (ADM) 1.25 - 2.00mm, 6 x 12 cm
36	<b>DCELL252</b>	DermACELL (ADM) 1.25 - 2.00mm, 4 x 16 cm
36	<b>DCELL253</b>	DermACELL (ADM) 1.25 - 2.00mm, 5 x 16 cm
36	<b>DCELL254</b>	DermACELL (ADM) 1.25 - 2.00mm, 6 x 16 cm
36	<b>DCELL255</b>	DermACELL (ADM) 1.25 - 2.00mm, 8 x 16 cm
36	<b>DCELL256</b>	DermACELL (ADM) 1.25 - 2.00mm, 8 x 20 cm
36	<b>DCELL257</b>	DermACELL (ADM) 1.25 - 2.00mm, 16 x 20 cm
36	<b>DCELL258</b>	DermACELL (ADM) 1.25 - 2.00mm, 20 x 20 cm
19, 34	<b>HH1001</b>	SPY-PHI Articulating Arm, Main Arm
19, 34	<b>HH1002</b>	SPY-PHI Articulating Arm, Table Clamp
19, 34	<b>HH1003</b>	SPY-PHI Articulating Arm, Imaging Head Holder
19, 35	<b>HH9006</b>	SPY-PHI Drug Drape Pack (6 Kits Per)
19, 34	<b>HH9030</b>	SPY-PHI handheld imager

Page	Numbers	Description
19, 35	<b>LC3000</b>	SPY Elite tower
19, 35	<b>LC3006</b>	SPY Elite Drug Drape Pack (6 Kits Per)
19, 35	<b>LU3006</b>	LUNA Drug Drape Pack (6 Kits Per)
120	<b>P10261</b>	1188 Autoclavable Soaking Cap
17	<b>P10352</b>	3.5mm to 2x 2.5mm Y Cable
121	<b>P10526</b>	3.5 in LCD with Touch Screen
27, 120	<b>P12811</b>	Pink Paper Holder for Stryker Digital Printer SDP1000
27, 120	<b>P12812</b>	Blue Paper Holder for Stryker Digital Printer SDP1000
120	<b>P12814</b>	Cleaning Ribbon for SDP1000 Printer
120	<b>P16007</b>	SDC3 Chassis Cover
120	<b>P16008</b>	SDC3 Power Supply
120	<b>P16009</b>	Sub-System, SK28-LCD
120	<b>P16032</b>	SDC3 DVD Tray Cover
120	<b>P16386</b>	Writer Sata - Lite-On IHAS124
59	<b>P17275</b>	CrossFlow Pump Competitor Integration Power Cable
14, 16, 17, 120	<b>P17542</b>	1488 Soaker Cap
121	<b>P18917</b>	x8000 Ballast (Cep301) Mounting Bracket
120	<b>P18993</b>	SDC3 DVD Tray Cover Interface
121	<b>P19114</b>	X8000 Cable Assy, Ballast to Control Bd.
121	<b>P19115</b>	X8000 Cable Assy, Ballast to Control Bd.
121	<b>P19116</b>	X8000 Ballast
121	<b>P19118</b>	X8000 Cable Assy, Bulb Anode
121	<b>P23669</b>	X8000 CEP301CXE Ballast, cables, and Bracket Kit
14, 17, 120	<b>P24765</b>	1488/1588 Soaking Lanyard
120	<b>P25876</b>	VisionPro Accessory Kit, Cable Cover
120	<b>P25877</b>	VisionPro Accessory Kit, Power Supply
16, 17, 120	<b>P26805</b>	Precision Soaker Cap Lanyard
13	<b>P30883</b>	USB A to A Cable, 6.6 ft.

Page	Numbers	Description
120	<b>P30313</b>	1488/1588 Cable O-Ring, bags of 10
120	<b>P31664</b>	Plastic Extrusion for Heavy Duty Styrker Vision Mount
120	<b>P35920</b>	1188/1288 Cable O-Ring, bags of 10
19, 34	<b>PC9001</b>	Video Processor/Illuminator (VPI)
15	<b>PC9004</b>	PINPOINT Light Cable
15	<b>PC9015</b>	PINPOINT HD-SDI Cable (25')
15	<b>PC9017</b>	No-Wrap Reprocessing Tray for two (2) Laparoscopes and one (1) Light Guide Cable
15	<b>PC9018</b>	No-Wrap Reprocessing Tray for one (1) Camera Head
15	<b>PC9019</b>	PINPOINT Printer Media (Sony)
15	<b>PC9021</b>	PINPOINT Light Guide Adaptor, Endoscope End (Output, Storz)
15	<b>PC9022</b>	PINPOINT Light Guide Adaptor, VPI End (Input, Olympus)
15	<b>PC9023</b>	PINPOINT Scope Adaptor, Endoscope, Storz
15	<b>PC9024</b>	PINPOINT Scope Adaptor, Endoscope, Wolf
15	<b>PC9028</b>	PINPOINT Camera Head Holder, Premium Cart
15	<b>PC9050</b>	PINPOINT Standard Length Disposable Rigid Scope Introducer Pack
15	<b>PC9074</b>	High pressure tubing CO2, Bottle connection: DIN Device connection: US, Length: 1.5 m +WOM
15	<b>PC9075</b>	High pressure tubing CO2, Bottle connection: ISO Device connection: US, Length: 1.5 m +WOM
15	<b>PC9076</b>	High pressure tubing CO2, Bottle connection: PIN Device connection: US, Length: 1.5 m +WOM
15	<b>PC9077</b>	SteriTite, Steam/ETO Load Cards (Pack of 1000)
15	<b>PC9078</b>	SteriTite, H2O2/STERRAD Load Cards (Pack of 1000)
15	<b>PC9079</b>	High pressure tubing CO2 for ventral gas supply, 5 m, NIST/DIN, WOM

Page	Numbers	Description
15	<b>PC9082</b>	Insufflator Accessories, Tubing Set w. filter, Disposable, WOM
15	<b>PC9083</b>	Insufflator Accessories, Filter, Disposable, WOM
15	<b>PC9096</b>	Novadaq Insufflator Tubing Pack (50L), Branded
19, 34	<b>PC9098</b>	SPY-PHI Imaging Head Holder Kit for the Premium Cart
19, 34	<b>PC9099</b>	SPY-PHI Imaging Head Holder Installation Tool Kit for the Premium Cart
19, 35	<b>PP9036</b>	SPY MIS ICG Pack (6 Kits Per)
15	<b>SC9002</b>	PINPOINT Camera Head
15	<b>SC9104</b>	10mm, Standard, 0 with Wolf and Storz adaptor
15	<b>SC9134</b>	10mm, Standard, 30 with Wolf and Storz adaptor
15	<b>SC9144</b>	10mm, Standard, 45 with Wolf and Storz adaptor
15	<b>SC9504</b>	5mm, Standard, 0 with Wolf and Storz adaptor
15	<b>SC9534</b>	5mm, Standard, 30 with Wolf and Storz adaptor
15	<b>SC9544</b>	5mm, Standard, 45 with Wolf and Storz adaptor
19, 35	<b>SK6000-6</b>	SPY2000 drug and drape pack (6 Kits Per)

# **Integrity**

We do what's right

# **Accountability**

We do what we say

# **People**

We grow talent

# **Performance**

We deliver

## **Endoscopy**

This document is intended solely for the use of healthcare professionals. A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate a Stryker product. A surgeon must always refer to the package insert, product label and/or instructions for use, including the instructions for cleaning and sterilization (if applicable), before using any Stryker product.

Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its affiliates own, use, or have applied for the following trademarks or service marks: 90-S Cruise, Accelerator, AHTO, Conquest, Champion, Crossblade, Crossfire, Crossflow, DermACELL, Dri-Lok, FloSteady, Fluid Safe, Formula, iSuite, Ideal Eyes, Iris, iSWITCH, ParallelPortal, Park Trainer, Passport, PINPOINT, Pneumoclear, Pneumosure, Precision, Precision Ideal Eyes, Procure, Rev360, Safelight, SDC3, SERFAS, SIDNE, Speed-Lock, SPY Elite, SPY-PHI, StrykeFlow, Stryker, SYNK, Tomcat, Tomcat HC, Visum, Wingman, and WiSe.

All other trademarks are trademarks of their respective owners or holders.

Literature Number: 1000-900-313 Rev. YA

2016/12 Copyright © 2018 Stryker

Stryker  
Endoscopy  
5900 Optical Court  
San Jose, CA 95138

[stryker.com](http://stryker.com)